

Miami County, KS
Well: Windler-Stephens AI-2
Lease Owner: AltaVista

Town Oilfield Service, Inc.
(913) 837-8400

Commenced Spudding:
12/11/2015

Core		
		489
4.5	Sand	493.5
4.5	Sand	498
8	Sandy Shale	506

Short Cuts

TANK CAPACITY

BBLs. (42 gal.) equals $D^2 \times .14 \times h$
D equals diameter in feet.
h equals height in feet.

BARRELS PER DAY

Multiply gals. per minute x 34.2

HP equals BPH x PSI x .0004

BPH - barrels per hour

PSI - pounds square inch

TO FIGURE PUMP DRIVES

- * D - Diameter of Pump Sheave
- * d - Diameter of Engine Sheave
- SPM - Strokes per minute
- RPM - Engine Speed
- R - Gear Box Ratio
- *C - Shaft Center Distance

D - $RPM \times d$ over $SPM \times R$

d - $SPM \times R \times D$ over RPM

SPM - $RPM \times D$ over $R \times D$

R - $RPM \times D$ over $SPM \times d$

BELT LENGTH - $2C + 1.57(D + d) + \frac{(D-d)^2}{4C}$

* Need these to figure belt length

TO FIGURE AMPS: $\frac{WATTS}{VOLTS} = AMPS$

746 WATTS equal 1 HP

Log Book

Well No. AI-2

Farm Windler - Stephens

KS
(State)

Miami
(County)

21
(Section)

18
(Township)

27
(Range)

For Altavista Energy inc
(Well Owner)

Town Oilfield Services, Inc.

1207 N. 1st East
Louisburg, KS 66053
913-710-5400

Thickness of Strata	Formation	Total Depth	Remarks
0-17	soil - clay	17	
9	Lime	26	
12	Shale	38	
34	Lime	72	
6	Shale	78	
22	Lime	100	
3	Shale	103	
3	Lime	106	
4	Shale	110	
6	Lime	116	
21	Shale	137	Heatha
15	sand	152	broken - good Oil Show
20	sandy shale	172	
104	shale	276	
17	Shale	293	water
32	Shale	325	
6	Lime	331	
18	Shale	349	
7	Lime	356	
16	Shale	372	
3	Lime	375	
14	Shale	389	
26	Lime	415	
69	Shale	484	
4	sandy shale	488	
1	sand	489	Solid - good Oil Show
17	core	506	Page 6



CONSOLIDATED
Oil Well Services, LLC

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

5042
Invoice # 806688 4950

TICKET NUMBER 49932
LOCATION Ottawa KS
FOREMAN Fred Madu

FIELD TICKET & TREATMENT REPORT
CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
12-18-15	3244	Windler Stephens # A-I-2	NE 28	18	24	MI
CUSTOMER			TRUCK #			
Alta Vista Energy			712	Fred Madu		
MAILING ADDRESS			495	Harley		
P.O. Box # 120			675	Kai Det		
CITY	STATE	ZIP CODE	510	Kai Car		
Wellsville	KS	66092				

JOB TYPE Longstring HOLE SIZE 5 7/8 HOLE DEPTH 560 CASING SIZE & WEIGHT 2 7/8 EUE
 CASING DEPTH 570 DRILL PIPE _____ TUBING 5 4 1/2 OTHER _____
 SLURRY WEIGHT _____ SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 28' x Ply
 DISPLACEMENT 3.1488 DISPLACEMENT PSI _____ MIX PSI _____ RATE 4 BPM

REMARKS: Hold safety meeting. Establish pump rate. Pump 1/2 Gal NE 100
Polymer Flush. Mix & Pump 100# Gal Flush. Mix & Pump 75 Sks
Poz Blend I A Cement 270 Gal 5% Salt 5# Kol Seal /sk. Cement
to surface. Flush pump & lines clean. Displace 2 1/2" Rubber
plug to baffle in casing. Pressure to 800# PSI. Casing held
pressure. Release pressure to set float valve. Shut in casing.

TOS Drilling - (wec)

Fred Madu

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
CE0450	1	PUMP CHARGE	495	1500.00
CE0002	30mi	MILEAGE	495	21450
CE0711	Minimum	Ten Miles Delivery	510	660.00
WE0553	1/2 hr	80 bbl Vac Truck	675	150.00
		Sub Total		25245.00
		Less 46%		11612.7
				13633.33
CL6128	1/2 gal	Mad Flush		2500
CC5840	75 sks	Poz Blend I.A Cement		1012.50
CC5965	226#	Bentonite Gel		67.80
CC5226	145#	Salt		108.35
CC6077	375#	Kol Seal		187.50
CP 8176	1	2 1/2" Rubber Plug		45.00
		Sub Total		14416.33
		Less 46%		665.41
				7811.4
		8%	SALES TAX	624.9
			ESTIMATED	
			TOTAL	2206.86

AUTHORIZATION No Co Rep on S. Yr TITLE _____ DATE (10/16/17)
 ESTIMATED TOTAL 2206.86

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form