

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC Use:    |        |  |  |  |  |
|-----------------|--------|--|--|--|--|
| Effective Date: |        |  |  |  |  |
| District #      |        |  |  |  |  |
| SGA?            | Yes No |  |  |  |  |

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1301871

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

| Expected Spud Date:   | Spot Description:   |
|---|---|
| month day yea   | Sec. Twp. S. R    E     W   |
| OPERATOR: License#  | (Q/Q/Q/Q) feet from N / S Line of Section   |
| Name:   | fact from   E /   W Line of Caption   |
| Address 1:  | Is SECTION: Regular Irregular?  |
| Address 2:  |   |
| City: State: Zip: + _   |   |
| Contact Person:   | Lease Name: Well #:   |
| Phone:  | Field Name:   |
| CONTRACTOR: License#  |   |
| Name:   | Target Formation(s):  |
|   | Negreet Lease or unit houndary line (in feetage):   |
| Well Drilled For: Well Class: Type Equipme  | nt.   |
| Oil Enh Rec Infield Mud Rota  | Ground Surface Elevation:feet MSL   |
| Gas Storage Pool Ext. Air Rotary  | Water well within one-quarter mile:   |
| Disposal Wildcat Cable  | Public water supply well within one mile: Yes No  |
| Seismic ; # of Holes Other  | Depth to bottom of fresh water:   |
| Other:  | Depth to bottom of usable water:  |
| If OWWO: old well information as follows:   | Surface Pipe by Alternate: III  |
| II OVVVO. old well information as follows.  | Length of Surface Pipe Planned to be set:   |
| Operator:   |   |
| Well Name:  |   |
| Original Completion Date: Original Total Depth:   | Formation at Total Depth:   |
|   | Water Source for Drilling Operations:   |
|   | es No Well Farm Pond Other:   |
| If Yes, true vertical depth:  | DWK Fellill #.  |
| Bottom Hole Location:   | (Note: Apply for 1 errink with DWK)   |
| KCC DKT #:  | Will Cores be taken?  |
|   | If Yes, proposed zone:  |
|   | AFFIDAVIT   |
|   |   |
| The undersigned hereby affirms that the drilling, completion and  | eventual plugging of this well will comply with K.S.A. 55 et. seg.  |
|   | eventual plugging of this well will comply with K.S.A. 55 et. seq.  |
| It is agreed that the following minimum requirements will be met:   |   |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we   | əll;  |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we  2. A copy of the approved notice of intent to drill <i>shall be</i> pos  | ell;<br>eted on each drilling rig;  |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of words. A copy of the approved notice of intent to drill <i>shall be</i> posts. The minimum amount of surface pipe as specified below <i>s</i> .  | ell;<br>sted on each drilling rig;<br><b>hall be set</b> by circulating cement to the top; in all cases surface pipe <b>shall be set</b>  |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of words. A copy of the approved notice of intent to drill <i>shall be</i> posts. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20  | ell;<br>sted on each drilling rig;<br><b>hall be set</b> by circulating cement to the top; in all cases surface pipe <b>shall be set</b>  |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of words. A copy of the approved notice of intent to drill <i>shall be</i> posts. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 200   | ell; sted on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging;   |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall  | tell;  teld on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date.  |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas   | tell;  teld on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of wo</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> pos</li> <li>The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20</li> <li>If the well is dry hole, an agreement between the operator</li> <li>The appropriate district office will be notified before well is</li> <li>If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas</li> </ol>   | tell;  teld on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date.  |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we.  2. A copy of the approved notice of intent to drill <i>shall be</i> poses.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall.  Or pursuant to Appendix "B" - Eastern Kansas surface cas   | tell;  teld on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall.  Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the state of th | tell;  teld on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20  4. If the well is dry hole, an agreement between the operator  5. The appropriate district office will be notified before well is  6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the   | tell;  teld on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> pose 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically  | tell;  teld on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall.  Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the state of th | tell; sted on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.   |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we.  2. A copy of the approved notice of intent to drill <i>shall be</i> poses.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.   | ted on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:   |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.  For KCC Use ONLY  API # 15 -  | lell;  ted on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification   |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.  For KCC Use ONLY  API # 15   | Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;  |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.  For KCC Use ONLY  API # 15  | Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to fine all cases aurface on the top; in all cases surface pipe shall be set on the set on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.  For KCC Use ONLY  API # 15   | Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to filed proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;   |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.  For KCC Use ONLY  API # 15  | Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to Gdays);  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wo 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required  | reted on each drilling rig;  thall be set by circulating cement to the top; in all cases surface pipe shall be set of feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.  For KCC Use ONLY  API # 15  | Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to scompleted (within 60 days);  - Submit plugging report (CP-4) after plugging is completed (within 60 days);   |

Side Two



| For KCC Use ONLY |   |
|------------------|---|
| API # 15         | - |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | Sec Twp S. R   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



#### 1670 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION 1301871
OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

## Submit in Duplicate

| Operator Name:   |   |                                     | License Number:                                      |  |  |
|--|---|-------------------------------------|--|--|--|
| Operator Address:  |   |                                     |  |  |  |
| Contact Person:  |   |                                     | Phone Number:  |  |  |
| Lease Name & Well No.:   |   |                                     | Pit Location (QQQQ):                                 |  |  |
| Type of Pit: Pit is:   |   |                                     |  |  |  |
| Emergency Pit Burn Pit   | Proposed Existing  If Existing, date constructed: |                                     | SecTwp R   |  |  |
| Settling Pit Drilling Pit  |   |                                     | Feet from North / South Line of Section              |  |  |
| Workover Pit Haul-Off Pit  | Pit capacity:                                     |                                     | Feet from East / West Line of Section                |  |  |
| (If WP Supply API No. or Year Drilled)   |   | (bbls)                              | County   |  |  |
| Is the pit located in a Sensitive Ground Water A   | rea? Yes  | No                                  | Chloride concentration: mg/l                         |  |  |
| To the processing in a content of country training   |   |                                     | (For Emergency Pits and Settling Pits only)          |  |  |
| Is the bottom below ground level?  Yes No  | Artificial Liner?  Yes  N                         | No                                  | How is the pit lined if a plastic liner is not used? |  |  |
|  |   |                                     | NAC data (force)                                     |  |  |
| Pit dimensions (all but working pits):   |   | ,                                   | Width (feet) N/A: Steel Pits No Pit                  |  |  |
| If the pit is lined give a brief description of the li                                     | om ground level to dee<br>ner                     |                                     | dures for periodic maintenance and determining       |  |  |
| material, thickness and installation procedure.  |   |                                     | cluding any special monitoring.                      |  |  |
|  |   |                                     |  |  |  |
|  |   |                                     |  |  |  |
|  |   |                                     |  |  |  |
| Distance to nearest water well within one-mile   | of pit:   | Depth to shallo<br>Source of inforr | west fresh water feet.<br>nation:                    |  |  |
| feet Depth of water well   | feet  | measured                            | well owner electric log KDWR                         |  |  |
| Emergency, Settling and Burn Pits ONLY:  |   | Drilling, Work                      | ver and Haul-Off Pits ONLY:                          |  |  |
| Producing Formation:   |   | Type of materia                     | l utilized in drilling/workover:                     |  |  |
| Number of producing wells on lease:  |   | Number of worl                      | king pits to be utilized:                            |  |  |
| Barrels of fluid produced daily:   |   | Abandonment p                       | procedure:   |  |  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No |   | Drill nite must h                   | e closed within 365 days of spud date.               |  |  |
|  |   |                                     |  |  |  |
|  |   |                                     |  |  |  |
| Submitted Electronically   |   |                                     |  |  |  |
|  |   |                                     |  |  |  |
| KCC OFFICE USE ONLY  |   |                                     |  |  |  |
| Liner Steel Pit RFAC RFAS  |   |                                     |  |  |  |
| Date Received: Permit Num  | ber:  | Permi                               | t Date: Lease Inspection: Yes No                     |  |  |



1301871

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed:  C-1 (Intent)  CB-1   | 1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |  |  |
|--|---|--|--|
| OPERATOR: License #  | Well Location:  |  |  |
| Name:  |   |  |  |
| Address 1:   |   |  |  |
| Address 2:   |   |  |  |
| City:  | 3   |  |  |
| Contact Person:  | the lease below:  |  |  |
| Phone: ( ) Fax: ( )  |   |  |  |
| Email Address:   |   |  |  |
| Surface Owner Information:   |   |  |  |
| Name:  | When filing a Form T-1 involving multiple surface owners, attach an additiona   |  |  |
| Address 1:   | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the   |  |  |
| Address 2:   |   |  |  |
| City: State: Zip:+   |   |  |  |
| the KCC with a plat showing the predicted locations of lease roads, ta are preliminary non-binding estimates. The locations may be entered  Select one of the following:   I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form | nodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  Act (House Bill 2032), I have provided the following to the surface elocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form to being filed is a Form C-1 or Form CB-1, the plat(s) required by this |  |  |
| KCC will be required to send this information to the surface of  | acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and  |  |  |
| If choosing the second option, submit payment of the \$30.00 handlin form and the associated Form C-1, Form CB-1, Form T-1, or Form Cl   | ng fee with this form. If the fee is not received with this form, the KSONA-1<br>P-1 will be returned.  |  |  |
| Submitted Electronically   |   |  |  |
| r  |   |  |  |

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

April 01, 2016

Phil Frick Altavista Energy, Inc. 4595 K-33 Highway PO BOX 128 WELLSVILLE, KS 66092

Re: Drilling Pit Application Howell-Gorges Al-10 SE/4 Sec.01-18S-21E Miami County, Kansas

### Dear Phil Frick:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.