



Confidentiality Requested:

Yes  No

KANSAS CORPORATION COMMISSION 1301941  
OIL & GAS CONSERVATION DIVISION

Form ACO-1

August 2013

Form must be Typed  
Form must be Signed  
All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SIOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic       Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD
- Plug Back       Conv. to GSW       Conv. to Producer
- Commingled      Permit #: \_\_\_\_\_
- Dual Completion      Permit #: \_\_\_\_\_
- SWD      Permit #: \_\_\_\_\_
- ENHR      Permit #: \_\_\_\_\_
- GSW      Permit #: \_\_\_\_\_

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE       NW       SE       SW

GPS Location: Lat: \_\_\_\_\_, Long: \_\_\_\_\_  
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum:  NAD27       NAD83       WGS84

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Vertical Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite:

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

1301941

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input type="checkbox"/> No			
Electric Log Run	<input type="checkbox"/> Yes <input type="checkbox"/> No			
List All E. Logs Run:				

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?  Yes  No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?  Yes  No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?  Yes  No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:      Size: \_\_\_\_\_ Set At: \_\_\_\_\_ Packer At: \_\_\_\_\_ Liner Run:  Yes  No

Date of First, Resumed Production, SWD or ENHR: \_\_\_\_\_ Producing Method:  
 Flowing    Pumping    Gas Lift    Other *(Explain)* \_\_\_\_\_

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

<b>DISPOSITION OF GAS:</b> <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<b>METHOD OF COMPLETION:</b> <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	<b>PRODUCTION INTERVAL:</b> _____ _____
--	---	---





802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

NOTICE TO OWNER  
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.



**Payless Concrete Products, Inc.**

**CONDITIONS**  
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for loading trucks longer than 5 minutes. The concrete contains correct strength test when water is added at customer's request. The contractor assumes responsibility for correct strength test when water is added at customer's request. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyer's responsibility.

SOLD#ME003  
JOHN MEARS  
4100 240TH RD  
CHANUTE  
MEARS M. WELL#M24  
SHIP TO:  
54 W TO YC S ON 75HWY TO 2400RD  
E 2 NM TO RENO RD N INT TO 10TH  
E 1/2 MI N S

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	BATCH#	DRIVER/TRUCK	PLANT/TRANSACTION #
9:10 AM	WELL PO NUMBER	12.50	12.50		35	W00001
DATE	LOAD #	YARDS DEL			WATER TRIM	TICKET NUMBER
3/22/16	WELL#M09	1	12.50	5	0.00	40710

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
Contains Portland Cement, Water, Rubber, Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, if Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.  
CONCRETE IS A PERISHABLE COMMODITY and BECOMES THE PROPERTY OF THE PURCHASER UPON DELIVERY TO THE PLANT. ALL DAMAGES OR LOSS OF PROPERTY OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.  
The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.  
All accounts not paid within 30 days of delivery will bear interest at the rate of 2 1/2% per annum.  
Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.  
A \$30 Service Charge and Loss of 1/2 Cash Discount will be collected on all Returned Checks.  
Excess Delay Time Charged @ \$80/HR

PROPERTY DAMAGE RELEASE  
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)  
Dear Customer-The driver of the truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of this material is such that it is not safe to be delivered to your property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, we agree to pay the cost of any damage to the premises of this truck and the supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.  
SIGNED  
X *John Mears*

**Excessive Water is Detrimental to Concrete Performance**  
H<sub>2</sub>O Added By Request/Authorized By  
GAL X  
WEIGHMASTER  
LOAD RECEIVED BY:  
X *W#24*

QUANTITY	CODE	DESCRIPTION	FINISH UNLOADING	LEFT JOB	RETURNED TO PLANT	TIME ALLOWED	EXTENDED PRICE												
12.50	WELL	WELLS (10 SACKS PER UNIT)	1095				12.50												
12.50	MIX&HAUL	MIXING AND HAULING	START UNLOADING				12.50												
2.50	TRUCKING	TRUCKING CHARGE					2.50												
<table border="1"> <thead> <tr> <th>DELETED EXPLANATION/CYLINDER TEST TAKEN</th> <th>TIME DUE</th> </tr> </thead> <tbody> <tr> <td>1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER</td> <td></td> </tr> <tr> <td></td> <td>DELAY TIME</td> </tr> </tbody> </table>						DELETED EXPLANATION/CYLINDER TEST TAKEN	TIME DUE	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER			DELAY TIME								
DELETED EXPLANATION/CYLINDER TEST TAKEN	TIME DUE																		
1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER																			
	DELAY TIME																		
<table border="1"> <thead> <tr> <th>RETURNED TO PLANT</th> <th>LEFT JOB</th> <th>TOTAL AT JOB</th> <th>ADDITIONAL CHARGE 1</th> </tr> </thead> <tbody> <tr> <td>935</td> <td>1026</td> <td></td> <td></td> </tr> <tr> <td>TOTAL ROUND TRIP</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						RETURNED TO PLANT	LEFT JOB	TOTAL AT JOB	ADDITIONAL CHARGE 1	935	1026			TOTAL ROUND TRIP					
RETURNED TO PLANT	LEFT JOB	TOTAL AT JOB	ADDITIONAL CHARGE 1																
935	1026																		
TOTAL ROUND TRIP																			
<table border="1"> <thead> <tr> <th>ADDITIONAL CHARGE 2</th> <th>GRAND TOTAL</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>						ADDITIONAL CHARGE 2	GRAND TOTAL												
ADDITIONAL CHARGE 2	GRAND TOTAL																		

Building Materials  
 Farm & Ranch Supplies  
 Structural Steel Products  
 Hardware & Paint



**FARM & HOME**

A Division of Cleaver Farm Supply, Inc.

2103 S. SANTA FE  
 CHANUTE, KS 66720  
 (620)431-6070

RETURN POLICY - within 30 days only -  
 merchandise must be in saleable  
 condition and accompanied by invoice.

No refunds on Special Order non-stock  
 items

Account due 10th of month  
 following purchase. 1 1/2%  
 interest per month added for an  
 annual percentage rate of 18%.

SOLD TO  
 JOHN C. MEARS  
 4100-240TH.

SHIP TO  
 JOHN C. MEARS  
 4100-240TH.

CHANUTE, KS 66720-9803  
 431-2129

CHANUTE, KS 66720-9803  
 431-2129



Shipment #: 1

ACCOUNT #	CUSTOMER P.O.#	TERMS	ORDER #	ORDER DATE	SLSMNM	INVOICE #	INVOICE DATE				
M1478		NET 10TH	1484630	03/17/16	TT	1039877	03/17/16				
ORDERED	BACKORDERED	SHIPPED	U/M	DESCRIPTION	PRICE	AMOUNT					
8	0	8	EA	CEMENT STANDARD TYPE 1 94LB MONARCH STD PALLET ?	11.650	93.20*					
March 17, 2016 10:18:50 TIM TINDLE					0 / 1		MERCHANDISE	93.20			
***** * INVOICE * ***** 10					SHIP VIA	FILLED BY	CHK'D BY	DRIVER	OTHER	0.00	
									TAX	8.750%	8.16
									FREIGHT	0.00	
									TOTAL	101.36	
					PAGE 1 OF 1						

INVOICE

M-24

MARK MORRISON  
1651 50th Road  
Yates Center, KS 66783

## WORK ORDER

MEARS M LEASE

<u>DATE</u>	<u>WELL</u>	<u>DESCRIPTION</u>
3/22/2016	M-24	mixed 8 sacks of cement to cement surface
3/22/2016	M-24	established circulation; circulate 125 sacks of cement to surface; pumped plug and set float shoe