

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	Sec Twp S. R L E L W
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ty:	County.
ontact Person:hone:	Lease Name: Well #:
ione.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWNO, old well information as follows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
f Yes, true vertical depth:	
sottom Hole Location:	DVVK Permit #
KCC DKT #:	(Note: Apply to I territe with BVV )
	vviii Cores be takeri?
	If Yes, proposed zone:
	AFFIDAVIT
he undersigned hereby affirms that the drilling, completion and even	tual plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
	on each drilling rig;
2. A copy of the approved notice of intent to drill <b>shall be</b> posted of	
3. The minimum amount of surface pipe as specified below shall	be set by circulating cement to the top; in all cases surface pipe shall be set
<ol><li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li></ol>	into the underlying formation.
<ul><li>3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet</li><li>4. If the well is dry hole, an agreement between the operator and</li></ul>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging</i> ;
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and the specified before well is either the operator will be notified before well is either through the specified below shall be specified beligible shall be specified below shall be specified below shall b</li></ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in;
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and to the appropriate district office will be notified before well is either.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be certain.</li> </ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in; or emented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and the surface structure of the surface of the surface will be notified before well is either than all the surface of the surfa</li></ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in;
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and the surface structure of the surface of the surface will be notified before well is either than all the surface of the surfa</li></ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in; or emented from below any usable water to surface within <i>120 DAYS</i> of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and the surface structure of the surface of the surface will be notified before well is either than all the surface of the surfa</li></ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in; or emented from below any usable water to surface within <i>120 DAYS</i> of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and the surface district office will be notified before well is either.</li> <li>The appropriate district office will be notified before well is either.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be computed by the surface casing of must be completed within 30 days of the spud date or the well state.</li> </ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in; or emented from below any usable water to surface within <i>120 DAYS</i> of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and the surface district office will be notified before well is either.</li> <li>The appropriate district office will be notified before well is either.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be computed by the surface casing of must be completed within 30 days of the spud date or the well state.</li> </ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging</i> ; er plugged or production casing is cemented in; emented from below any usable water to surface within <i>120 DAYS</i> of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and the surface district office will be notified before well is either.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be computed by the surface casing of must be completed within 30 days of the spud date or the well surface.</li> </ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and the street of the second strict office will be notified before well is either that an ALTERNATE II COMPLETION, production pipe shall be considered or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well submitted Electronically  For KCC Use ONLY	into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and the street of the	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and the street of the	into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and the specified before well is either the specified before the specified before well is either the specified before well is either the specified before the specif	into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and the specified district office will be notified before well is either than the specified shall be considered in the specified shall be considered within 30 days of the spud date or the well submitted Electronically  For KCC Use ONLY  API # 15	into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and the specified before well is either the specified before the specified before the specified before well is either the specified before the specified before the s	into the underlying formation. the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; or plugged or production and usable water to surface within 120 DAYS of spud date.  If all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and the street of the specified district office will be notified before well is either the specified before the specified before well is either the specified before the operator and the specified before the operator and the specified before the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Agent:

Side Two



For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:		Location of V	Well: County:
•			feet from N / S Line of Section
Well Number:			feet from E / W Line of Section
Field:		Sec	Twp S. R
	rell:	is section.	Regular or Irregular
		If Section is	s Irregular, locate well from nearest corner boundary.  ner used: NE NW SE SW
	eries, pipelines and electrical lines		ndary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032). sired.
			LEGEND
			. O Well Location  Tank Battery Location  Pipeline Location
			Electric Line Location  Lease Road Location
			EXAMPLE
	23		
			1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

330 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit  Burn Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:		SecTwp R East WestFeet from Bast / West Line of SectionFeet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	illei		edures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	pe closed within 365 days of spud date.	
Submitted Electronically				
	KCC	OFFICE USE O		
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS  it Date: Lease Inspection: Yes No	



1303112

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R East _ West			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description o the lease below:			
Contact Person:	ine rease below.			
Phone: ( ) Fax: ( )				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City:				
the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered a Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax,  I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.  If the fee is not received with this form, the KSONA-1			
Submitted Electronically				
r				

STATE OF KANSAS STATE CORPOR 200 Colgrade Wichita, Ka

# WELL PLUGGING RECORD

STATE CORPORATION COMMISSION 200 Colgrado Derby Building	K.A.R82-	3-117	API NUMI	API NUMBER 15-153-20,793-00-00  LEASE NAME Skolout  WELL NUMBER #2  330' Ft. from Section Line		
Wichita, Kansas 67202			LEASE N			
	TYPE OR PR		WELL NU			
	NOTICE: Fill out and return to	Cons. Div.	330'			
	office within :	30 days.	990'	_ Ft. from (E)Sect	ion Line	
LEASE OPERATOR A. L. Abercre	ombie, Inc.		SEC. 23	TWP. 1S RGE. 35	(E) or (W)	
ADDRESS 150 N. Main, Suite 801	. Wichita, KS 67202	2	COUNTY_	Rawlins		
PHONE#(316) 262-1841 OPERAT	ORS LICENSE NO. 30	0684 63	ノ Da†e Wel	Completed		
Character of Well D&A			Plugging	Commenced 9-17	<b>-</b> 92	
(Oil, Gas, D&A, SWD, Input, Wat	er Supply Well)		Plugging	Completed 9-18	<b>-</b> 92	
The plugging proposal was appro	ved on9-18-	.92				
by <u>Marvin Miller</u>			•			
is ACO-1 filed? Yes If				_		
Producing Formation <u>LKC</u>					90'	
Show depth and thickness of all					,	
OIL, GAS OR WATER RECORDS	- 1		ASING RECOR	D		
Formation Content	From To	Size				
- Content	170111 170		]	Pulled out		
		8 5/8"	301'	None	· .	
Describe in detail the manner is placed and the method or method were used, state the character Fill w/heavy mud; set 1st plug @ 350'-190' w/40 sx; rathole 15 sx; Total 200 sx	ds used in introduer of same and de lug @ 2985'-2885' 4th plug @ 40'-su 60-40 posmix 6% ge	cing it in apth plac w/25 sx; 2 rface w/1( 1 垰# Floce	nto the holed, from2nd plug @ 2 sx w/wipe	e. If cement or of feet tofeet 2255'-1855' w/100 c plug; mousehole	other plugs each set. sx; 3rd	
(If additional descr						
Name of Plugging Contractor	Abercrombie RTD,	Inc.	L	icense No. 30684	Ė .	
Address 150 N. Main, Suite 80	1, Wichita, KS 672	02				
NAME OF PARTY RESPONSIBLE FOR PI	UGGING FEES:	A. L. Abe	ercrombie, I	nc.		
STATE OF Kansas	COUNTY OF Sedg	wick		SS.	•	
Jack K. Wharton above-described well, being firs statements, and matters herein the same are true and correct State of My Appt. Exp.  My Commission E	contained and the contained an	ath, says: e log of t Signature) Address) ¶ e this _2	That I have be above de la	ite 8014 Wichita EKS	he facts, filed that	

For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Kansas Crude Investments LLC	Location of Well: County: Rawlins
Lease. Skolout	330 feet from N / N S Line of Section
Well Number: #2 SWD	990 feet from X E / W Line of Section
Field: Cahoj West	Sec 23 Twp. 1 S. R. 35 E W
Number of Acres attributable to well: 160  QTR/QTR/QTR/QTR of acreage: SW - SE _ SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
KT	
	ase or unit boundary line. Show the predicted locations of
	uired by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a se	parate plat if desired.
	LEGEND
	O Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
	Lease Road Location
~ (	EXAMPLE
	EXAMPLE
23	
/	-
	1980' FSL
	oroad 990 ft.
	SEWARD CO. 3390' FEL
NOTE: In all cases locate the spot of the proposed drilling lo	caton. Pipeline

### 330 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

# NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.