KOLAR Document ID: 1304659

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East _ West
Address 2:	Feet from  North / South Line of Section
City: State: Zip:+	Feet from
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	County:
Purchaser:	·
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil     ☐ WSW     ☐ SWD       ☐ Gas     ☐ DH     ☐ EOR       ☐ OG     ☐ GSW	Producing Formation: Kelly Bushing:   Elevation: Ground: Kelly Bushing:   Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? ☐ Yes ☐ No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
□ Deepening       □ Re-perf.       □ Conv. to EOR       □ Conv. to SWD         □ Plug Back       □ Liner       □ Conv. to GSW       □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content:ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec.         TwpS. R East West           County:         Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

KOLAR Document ID: 1304659

#### Page Two

Operator Name: _				Lease Name:			Well #:			
Sec Twp.	S. R.	Ea	ast West	County:						
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,		
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.go\	. Digital electronic log		
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample		
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum		
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No							
		R			New Used	on, etc.				
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I				
Purpose:		epth Ty	pe of Cement	# Sacks Used	ed Type and Percent Additives					
Protect Casi										
Plug Off Zon										
<ol> <li>Did you perform a</li> <li>Does the volume o</li> <li>Was the hydraulic</li> </ol>	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (	,		
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)				
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity		
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom		
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom		
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·					
Shots Per Perforation Perforation Bridge Plug Bridge Plug Acid, Fracture, Shot, Cementing Squeeze Record Set At (Amount and Kind of Material Used)						Record				
TUBING RECORD:	Size:	Set /	At:	Packer At:						
. 5213 (1200) 10.	JIEG.			. 30.0.71						

Form	ACO1 - Well Completion
Operator	SM Oil & Gas, Inc.
Well Name	Fulsom A 2
Doc ID	1304659

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	13.75	12	40	40	Port	10	na
Production	7.875	5.5	20	2105	50/50 poz / OWC	310	6% KCL

810 E 7<sup>TH</sup> PO Box 92 EUREKA, KS 67045 (620) 583-5561



Cement o	r Acid Field Report
Ticket No.	2295
Foreman	Russell miscey
Camp E	JIEKA

Date	Cust. ID#	Leas	e & Well Number		Section	Township	Range	County	State		
3-7-16	1180	Fulsom	A-2		હ	33	10	GQ	K s		
Customer	· ·			Safety	Unit#	Dri		Unit#	Driver		
5 m	oil 4 G	NS INC		Meeting	104	Alax					
Mailing Address				2 m	110	Sett					
SKIAto	iok P.	O. Box	189	Steve Ain-	. 113	51+1	e				
City		State	Zip Code	] ' '							
SKIAH	co K	6K	74076								
Job Type	15	Hole Dep	th 2109 T.	٥.	Slurry Vol.	e hight	Tu	bing			
			re <u> </u>		Slurry Wt1	3.2 13.7	Dri	ill Pipe			
Casing Size & \	Mt. <u>5 ′っ よ</u> い	Cement L	eft in Casing		Water Gal/SK	<u> </u>	Ot	her			
Displacement_	-48 BH-	Displace	ement PSI 105	<u> </u>	Bump Plug to	1600	BF	M H E	en-		
Remarks: <u>S</u>	afety me	eting, mig	up to \$5>	2 CASI	ng Lond	Cheiny u	<u> </u>	water 1.0	120 Al		
40 UN DI	ing CASIN	9. Fump 30	BEI WALTE	PAISE	5 1/2 Up	25' to ge	+ circu	im Scottal	K 10		
SKS Gel	ul Hull's u	UNSH Down	- 35 + SPOT	collar	@ 2105	Flugh u	155 861	unter. Sh	J 2000-		
Fur 10 m	inv to Re	thw and	TY. Rusur	ne Pur	nping 6 Bl	ol to ge	+ Circul	wtion. mix	4 5Kg		
			Rmy 175 5								
Slurg TAIL W 135 SK; OWC W/ 14 Phonosom = 34 Bbl Slurg wash out flower											
			ug. Distlact u								
			ment Slurry		+ Check T	TIONT, Floo	Heil.	TAG PILG	<b>(a)</b>		
2116' W	wireline.	Jub Comp	late , Tenr ]	Down.							

THANK YOU

		Ross + CIEW							
Code	Qty or Units	Description of Product or Services	Unit Price	Total					
6-102	1	Pump Charge	1050.00	1050.00					
c-107.	30	Mileage	3.95	118.50					
		· · · · · · · · · · · · · · · · · · ·							
6-204	175	5x3 50/50 Pozmix	11. 25	1968.75					
C-206	860 tr	Gel = 69 LEAD CAMENT	. 26	176.00					
c.308	175 4	Pherouseph	1.15	218.75					
				, , , , , , , , , , , , , , , , , , , ,					
C-202	135	SK'S OWC TAIL CEMENT	19.15	2,585,25					
C-208	135 <sup>#</sup>	Phenosen IH Prisk	1,25	(68.75					
		i i							
C-108 A		TON Milenje X 2 BUIK Trucks	345.00	690.00					
C-113	2.5	LIT BU BUI UNC TRUCK (C+E OII)	८६.०५	212.50					
C-224	3,300	gallows city water	10 17/000	33.00					
6-206	7∞ <sup>#</sup>	Gel Flish Hole + wash Down (Asing	. 20	140.06					
C-214	Le U <sup>#</sup>	cothor sees Hell's	. 45	27.00					
6-404	1	5/2 TOF Rubber Plug	70.00	70.00					
		and the state of t		7,458.56					
		5% く383AI>							
		<u>#1533.03</u>	Sales Tax	451.94					
Authoriz	zation Withwa	essel by JOE! Title CU/OWNER	_ Total	7916:44					

NAME	SM Oil		SHIP TO	Fuls	iom	A	2		
ADDRESS	PO BOX 189		ADDRESS			-		9	
CITY, STATE, ZIF	Skiatook, C	1K 74070	CITY, STATE, ZIP	7/					
ORDER	NUMBER DEPARTMENT	SALESPERSON WHEN S	IIP	TERMS	HOW	SHIP	3/	DATE / 2 /	/16)
QUANTITY		DESCRIPTION				PRICE		AMOUN	IT \
	Drill 40' 13	DESCRIPTION  3/4" hole  1" Kourface pi							
	Set 40 16	13/4" hole 1 Konstace pi							
	JEF 90 10	BONITAGE PI	28						
				1		···			
	cement W	10 5×5 Por-	- Cene	<u>r</u> +		· ,			
	circulate	cement to Su	rtace						· · · · · · · · · · · · · · · · · · ·
		1	n vanga mendende di kalendaria di kalendaria di kalendaria di kalendaria di kalendaria di kalendaria di kalend	1					
							$\neg \uparrow$		
		· · · · · · · · · · · · · · · · · · ·							**************************************
					-				
		and the second s							
a.						····			
					and the second				ė.
*									
		**************************************							
	3								
				I was reward		·			
				2			}		
<b></b>						<del></del>			
		·							
						······································			
		1 1		**					
BUYER:			21 N 2		9				ı
							ر منه منب د به معامره		01-11