

Cement Surface

FIELD ORDER Nº C 43666

BOX 438 • HAYSVILLE, KANSAS 67060 316-524-1225

		316-	524-1225	DATE_ 2-10-16	3	20
IC ALITHODI	750 BV: (ser Petroleum				
		City				
To Treat Wel As Follows:	Lease Blc	ckhcll Well	No. 5	Customer	Order No	
Sec. Twp. Range		Cou	nty Rice		State	les
CONDITIONS: not to be held I implied, and no treatment is pay our invoicing de	As a part of the iable for any dai representations yable. There will epartment in accordance.	consideration hereof it is agreed that Copeland A nage that may accrue in connection with said so have been relied on, as to what may be the res be no discount allowed subsequent to such dat ordance with latest published price schedules. himself to be duly authorized to sign this order	Acid Service is to service or treatment. (ults or effect of the see. 6% interest will be	rice or treat at owners risk Copeland Acid Service has ervicing or treating said wo charged after 60 days. To	the hereinbeformade no represent. The consider	ore mentioned well and is esentation, expressed o eration of said service o
THIS ORDER MI BEFORE WORK	JST BE SIGNED IS COMMENCED	Well Owner or Operati	01	By	Agent	
					UNIT	11101111
CODE	QUANTITY	DES	CRIPTION		COST	AMOUNT
2	30	milease pump to	uck		4,001	150° al
2	30	milecse pictup			2.001	60,001
2	1	Dung Charge - Su.	See.	MIX.		1,100.00/
		V				
2	175	60/40 psz. 2% gol.			10.75/	1,881.
2	10	Colcium Chloride			30.00	300,001
				3		
			*			
2	185	Bulk Charge	***************************************		75/	231. 25/
2	13	Bulk Truck Miles 7.95 7 × 30 ~	= 238.5Tm	× 1,101	1.10/	762.35/
		Process License Fee on		Gallons		
			*	TOTAL BILLING		3,954.85/
		material has been accepted and used ction, supervision and control of the or				and workmanlike
Copeland	Representativ	e Notro W.	_			
				Mell Owner, Operate	or or Agent	
Remarks_		NET	30 DAYS	The street, operation		
		NEI	JU DAYS			



TREATMENT REPORT

Acid Stage No.

					Type Treatment:		Type Fluid		Pound	ls of Sand
			F.O. 1	No. C43666	Bkdown					
	Bear Petrole									
Well Name	& No. Blackh	all								
Location		****************	Field							
County	Rice		State KS		Flush	Bbl./Gal.				
Casing:	Siza 85/8	Type & Wt		Set atft.	Treated from		ft. to		1000	0
Formation:			Perf.		from				_	0
							ft. to		140.11.	
Formation:			Perf.		Actual Volume of Oil	I / Water to Load H	ole:			Bbl./Gal.
Formation:				to						
			****		Pump Trucks. No				_ Twin	
					Auxiliary Equipment			327		
Tubing:					Personnel Nathan	Jordan Scott				_
	Perforated f	rom	ft. to	ft.	Auxiliary Tools				10.00	
					Plugging or Sealing N	Materials: Type				
Open Hole	Size	T.D	ft. P.	B. toft.				Gals.		lb.
Company I	Representative		Dick S		Treater		Nathan	W.		
TIME	PRES	SSURES	Table Sheld Borner			DEMARKS				
a.m./p.m.	Tubing	Casing	Total Fluid Pumped			REMARKS				
9:45		8 5/8"		On Location.						
				Surface-226'						
				Odilidoo EEO						
				Break circulation	with numn t	truck				
		-	-	Dieak circulation	with pump	truck.				
		-		NA: 475 L 60/4	20/ 12	20/ 6 1 :				
		16		Mix 175sks 60/40	Jpoz 2%gel 3	3% Calcium	Chioride.			
1:50				Displace with 13.	25bbls at 4.5	5bpm-200#	Circulated	cement t	o surfa	ice.
				Thank You!						
				Nathan W.						
							/40			
-										
$\overline{}$										
			-			· · · · · · · · · · · · · · · · · · ·				
				ALL MARKET MARKE						
,										
					30-30-					
							Ventra entre de la companya del companya de la companya del companya de la compan			
$\overline{}$										



FIELD ORDER Nº C 43667

BOX 438 • HAYSVILLE, KANSAS 67060 316-524-1225

			7 1220	DATE 7-11-16		20
IS AUTHORI	ZED BY:	per Petroloum museo				
		(NAME OI	F CUSTOMER)		State	
		- knell Well No				
Range		County	Ricc		State _	r's
not to be held I implied, and no treatment is pay our invoicing de	iable for any dar representations yable. There wil epartment in acc	consideration hereof it is agreed that Copeland Acid nage that may accrue in connection with said servi have been relied on, as to what may be the results be no discount allowed subsequent to such date. ordance with latest published price schedules. himself to be duly authorized to sign this order for	ce or treatment. Cop s or effect of the serv 6% interest will be ch	peland Acid Service has icing or treating said we parged after 60 days. To	made no rep	presentation, expressed o ideration of said service o
THIS ORDER MI BEFORE WORK	JST BE SIGNED IS COMMENCED	Well Owner or Operator		By	Age	ot.
0005	011411777		NOTION .		UNIT	
CODE	QUANTITY		RIPTION		COST U. OS /	AMOUNT
2	30	milecse pump tuck			-	(20)
2	30	milease pickup			7.0%	60,00
2	i	Dump Chase - mise.				650° at
2	40				12.75/	510 00'
4	90	Common			16.	
			**			
				-		
2	40	Bulk Charge		101	min.	150.
2		Bulk Truck Miles 1. 名と丁 x 30~	= 56,40 X	,	m.h.	150.
		Process License Fee on	Ga	llons		09
			T(OTAL BILLING		1,640, 59
manner u	inder the dire	material has been accepted and used; t ction, supervision and control of the own				
Copeland	Representativ	eNother W.				
Station_(5.8			Well Owner, Operator	r or Agent	
Remarks_		NET 2	0 DAYS	· · · · · · · · · · · · · · · · · · ·		



TREATMENT REPORT

cid &	& Cement								Acid Stage No)	
					Type Treatment:	Δmt		Type Fluid	Sand Size	Pound	s of Sand
nto 2	/11/2016 Ni	strict G.B.	F.O. N	o. C43667	Bkdown					505.00	
-	Bear Petroleur				l —						
	& No. Blackhall										
			Field								
	Rice		State KS		Flush						
					Treated from			ft. to	ft.	No. ft.	0
asing:	Size 8 5/8"	Type & Wt.		Set atft.				ft. to	ft.	No. ft.	0
ormation				to	from			ft. to	ft.	No. ft.	0
ormation			Perf.	to	Actual Volume of Oil	/ Water t	o Load Ho	ole:			Bbl./Gal.
ormation			Perf.								
	ze Type &	Wt.	Top at ft.	Bottom atft.	Pump Trucks. N	o. Used:	Std.	365 Sp.		Twin _	
					Auxiliary Equipment				327		
	-				Personnel Nathan	Scott Jo	ordan				_
	Perforated fro	om	ft. to	ft.	Auxiliary Tools						
	Colonia I and my miles				Plugging or Sealing N	Materials:	Type				
pen Hole	Size	T.D	ft. P.	B. toft.					Gals		lb.
ompany	Representative		Dick S		Treater			Natha	n W.		
TIME	PRESS	SURES	Total Fluid Pumped			1	REMARKS				
.m./p.m.	Tubing	Casing	Total Titla Tampes								
:00				On Location.							
0									4 100		
				Run 1" tubing do	own backside	of su	rface	pipe. Tag	cement 1/	' dowr	1.
				Mix 40sks of Co	mmon and ci	rculat	ed ce	ment to su	rtace.		
				Thank You!							
				Nathan W.							
		-									
			-								
			 								
	1	1	1	I							