



**BASIC**<sup>SM</sup>

ENERGY SERVICES

PRESSURE PUMPING & WIRELINE

10244 NE Hwy. 61  
P.O. Box 8613  
Pratt, Kansas 67124  
Phone 620-672-1201

0040879291  
FIELD SERVICE TICKET

1718 11894 A

DATE \_\_\_\_\_ TICKET NO. \_\_\_\_\_

|   |  |            |     |            |     |                            |                |           |             |
|---|--|------------|-----|------------|-----|----------------------------|----------------|-----------|-------------|
| DATE OF JOB<br><b>9-26-15</b> DISTRICT                    | NEW WELL <input checked="" type="checkbox"/> OLD WELL <input type="checkbox"/> PROD <input type="checkbox"/> INJ <input type="checkbox"/> WDW <input type="checkbox"/> CUSTOMER ORDER NO.: |            |     |            |     |                            |                |           |             |
| CUSTOMER<br><b>Black Stone Oil &amp; Gas (Kansas) LLC</b> | LEASE <b>Wilhelm</b> 1-21 WELL NO.   |            |     |            |     |                            |                |           |             |
| ADDRESS   | COUNTY <b>Rush</b> STATE <b>KS</b>   |            |     |            |     |                            |                |           |             |
| CITY STATE  | SERVICE CREW <b>Kevin, Scott, Devin</b>  |            |     |            |     |                            |                |           |             |
| AUTHORIZED BY <b>Rod Guice / Kelly Brown</b>              | JOB TYPE: <b>10 3/4 Surface Pipe cnuw</b>  |            |     |            |     |                            |                |           |             |
| EQUIPMENT#  | HRS  | EQUIPMENT# | HRS | EQUIPMENT# | HRS | TRUCK CALLED               | DATE           | AM        | TIME        |
| <b>86779</b>  | <b>1 1/4</b>   |            |     |            |     |                            | <b>9-25</b>    | <b>PM</b> | <b>2:30</b> |
| <b>19860</b>  | <b>1/2</b>   |            |     |            |     | ARRIVED AT JOB             | <b>9/25/15</b> | <b>AM</b> | <b>7:30</b> |
| <b>21010</b>  | <b>1/2</b>   |            |     |            |     | START OPERATION            | <b>9-26</b>    | <b>AM</b> | <b>0645</b> |
|   |  |            |     |            |     | FINISH OPERATION           | <b>9-26</b>    | <b>PM</b> | <b>0800</b> |
|   |  |            |     |            |     | RELEASED                   | <b>9-26</b>    | <b>AM</b> | <b>0900</b> |
|   |  |            |     |            |     | MILES FROM STATION TO WELL |                |           |             |

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED: *Keith Ken*  
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

| ITEM/PRICE REF. NO. | MATERIAL, EQUIPMENT AND SERVICES USED  | UNIT | QUANTITY | UNIT PRICE | \$ AMOUNT |
|---------------------|--|------|----------|------------|-----------|
| CP101               | A-Con Blend Common                     | SK   | 225      |            | 4050.00   |
| CP100 C             | Common Cement                          | SK   | 200      |            | 3200.00   |
| CC102               | Celloflake                             | lb   | 107      |            | 395.90    |
| CC109               | Calcium Chloride                       | lb   | 1012     |            | 1062.60   |
| CC130               | C-51                                   | lb   | 22       |            | 550.00    |
| CF107               | Top Rubber Cement Plug 10 3/4          | Ca   | 1        |            | 350.00    |
| CF205               | 10 3/4 Guide Shoe (Red)                | Ea   | 1        |            | 750.00    |
| CF1455              | Flapper Type Insert Float Valve 10 3/4 | Ea   | 1        |            | 460.00    |
| CF1774              | Centralizer 10 3/4 x 13 1/2            | Ca   | 5        |            | 850.00    |
| <del>CF3000</del>   |  |      |          |            |           |
| E100                | Unit Mileage Charge Pickups            | M1   | 75       |            | 337.50    |
| E101                | Heavy Equipment Mileage                | M1   | 225      |            | 1687.50   |
| E115                | Prop & Bulk Delivery Charge Ton Mile   | TM   | 1500     |            | 3750.00   |
| CE202               | Depth Charge 1001-2000'                | 4hrs | 1        |            | 1500.00   |
| CE240               | Blending & Mixing Service Charge       | SK   | 425      |            | 595.00    |
| CE504               | Plug Container Utilization Charge      | Job  | 1        |            | 250.00    |
| 5003                | Service Supervisor First 8hrs on loc   | Ea   | 1        |            | 175.00    |
| CE3000              | THREACKLOCK                            | EA   | 2        |            | 68.00     |

SUB TOTAL **20,031.50**

| CHEMICAL / ACID DATA: |  |  |  |
|-----------------------|--|--|--|
|                       |  |  |  |
|                       |  |  |  |
|                       |  |  |  |

|                     |            |
|---------------------|------------|
| SERVICE & EQUIPMENT | %TAX ON \$ |
| MATERIALS           | %TAX ON \$ |

*BY*  
TOTAL  
DISCOUNT  
PRICED - **19,015.75**

SERVICE REPRESENTATIVE *[Signature]* THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY *Keith Ken*

FIELD SERVICE ORDER NO.

(WELL OWNER OPERATOR CONTRACTOR OR AGENT)

|  |                                  |                                      |
|--|----------------------------------|--------------------------------------|
| Customer<br><i>Black Stone Oil+Gas</i>     | Lease No.<br><i>(Kansas) LLC</i> | Date<br><i>9-26-15</i>               |
| Lease<br><i>Wilhelm</i>                    | Well #<br><i>1-21</i>            |                                      |
| Field Order #<br><i>11894</i>              | Station<br><i>Pratt KS</i>       | Casing<br><i>10 3/4</i>              |
| Type Job<br><i>10 3/4 Surface Pipe CNA</i> | Depth<br><i>1003'</i>            | County<br><i>Rush</i>                |
|  | Formation<br><i>TD-100B</i>      | State<br><i>KS</i>                   |
|  |                                  | Legal Description<br><i>21-18-16</i> |

| PIPE DATA                        |              | PERFORATING DATA |    | FLUID USED | TREATMENT RESUME |       |                  |
|----------------------------------|--------------|------------------|----|------------|------------------|-------|------------------|
| Casing Size<br><i>10 3/4</i>     | Tubing Size  | Shots/Ft         |    | Acid       | RATE             | PRESS | ISIP             |
| Depth<br><i>1003</i>             | Depth        | From             | To | Pre Pad    | Max              |       | 5 Min.           |
| Volume<br><i>40</i>              | Volume       | From             | To | Pad        | Min              |       | 10 Min.          |
| Max Press                        | Max Press    | From             | To | Frac       | Avg              |       | 15 Min.          |
| Well Connection<br><i>10 3/4</i> | Annulus Vol. | From             | To |            | HHP Used         |       | Annulus Pressure |
| Plug Depth<br><i>918</i>         | Packer Depth | From             | To | Flush      | Gas Volume       |       | Total Load       |

|   |   |                                 |
|---|---|---------------------------------|
| Customer Representative<br><i>Rod Guice</i> | Station Manager<br><i>Kevin Cordley</i> | Treater<br><i>Kevin Cordley</i> |
| Service Units<br><i>83553</i>               | <i>78982</i>                            | <i>19903</i>                    |
| <i>86779</i>                                | <i>19860</i>                            | <i>19989</i>                    |
| <i>21010</i>                                |   |                                 |
| Driver Names<br><i>Kevin</i>                | <i>Darin</i>                            | <i>Scott</i>                    |
|   | <i>Paul</i>                             |                                 |

| Time        | Casing Pressure | Tubing Pressure | Bbls. Pumped  | Rate     | Service Log                                |
|-------------|-----------------|-----------------|---------------|----------|--|
| <i>7:30</i> |                 |                 |               |          | <i>On location safety meeting 9/25/15</i>  |
|             |                 |                 |               |          | <i>RUN 1003' 10 3/4 40.5# CSC - 24 Jts</i> |
|             |                 |                 |               |          | <i>RUN GUIDE SHOE APU INSERT</i>           |
|             |                 |                 |               |          | <i>IN 2nd COLLAR. 85' SHOE IT.</i>         |
|             |                 |                 |               |          | <i>CENTRALIZER - 1-2-3-5-14(408')</i>      |
|             |                 |                 |               |          | <i>TAG BOTTOM - DROP BALL - CIRCULATE</i>  |
|             |                 |                 |               |          | <i>Pump 10 bbl H2O spacer</i>              |
| <i>0645</i> | <i>250</i>      |                 | <i>94</i>     | <i>6</i> | <i>Pump 225 SK A-COM CEMENT - 12.2'</i>    |
|             | <i>200</i>      |                 | <i>42</i>     | <i>6</i> | <i>Pump 200 SK COMMON CEMENT 15.6'</i>     |
|             |                 |                 |               |          | <i>STOP Pump - DROP PLUG</i>               |
|             | <i>0</i>        |                 | <i>0</i>      | <i>7</i> | <i>START DISP w/H2O</i>                    |
|             | <i>250</i>      |                 | <i>65</i>     | <i>7</i> | <i>START CIRC CEMENT TO PIT</i>            |
| <i>0735</i> | <i>300</i>      |                 | <i>70</i>     | <i>2</i> | <i>70 bbl OUT - STOP - CHECK CELLAR</i>    |
| <i>0745</i> | <i>325</i>      |                 | <i>80</i>     | <i>2</i> | <i>80 bbl OUT - STOP - CHECK CELLAR</i>    |
| <i>0800</i> | <i>800</i>      |                 | <i>89 1/2</i> | <i>2</i> | <i>PLUG DOWN - HOLD - START IN</i>         |
|             |                 |                 |               |          | <i>CIRC. 25 bbl CEMENT TO PIT</i>          |
|             |                 |                 |               |          | <i>CELLAR STAND FULL OF CEMENT</i>         |
| <i>0900</i> |                 |                 |               |          | <i>JOB COMPLETE - KEVIN</i>                |



**BASIC**<sup>SM</sup>  
ENERGY SERVICES  
PRESSURE PUMPING & WIRELINE

10244 NE Hwy. 61  
P.O. Box 8613  
Pratt, Kansas 67124  
Phone 620-672-1201

0040881372  
FIELD SERVICE TICKET

1718 12775 A

DATE \_\_\_\_\_ TICKET NO. \_\_\_\_\_

|   |             |  |     |            |     |                            |                |    |              |
|---|-------------|--|-----|------------|-----|----------------------------|----------------|----|--------------|
| DATE OF JOB <u>10-05-15</u> DISTRICT <u>Pratt, KS</u> |             | NEW WELL <input checked="" type="checkbox"/> OLD WELL <input type="checkbox"/> PROD <input type="checkbox"/> INJ <input type="checkbox"/> WDW <input type="checkbox"/> CUSTOMER ORDER NO.: |     |            |     |                            |                |    |              |
| CUSTOMER <u>BLACKSTONE OIL GAS</u>                    |             | LEASE <u>WILHELM 1-21</u> WELL NO.   |     |            |     |                            |                |    |              |
| ADDRESS   |             | COUNTY <u>RUSH</u> STATE <u>KS</u>   |     |            |     |                            |                |    |              |
| CITY STATE  |             | SERVICE CREW <u>Sullivan, Crusty, Simpson, Franklin, Brennan</u>   |     |            |     |                            |                |    |              |
| AUTHORIZED BY   |             | JOB TYPE: <u>CNW 7" Long Stay</u>  |     |            |     |                            |                |    |              |
| EQUIPMENT#  | HRS         | EQUIPMENT#   | HRS | EQUIPMENT# | HRS | TRUCK CALLED               | DATE           | AM | TIME         |
|   |             |  |     |            |     |                            | <u>10-5-15</u> | PM | <u>8:15</u>  |
|   |             |  |     |            |     | ARRIVED AT JOB             |                | AM | <u>12:30</u> |
| <u>86779</u>  | <u>1.15</u> |  |     |            |     | START OPERATION            |                | AM | <u>5:00</u>  |
| <u>19860</u>  | <u>20</u>   |  |     |            |     | FINISH OPERATION           |                | AM | <u>6:10</u>  |
| <u>19862</u>  | <u>10</u>   |  |     |            |     | RELEASED                   |                | AM | <u>6:45</u>  |
| <u>21010</u>  | <u>15</u>   |  |     |            |     | MILES FROM STATION TO WELL |                | PM | <u>76</u>    |

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED: \_\_\_\_\_  
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

| ITEM/PRICE REF. NO. | MATERIAL, EQUIPMENT AND SERVICES USED | UNIT | QUANTITY | UNIT PRICE | \$ AMOUNT |
|---------------------|---------------------------------------|------|----------|------------|-----------|
| CP 101              | A-COD cmt                             | SK   | 310      |            | 5,580.00  |
| CP 105              | NA-2 cmt                              | SK   | 300      |            | 5,100.00  |
| CP 101              | A-CONDUCT                             | SK   | 150      |            | 2,700.00  |
| CC 102              | CEL/FACE                              | LB   | 190      |            | 703.00    |
| CC 105              | C-41 P                                | LB   | 57       |            | 228.00    |
| CC 109              | Colours chloride                      | LB   | 866      |            | 909.30    |
| CC 111              | SALT                                  | LB   | 1449     |            | 724.50    |
| CC 116              | MAR diam 10CR                         | LB   | 846      |            | 2,284.20  |
| CC 129              | FLA-322                               | LB   | 141      |            | 1,057.50  |
| CC 130              | C-51                                  | LB   | 44       |            | 1,100.00  |
| CC 201              | Gilsonte                              | LB   | 1500     |            | 1,005.00  |
| CF 104              | TOP Ribber Plug 7"                    | SA   | 1        |            | 110.00    |
| CF 1282             | Float shoe                            | SA   | 1        |            | 760.00    |
| CF 1293             | Float collar                          | SA   | 1        |            | 850.00    |
| CF 1799             | Control Van                           | SA   | 5        |            | 475.00    |
| CC 151              | MUD-Flush                             | ML   | 500      |            | 750.00    |
| SUB TOTAL           |                                       |      |          |            |           |

| CHEMICAL / ACID DATA: |  |  |  |
|-----------------------|--|--|--|
|                       |  |  |  |
|                       |  |  |  |
|                       |  |  |  |

|                     |            |                  |
|---------------------|------------|------------------|
| SERVICE & EQUIPMENT | %TAX ON \$ |                  |
| MATERIALS           | %TAX ON \$ |                  |
| TOTAL               |            | <u>11,005.00</u> |

SERVICE REPRESENTATIVE Robert [Signature] THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY [Signature] 10/5/10  
(WELL OWNER OPERATOR CONTRACTOR OR AGENT)

FIELD SERVICE ORDER NO.







|  |                       |                         |       |                                      |                    |
|--|-----------------------|-------------------------|-------|--------------------------------------|--------------------|
| Customer<br><i>BLACKSTONE oil, gas</i> | Lease No.             | Date<br><i>10-08-15</i> |       |                                      |                    |
| Lease<br><i>WILHELM</i>                | Well #<br><i>1-21</i> |                         |       |                                      |                    |
| Field Order #<br><i>12775</i>          | Station               | Casing #<br><i>7'</i>   | Depth | County<br><i>Push</i>                | State<br><i>KS</i> |
| Type Job<br><i>CNW 7" longstay</i>     | Formation             |                         |       | Legal Description<br><i>21-18-16</i> |                    |

| PIPE DATA                      |              | PERFORATING DATA |    | FLUID USED |            | TREATMENT RESUME |                  |  |
|--------------------------------|--------------|------------------|----|------------|------------|------------------|------------------|--|
| Casing Size                    | Tubing Size  | Shots/Ft         |    | Acid       | RATE       | PRESS            | ISIP             |  |
| <i>7'</i>                      |              |                  |    | Pre Pad    | Max        |                  | 5 Min.           |  |
| Depth<br><i>3808</i>           | Depth        | From             | To | Pad        | Min        |                  | 10 Min.          |  |
| Volume<br><i>746.9</i>         | Volume       | From             | To | Frac       | Avg        |                  | 15 Min.          |  |
| Max Press<br><i>2500</i>       | Max Press    | From             | To |            | HHP Used   |                  | Annulus Pressure |  |
| Well Connection<br><i>P.C.</i> | Annulus Vol. | From             | To | Flush      | Gas Volume |                  | Total Load       |  |
| Plug Depth<br><i>3124</i>      | Packer Depth | From             | To |            |            |                  |                  |  |

|                                 |                                      |   |               |              |              |              |              |
|---------------------------------|--------------------------------------|---|---------------|--------------|--------------|--------------|--------------|
| Customer Representative         | Station Manager<br><i>DAVE Scott</i> | Treater<br><i>Robert J. [Signature]</i> |               |              |              |              |              |
| Service Units<br><i>37900</i>   | <i>86779</i>                         | <i>19959</i>                            | <i>21010</i>  | <i>19960</i> | <i>19862</i> | <i>19903</i> | <i>19860</i> |
| Driver Names<br><i>Sullivan</i> | <i>Franklin</i>                      | <i>BARBER</i>                           | <i>SIMPLE</i> | <i>ERNST</i> |              |              |              |

| Time         | Casing Pressure | Tubing Pressure | Bbls. Pumped | Rate         | Service Log                                 |
|--------------|-----------------|-----------------|--------------|--------------|---|
| <i>12:30</i> |                 |                 |              |              | <i>on loc</i>                               |
|              |                 |                 |              |              | <i>Run 7" casing</i>                        |
| <i>3:45</i>  |                 |                 |              |              | <i>Casing on Bottom</i>                     |
| <i>3:55</i>  |                 |                 |              |              | <i>Make Rig circ</i>                        |
| <i>5:00</i>  | <i>400</i>      |                 | <i>5</i>     | <i>6</i>     | <i>St spacer</i>                            |
|              |                 |                 | <i>12</i>    |              | <i>St mud flush</i>                         |
|              |                 |                 | <i>5</i>     |              | <i>SPACER</i>                               |
|              | <i>400</i>      |                 | <i>158</i>   | <i>7</i>     | <i>mix cmt 460 sk A-con @ 13ppg</i>         |
|              |                 |                 | <i>76</i>    |              | <i>mix Tail cmt 300 sk AA-2 @ 15ppg</i>     |
|              |                 |                 |              |              | <i>cmt mixed shut down. wash line, pump</i> |
|              |                 |                 |              |              | <i>Release Plug</i>                         |
|              |                 |                 |              | <i>2.5</i>   | <i>St Dip</i>                               |
|              | <i>550</i>      |                 |              |              | <i>Lift 15'</i>                             |
|              | <i>1450</i>     |                 |              | <i>3 1/2</i> | <i>Slow Rate</i>                            |
| <i>6:10</i>  | <i>2,000</i>    |                 | <i>146</i>   |              | <i>Plug down</i>                            |
|              |                 |                 |              |              | <i>Release Psi Check Float Held</i>         |
|              |                 |                 | <i>20</i>    |              | <i>Circ 20 BBL cmt Pit</i>                  |
|              |                 |                 |              |              | <i>SOB Complete</i>                         |
|              |                 |                 |              |              | <i>Thank you</i>                            |