



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Triple Crown Operating LLC

26 19s 24w Ness

2201 S Utica Pl Ste 100
Tulsa OK 74114-7099

Fanshier 1-26

ATTN: Rod Anderson

Job Ticket: 64756

DST#: 4

Test Start: 2016.01.16 @ 18:46:00

GENERAL INFORMATION:

Formation: **Miss**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 21:06:45

Time Test Ended: 03:03:00

Test Type: Conventional Bottom Hole (Reset)

Tester: Jim Svaty

Unit No: 76

Interval: 4315.00 ft (KB) To 4345.00 ft (KB) (TVD)

Reference Elevations: 2267.00 ft (KB)

Total Depth: 4345.00 ft (KB) (TVD)

2258.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 9.00 ft

Serial #: 8289 Outside

Press @ Run Depth: 163.98 psig @ 4317.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2016.01.16

End Date:

2016.01.17

Last Calib.: 2016.01.17

Start Time: 18:46:02

End Time:


03:03:00

Time On Btm: 2016.01.16 @ 21:06:15

Time Off Btm: 2016.01.17 @ 00:08:00

TEST COMMENT: 30-IF- Surface Blow Building to 8in.
60-ISI- No Blow
30-FF- Surface Blow Building to 2 1/4in.
60-FSI- No Blow

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2112.93	101.69	Initial Hydro-static
1	70.88	101.91	Open To Flow (1)
31	126.35	118.25	Shut-In(1)
91	1159.41	115.14	End Shut-In(1)
92	127.22	114.83	Open To Flow (2)
121	163.98	120.46	Shut-In(2)
182	1077.42	118.53	End Shut-In(2)
182	2059.35	119.08	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
183.00	OMCW 3%o 15%m 82%w	1.46
124.00	OCM 5%o 95%m	1.74
30.00	CO 100%	0.42

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Triple Crown Operating LLC

26 19s 24w Ness

2201 S Utica Pl Ste 100
Tulsa OK 74114-7099

Fanshier 1-26

Job Ticket: 64756

DST#: 4

ATTN: Rod Anderson

Test Start: 2016.01.16 @ 18:46:00

Mud and Cushion Information

Mud Type: Gel Chem
Mud Weight: 9.00 lb/gal
Viscosity: 48.00 sec/qt
Water Loss: 9.57 in³
Resistivity: ohm.m
Salinity: 5500.00 ppm
Filter Cake: 1.50 inches

Cushion Type:
Cushion Length: ft
Cushion Volume: bbl
Gas Cushion Type:
Gas Cushion Pressure: psig

Oil API: 36 deg API
Water Salinity: 46000 ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
183.00	OMCW 3%o 15%m 82%w	1.465
124.00	OCM 5%o 95%m	1.739
30.00	CO 100%	0.421

Total Length: 337.00 ft Total Volume: 3.625 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: .450 @ 25




Serial #: 8789

Inside

Triple Crown Operating LLC

Fanshler 1-26

DST Test Number: 4



Triobite Testing, Inc

Ref. No: 64756

Printed: 2016.01.17 @ 07:16:17