

| For KCC    | Use:   |  |
|------------|--------|--|
| Effective  | Date:  |  |
| District # |        |  |
| SGA?       | Yes No |  |

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

| Expected Spud Date:   | Spot Description:  |
|---|--|
| month day year  |  |
| OPERATOR: License#  | (Q/Q/Q/Q) feet from N / S Line of Sect   |
| Name:   | feet from E / W Line of Sect   |
| Address 1:  | Is SECTION: Regular Irregular?   |
| Address 2:  | (Note: Locate well on the Section Plat on reverse side)  |
| City: State: Zip: +   | County:  |
| Contact Person:   | Lease Name: Well #:  |
| Phone:  | Field Name:  |
| CONTRACTOR: License#  | Is this a Prorated / Spaced Field?   |
| lame:   | Target Formation(s):   |
| Well Drilled For: Well Class: Type Equipment:   | Nearest Lease or unit boundary line (in footage):  |
|   | Ground Surface Elevation:feet M  |
| Oil Enh Rec Infield Mud Rotary  | Water well within one-quarter mile:  |
| Gas Storage Pool Ext. Air Rotary  | Public water supply well within one mile:  |
| Disposal Wildcat Cable  | Depth to bottom of fresh water:  |
| Seismic ; # of Holes Other  | Depth to bottom of usable water:   |
| Other:  | Surface Pipe by Alternate: I III   |
| If OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set:  |
| _   | Length of Conductor Pipe (if any):   |
| Operator:   | Projected Total Depth:   |
| Well Name: Original Total Ponth:  | Formation at Total Depth:  |
| Original Completion Date: Original Total Depth:   | Water Source for Drilling Operations:  |
| Directional, Deviated or Horizontal wellbore?   | Well Farm Pond Other:  |
|   |  |
| f yes, true vertical depth:   |  |
| f Yes, true vertical depth:   | DWR Permit #:  |
| ·   | DWR Permit #:(Note: Apply for Permit with DWR)   |
| Bottom Hole Location:   | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  Yes ]   |
| Sottom Hole Location:   | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  |
| Sottom Hole Location:  KCC DKT #:   | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT   |
| AFI The undersigned hereby affirms that the drilling, completion and eventual plu   | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT   |
| Sottom Hole Location:   | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT   |
| AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  |
| AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.   |
| AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>   | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set   |
| AFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the   | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.   |
| AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the distance of the control of the contr | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Itrict office on plug length and placement is necessary prior to plugging;   |
| AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the   | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;  |
| AFI The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;  |
| AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"   | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.   |
| AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"   | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| AFI  The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified before well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be  | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| AFI  The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified before well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be  | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| AFI The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the distance of the surface will be notified before well is either plugue.  5. The appropriate district office will be notified before well is either plugue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be submitted Electronically.  | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| AFI  The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified before well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be  | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  |
| AFI The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge.  5. The appropriate district office will be notified before well is either pluge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be submitted Electronically.  | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.   |
| AFI the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be submitted Electronically.  For KCC Use ONLY  API # 15 -   | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;   |
| AFI the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and the district office prior as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a conductor pipe required  | DWR Permit #:  |
| AFI The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the intervention of the approved notice of intent to drill shall be posted on each and the intervention of t                | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders; |
| AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #' must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required   | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  |
| AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the intervention of the intention of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a specified before well;  5. The appropriate district office will be notified before well is either plus and the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet i                | DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders; |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

please check the box below and return to the address below.



| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | SecTwpS. R 🗌 E 🔲 W   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

# 3959 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:   |  |                                      | License Number:                                      |
|--|--|--------------------------------------|--|
| Operator Address:  |  |                                      |  |
| Contact Person:  |  |                                      | Phone Number:  |
| Lease Name & Well No.:   |  |                                      | Pit Location (QQQQ):                                 |
| /pe of Pit: Pit is:  |  |                                      |  |
| Emergency Pit Burn Pit   | Proposed Existing  |                                      | SecTwp R   |
| Settling Pit Drilling Pit  | Settling Pit Drilling Pit If Existing, date constructed: |                                      | Feet from North / South Line of Section              |
| Workover Pit Haul-Off Pit  | Pit capacity:  |                                      | Feet from East / West Line of Section                |
| (If WP Supply API No. or Year Drilled)   |  | (bbls)                               | County   |
| Is the pit located in a Sensitive Ground Water A   | Area? Yes  | No                                   | Chloride concentration: mg/l                         |
| To the processing in a content of country training   |  |                                      | (For Emergency Pits and Settling Pits only)          |
| Is the bottom below ground level?  Yes No  | Artificial Liner?  | No                                   | How is the pit lined if a plastic liner is not used? |
|  |  |                                      | Width (feet) N/A: Steel Pits                         |
| Pit dimensions (all but working pits):   | om ground level to dea                                   | ,                                    |  |
| If the pit is lined give a brief description of the li                                     |  |                                      | dures for periodic maintenance and determining       |
| material, thickness and installation procedure.  |  |                                      | cluding any special monitoring.                      |
|  |  |                                      |  |
|  |  |                                      |  |
|  |  |                                      |  |
| Distance to nearest water well within one-mile   | of pit:  | Depth to shallor<br>Source of inform | west fresh water feet.<br>nation:                    |
| feet Depth of water wellfeet   |  | measured                             | well owner electric log KDWR                         |
| Emergency, Settling and Burn Pits ONLY:  |  | Drilling, Work                       | ver and Haul-Off Pits ONLY:                          |
| Producing Formation:   |  | Type of materia                      | l utilized in drilling/workover:                     |
| Number of producing wells on lease:  |  | Number of worl                       | ring pits to be utilized:                            |
| Barrels of fluid produced daily:   |  | Abandonment p                        | procedure:   |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No |  | Drill pits must b                    | e closed within 365 days of spud date.               |
|  |  |                                      |  |
| Submitted Electronically   |  |                                      |  |
| Submitted Electronically   |  |                                      |  |
|  |  |                                      |  |
|  | KCC  | OFFICE USE O                         | NLY Liner Steel Pit RFAC RFAS                        |
| Date Received: Permit Num  | ber:   | Permi                                | t Date: Lease Inspection: Yes No                     |



1306726

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

| OPERATOR: License #  | Well Location:  |
|--|---|
| Name:  | SecTwpS. R  |
| Address 1:   | County:   |
| Address 2:   | Lease Name: Well #:   |
| City: State: Zip: +  | If filing a Form T-1 for multiple wells on a lease, enter the legal description of<br>the lease below:  |
| Contact Person:  |   |
| Phone: ( ) Fax: ( )  Email Address:  |   |
| Surface Owner Information:   |   |
| Name:  |   |
| Address 1:   | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the   |
| Address 2: county, and in the real estate property tax records of the county.  |   |
| City: State: Zip:+   |   |
| are preliminary non-binding estimates. The locations may be entered  | nk batteries, pipelines, and electrical lines. The locations shown on the plat<br>on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  |
| Select one of the following:   |   |
| owner(s) of the land upon which the subject well is or will be   | Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.                              |
| KCC will be required to send this information to the surface of  | acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and a KCC, which is enclosed with this form. |
| If choosing the second option, submit payment of the \$30.00 handlin form and the associated Form C-1, Form CB-1, Form T-1, or Form CF | g fee with this form. If the fee is not received with this form, the KSONA-1<br>P-1 will be returned.   |
| Submitted Electronically   |   |
| I  |   |

| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: Lakeshore Operating, LLC Lease: Sturdivan 3                                  | Location of Well: County: Woodson  3959  |
|--|--|
| Well Number: LO-39   | 4595 feet from X E / W Line of Section   |
| Field: Vernon  | Sec. 34 Twp. 23 S. R. 16 X E W   |
| Number of Acres attributable to well: 2  QTR/QTR/QTR/QTR of acreage: NW - NE - SW - NW | Is Section: Regular or Irregular   |
|  | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

# 3959 ft. In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.