KOLAR Document ID: 1306666

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No.: |
|---|--|
| Name: | Spot Description: |
| Address 1: | SecTwpS. R East West |
| Address 2: | Feet from North / South Line of Section |
| City: | Feet from East / West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | □NE □NW □SE □SW |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) Datum: NAD27 NAD83 WGS84 |
| Wellsite Geologist: | County: |
| Purchaser: | Lease Name: Well #: |
| Designate Type of Completion: | |
| ☐ New Well ☐ Re-Entry ☐ Workover | Field Name: |
| ☐ Oil ☐ WSW ☐ SWD | Producing Formation: |
| ☐ Gas ☐ DH ☐ EOR | Elevation: Ground: Kelly Bushing: |
| ☐ OG ☐ GSW | Total Vertical Depth: Plug Back Total Depth: |
| CM (Coal Bed Methane) | Amount of Surface Pipe Set and Cemented at: Feet |
| Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet |
| Operator: | If Alternate II completion, cement circulated from: |
| Well Name: | feet depth to:w/sx cmt. |
| Original Comp. Date: Original Total Depth: | |
| □ Deepening □ Re-perf. □ Conv. to EOR □ Conv. to SWD □ Plug Back □ Liner □ Conv. to GSW □ Conv. to Producer | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) |
| Commingled Permit #: | Chloride content: ppm Fluid volume: bbls |
| ☐ Commingled Permit #: | Dewatering method used: |
| SWD Permit #: | Location of fluid disposal if hauled offsite: |
| EOR Permit #: | |
| GSW Permit #: | Operator Name: |
| | Lease Name: License #: |
| Spud Date or Date Reached TD Completion Date or | QuarterSecTwpS. R East West |
| Recompletion Date Recompletion Date | County: Permit #: |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | | | |
|---|--|--|--|--|--|--|
| Confidentiality Requested | | | | | | |
| Date: | | | | | | |
| Confidential Release Date: | | | | | | |
| Wireline Log Received Drill Stem Tests Received | | | | | | |
| Geologist Report / Mud Logs Received | | | | | | |
| UIC Distribution | | | | | | |
| ALT I III Approved by: Date: | | | | | | |

KOLAR Document ID: 1306666

Page Two

| Operator Name: | | | | | Lease Nam | ne: | | | Well #: | |
|--|--|------------------------------|---------------------------------|--|--|------------------------------|------------------------------------|-------------------------------|--|--|
| Sec Tw | pS. F | R [| East | West | County: | | | | | |
| open and closed and flow rates if | , flowing and sh gas to surface t ty Log, Final Lo | nut-in pressurest, along wit | es, whe h final c ain Geo | ther shut-in pre hart(s). Attach physical Data a | essure reached extra sheet if r and Final Electr | station more : ric Loc | level, hydrosta space is needed | tic pressures, d. | bottom hole tempe | val tested, time tool erature, fluid recovery, Digital electronic log |
| Drill Stem Tests (Attach Addit | | | Ye | es No | | Lo | og Formatio | n (Top), Deptl | n and Datum | Sample |
| Samples Sent to | Geological Sur | vey | Ye | es 🗌 No | | Name |) | | Тор | Datum |
| Cores Taken Electric Log Run Geologist Repor List All E. Logs F | t / Mud Logs | | Y€ Y€ | es No | | | | | | |
| | | | | | | | | | | |
| | | | Repo | | RECORD [| Nev | w Used rmediate, producti | on. etc. | | |
| Purpose of St | | ze Hole Orilled | Siz | e Casing (In O.D.) | Weight Lbs. / Ft. | | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | ADDITIONAL | OF MENTING / | | | | | |
| Purpose: | [| Depth | Typo | of Cement | # Sacks Use | | EEZE RECORD | Typo a | ad Paraant Additivas | |
| Perforate Protect Ca Plug Back | Top | Bottom | туре | or cement | # Sacks Use | ,u | | Type and Percent Additives | | |
| Plug Off Z | | | | | | | | | | |
| Did you perform Does the volum Was the hydraul | e of the total base | fluid of the hyd | draulic fra | cturing treatmen | | • | Yes ns? Yes | No (If No | , skip questions 2 an , skip question 3) , fill out Page Three o | , |
| Date of first Produ | ction/Injection or | Resumed Produ | uction/ | Producing Meth | | | Coolift 0 | thor (Fundain) | | |
| Estimated Produc | otion | Oil Bb | le. | Flowing Gas | Pumping Mcf | Wate | | ther <i>(Explain)</i> bls. | Gas-Oil Ratio | Gravity |
| Per 24 Hours | | Oli Bb | 15. | Gas | IVICI | vvale | ı Di | JIS. | Gas-Oil Hallo | Gravity |
| DISPO | OSITION OF GAS | S: | | N | METHOD OF CO | MPLE. | TION: | | PRODUCTIO | N INTERVAL: |
| Vented | Sold Use | d on Lease | | Open Hole | | | | nmingled | Тор | Bottom |
| (If vente | ed, Submit ACO-18 | .) | | | (5 | SUDITIIL I | ACO-5) (Subi | mit ACO-4) | | |
| Shots Per Foot | Perforation Top | Perforation Bottom | on | Bridge Plug Type | Bridge Plug Set At | | Acid, | | Cementing Squeeze Kind of Material Used) | Record |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| TUBING RECOR | D: Size: | | Set At: | | Packer At: | | | | | |

| Form | ACO1 - Well Completion |
|-----------|------------------------|
| Operator | BPG Capital, LLC |
| Well Name | Burris 9 |
| Doc ID | 1306666 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------|----|----------------------------------|
| Surface | 12.25 | 8.625 | 22 | 21 | Portland | 10 | N/A |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

DRILLERS LOG API NO: 15 - 125 - 32461 - 00 - 00 S. 7 T. 34 R. 14 E. W. OPERATOR: BPG CAPITAL, LLC LOCATION: SW NE NE NW COUNTY: MONTGOMERY ADDRESS: 2532 OLD HWY 166, CANEY, KS 67333 ELEV. GR.: 792 WELL#: 9 DF: KB: LEASE NAME: BURRIS FOOTAGE LOCATION: 4730 FEET FROM (N) (S) LINE 3180 FEET FROM (E) (W) LINE CONTRACTOR: FINNEY DRILLING COMPANY GEOLOGIST: SPUD DATE: 5/6/2016 TOTAL DEPTH: 1460 P.B.T.D. DATE COMPLETED: 5/12/2016 OIL PURCHASER: COFFEYVILLE RESOURCES CRUDE TRANSPORTATION **CASING RECORD** REPORT OF ALL STRINGS - SURFACE, INTERMEDIATE, PRODUCTION, ETC. SIZE HOLE | SIZE CASING SET (in PURPOSE OF STRING WEIGHT TYPE SETTING DEPTH SACKS DRILLED O.D.) LBS/FT **TYPE AND % ADDITIVES**

21.70

WELL LOG

28

CORES: # RECOVERED:

12.25

6.75

8.625

RAN: OPEN HOLE LOG

10

SERVICE COMPANY

CEMENT

PORTLAND

ACTUAL CORING TIME:

SURFACE:

PRODUCTION:

| FORMATION | TOP | BOTTO |
|---------------|------|--------------|
| TOP SOIL | 0 | 3 |
| CLAY | 3 | 6 |
| SAND & GRAVEL | 6 | 11 |
| SHALE | 11 | 19 |
| LIME | 19 | 20 |
| SHALE | 20 | 50 |
| LIME | 50 | 60 |
| SANND & LIME | 60 | 73 |
| SHALE | 73 | 77 |
| LIME | 77 | 83 |
| SHALE | 83 | 87 |
| LIME | 87 | 91 |
| SHALE | 91 | 201 |
| LIME | 201 | 209 |
| SAND & SHALE | 209 | 221 |
| LIME | 221 | 222 |
| SAND & SHALE | 222 | 230 |
| LIME | 230 | 231 |
| SAND & SHALE | 231 | 303 |
| SHALE | 303 | 373 |
| SAND & SHALE | 373 | 470 |
| IME | 470 | 475 |
| SAND & SHALE | 475 | 495 |
| IME | 495 | 502 |
| RED SAND | 502 | 535 |
| SAND & SHALE | 535 | 656 |
| CAP LIME | 656 | 670 |
| VAYSIDE SAND | 670 | 702 |
| SAND & SHALE | 702 | 733 |
| CAP LIME | 733 | 744 |
| SHALE | 744 | 746 |
| IME | 746 | 766 |
| SAND & SHALE | 766 | 781 |
| VISER SAND | 781 | 789 |
| AND & SHALE | 789 | |
| AWNEE LIME | 875 | 875 897 |
| AND & SHALE | 897 | 991 |
| SWEGO LIME | 991 | |
| HALE | 1023 | 1023 |
| SWEGO LIME | 1023 | 1033 1053 |
| HALE | 1053 | |
| SWEGO LIME | | 1060 |
| | 1060 | 1070 |

| FORMATION | TOP | BOTTO |
|---------------------------------------|--|-----------|
| SAND & SHALE | 1070 | 1085 |
| LIME | 1085 | 1087 |
| SAND & SHALE | 1087 | 1100 |
| LIME | 1100 | 1101 |
| SAND & SHALE | 1101 | 1104 |
| LIME | 1104 | 1106 |
| SAND & SHALE | 1106 | 1112 |
| LIME | 1112 | 1114 |
| SAND & SHALE | 1114 | 1166 |
| LIME | 1166 | 1167 |
| SAND & SHALE | 1167 | 1182 |
| LIME | 1182 | 1184 |
| SAND & SHALE | 1184 | 1205 |
| LIME | 1205 | 1207 |
| SAND & SHALE | 1207 | 1460 T.D |
| | | 1,00 1,10 |
| | 1 | |
| | 1 | |
| | | |
| | | |
| | | |
| | † | |
| | | |
| | | |
| | 1 | |
| | 1 | |
| | 1 | |
| | 1 | |
| | | |
| · k | - | |
| | - | |
| * | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| A A A A A A A A A A A A A A A A A A A | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | 1 |