



Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION 1308430
OIL & GAS CONSERVATION DIVISION

Form CP-4
March 2009

Type or Print on this Form
Form must be Signed
All blanks must be Filled

WELL PLUGGING RECORD
K.A.R. 82-3-117

OPERATOR: License #: _____
 Name: _____
 Address 1: _____
 Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Contact Person: _____
 Phone: (_____) _____
 Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic
 Water Supply Well Other: _____ SWD Permit #: _____
 ENHR Permit #: _____ Gas Storage Permit #: _____
 Is ACO-1 filed? Yes No If not, is well log attached? Yes No
 Producing Formation(s): List All (If needed attach another sheet)
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____

API No. 15 - _____
 Spot Description: _____
 _____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West
 _____ Feet from North / South Line of Section
 _____ Feet from East / West Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
 County: _____
 Lease Name: _____ Well #: _____
 Date Well Completed: _____
 The plugging proposal was approved on: _____ (Date)
 by: _____ (KCC District Agent's Name)
 Plugging Commenced: _____
 Plugging Completed: _____

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: _____ Name: _____
 Address 1: _____ Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Phone: (_____) _____
 Name of Party Responsible for Plugging Fees: _____
 State of _____ County, _____, ss.
 _____ Employee of Operator or Operator on above-described well,
 (Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

QUALITY WELL SERVICE, INC.

6454

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410
Fax 620-672-3663

Rich's Cell 620-727-3409
Brady's Cell 620-727-6964

Date	030516	Sec.	32	Twp.	27s	Range	23w	County	Ford	State	KS	On Location	4:30 PM	Finish	7:00 PM
Lease	Steele	Well No.	1-32		Location		Ford Km, 4w, n/into								
Contractor	Duke #1				Owner	Vincent									
Type Job	Surface				To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.										
Hole Size	12 1/4		T.D.	685											
Csg.	8 5/8		Depth	681											
Tbg. Size	23#		Depth												
Tool			Depth												
Cement Left in Csg.	42'		Shoe Joint	42.1											
Meas Line			Displace	41 BBl's Fresh											
EQUIPMENT				125sx MDC + 3% cc + 1/4 #FS											
Pumptrk	8	No.	Mike B												
Bulktrk	9	No.	David B												
Bulktrk	7	No.	David F												
Pickup		No.													
JOB SERVICES & REMARKS				150sx class A + 2 1/2 gel + 3% cc + 1/4 #FS											
Rat Hole	Hulls														
Mouse Hole	Salt														
Centralizers	Flowseal 66.25														
Baskets	Kol-Seal														
D/V or Port Collar	Mud CLR 48														
Pipe on Btm	CFL-117 or CD110 CAF 38														
Break Circ.	Sand														
Pump Fresh	Handling 271														
H ² O spacer	Mileage 50														
Mix 125sx lite weight	FLOAT EQUIPMENT														
Mix 150sx tail cement	Guide Shoe														
Stop-Release Plug	Centralizer														
Start Disp w/ Fresh H ² O	Baskets														
Washup on Plug	AFU Inserts / 1-Baffle Plate														
See steady increase in PST	Float Shoe														
Slow Rate	Latch Down / Wooden Cup Plug														
Bump Plug from 200 # to 600 #	LMV 50														
at 41 BBl's total Disp Cement Did Give	Sewer supervisor														
	Pumptrk Charge surface														
	Mileage 50 x 2														
	Tax														
	Discount														
	Total Charge														
X Signature	Mike Bradley														

QUALITY WELL SERVICE, INC.

6455

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410
Fax 620-672-3663

Rich's Cell 620-727-3409
Brady's Cell 620-727-6964

Date	03 15 16	Sec.	32	Twp.	27s	Range	23s	County	Ford	State	KS	On Location	1:30 AM	Finish	5:00 AM
Lease	Steele	Well No.	1-32		Location Ford, 1/4, 4w, n/nto										
Contractor	Duke #1				Owner Vincent										
Type Job	Rotary Plug				To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.										
Hole Size	7 7/8				T.D.	5225									
Csg.	8 7/8				Depth	681									
Tbg. Size	4 1/2 Drill Pipe				Depth	1550'									
Tool					Depth										
Cement Left in Csg.					Shoe Joint	The above was done to satisfaction and supervision of owner agent or contractor.									
Meas Line					Displace	Fresh H ₂ O									
EQUIPMENT															
Pumptrk	8	No.	Mike B		Common 105										
Bulktrk	9	No.	David B		Poz. Mix 65										
Bulktrk		No.			Gel. 6										
Pickup		No.	David F		Calcium										
JOB SERVICES & REMARKS															
Rat Hole	30sx				Hulls										
Mouse Hole	20sx				Salt										
Centralizers					Flowseal										
Baskets					Kol-Seal										
D/V or Port Collar					Mud CLR 48										
					CFL-117 or CD110 CAF 38										
	Drill Pipe at 1550', load Hole, Pump Spacers				Sand										
	Mix 50sx Cement, Disp w/ 18 BBLs				Handling 170										
					Mileage 50										
FLOAT EQUIPMENT															
	Drill Pipe at 710', load Hole, Pump Spacers				Guide Shoe										
	Mix 50sx, Disp w/ 6 1/2 BBLs				Centralizer										
	Drill Pipe at 60', load Hole, Mix 20sx cement				Baskets										
	Did Circ,				AFU Inserts										
					Float Shoe										
	Plug set & Mouse Holes w/ 50sx Cement				Latch Down										
					L.M.V. 50										
					Service Supervisor										
					Pumptrk Charge Rotary Plug										
					Mileage 50 x 2										
														Tax	
														Discount	
														Total Charge	
X Signature	Mike [Signature]														