

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

	month day	vear	Spot Description:
	monun day	year	Sec Twp S. R 🔲 E
DPERATOR: License#			feet from N / S Line of Sec
			feet from E / W Line of Sec
.ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip: _		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Typ	pe Equipment:	Ground Surface Elevation:feet N
Oil Enh R	Rec Infield	Mud Rotary	
Gas Storag	~ <del> </del>	Air Rotary	
Dispo		Cable	
Seismic ;# c			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
-			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Da	ate: Original Tota	al Depth:	
inactional Deviated on Ho	wine a talallbara O	□ Vaa □ Na	Water Source for Drilling Operations:
Directional, Deviated or Ho	rizontal wellbore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR )
			Will Cores be taken?
			If Yes, proposed zone:
		AF	FIDAVIT
he undersigned hereby a	affirms that the drilling, comp		FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
		pletion and eventual pl	
t is agreed that the follow	ving minimum requirements v	pletion and eventual pluwill be met:	
is agreed that the follow  1. Notify the appropria		oletion and eventual plowill be met:  udding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro	ving minimum requirements vate district office <b>prior</b> to spu poved notice of intent to drill <b>s</b> .	oletion and eventual pluwill be met: Idding of well; Idding be posted on each	ugging of this well will comply with K.S.A. 55 et. seq.
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amounthrough all unconso</li> </ol>	ving minimum requirements vate district office <b>prior</b> to spud oved notice of intent to drill sound of surface pipe as specificated materials plus a min	oletion and eventual plu will be met: adding of well; hall be posted on each ied below shall be set imum of 20 feet into th	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hole</li> </ol>	ving minimum requirements wate district office <b>prior</b> to spud oved notice of intent to drill <b>s</b> unt of surface pipe as specifical plus a min le, an agreement between the	oletion and eventual plantial be met:  Indiang of well;  Indiang o	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging;
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry holis</li> <li>The appropriate dis</li> </ol>	ving minimum requirements wate district office <b>prior</b> to spud oved notice of intent to drill <b>s</b> unt of surface pipe as specifical plus a min le, an agreement between the strict office will be notified be	poletion and eventual plus will be met: Idding of well; Idding be posted on each ided below shall be set imum of 20 feet into the operator and the distore well is either pluggi	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE I</li> </ol>	ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill so unt of surface pipe as specifical plus a minule, an agreement between the strict office will be notified be II COMPLETION, production	poletion and eventual plus will be met: Idding of well; Idding of well; Idding be posted on each idea below shall be set imum of 20 feet into the experator and the distriction fore well is either plugging pipe shall be cemented.	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry holis</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill so unt of surface pipe as specifical plus a minule, an agreement between the strict office will be notified be a complete the complete of the co	poletion and eventual plus will be met: Idding of well; Idding of well is either plugging pipe shall be cemented surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
<ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry holis</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill so unt of surface pipe as specifical plus a minule, an agreement between the strict office will be notified be a complete the complete of the co	poletion and eventual plus will be met: Idding of well; Idding of well is either plugging pipe shall be cemented surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill so unt of surface pipe as specifical plus a minule, an agreement between the strict office will be notified be a complete the complete of the co	poletion and eventual plus will be met: Idding of well; Idding of well is either plugging pipe shall be cemented surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the approsimation</li> <li>The minimum amount through all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appmust be completed</li> </ol>	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill <b>s</b> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of	poletion and eventual plus will be met: Idding of well; Idding of well is either plugging pipe shall be cemented surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appmust be completed</li> </ol>	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill <b>s</b> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of	poletion and eventual plus will be met: Idding of well; Idding of well; Idding be posted on each idea below shall be set imum of 20 feet into the experator and the distriction of the set imum of the experator and the distriction well is either plugging pipe shall be cemented our face casing order #	in drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It ict office on plug length and placement is necessary <i>prior to plugging;</i> It ged or production casing is cemented in; It is defined below any usable water to surface within <i>120 DAYS</i> of spud date. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill <b>s</b> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of	poletion and eventual plus will be met: Idding of well; Idding of well; Idding be posted on each idea below shall be set imum of 20 feet into the experator and the distriction of the set imum of the experator and the distriction well is either plugging pipe shall be cemented our face casing order #	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enough the underlying formation. It ict office on plug length and placement is necessary <i>prior to plugging;</i> It is ged or production casing is cemented in; It is defined any usable water to surface within <i>120 DAYS</i> of spud date. In all cases, NOTIFY district office prior to any cementing is plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ubmitted Electror  For KCC Use ONLY	ving minimum requirements wate district office <i>prior</i> to spubved notice of intent to drill <i>s</i> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of chically	pletion and eventual planel be met: Idding of well; Idding of well be set into the operator and the distriction of the coperator and the distriction of the well is either plugging pipe shall be cemented attempted or the well shall be a set of the well shall be a se	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill sount of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of conically	poletion and eventual planels be met: Indding of well; Indding of well be set into the operator and the distriction of the community of the community of the well is either plugging pipe shall be cemented or the well shall be surface casing order # that or the well shall be surface.	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is defined below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required	ving minimum requirements water district office <i>prior</i> to sput oved notice of intent to drill so unt of surface pipe as specifical olidated materials plus a min le, an agreement between the strict office will be notified be II COMPLETION, production bendix "B" - Eastern Kansas so I within 30 days of the spud of the	pletion and eventual planting of well;  hall be posted on each led below shall be set imum of 20 feet into the experator and the distriction of the coperator and the distriction of the experiment of the experiment of the experiment of the well is either plugging pipe shall be cemented attempted or the well shall be the experiment of the well shall be feet.	An drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill sount of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of conically	pletion and eventual planting of well;  hall be posted on each led below shall be set imum of 20 feet into the experator and the distriction of the coperator and the distriction of the experiment of the experiment of the experiment of the well is either plugging pipe shall be cemented attempted or the well shall be the experiment of the well shall be feet.	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is defined below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amode through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed  Ibmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe required	ving minimum requirements water district office <i>prior</i> to sput oved notice of intent to drill so unt of surface pipe as specifical olidated materials plus a min le, an agreement between the strict office will be notified be II COMPLETION, production bendix "B" - Eastern Kansas so I within 30 days of the spud of the	poletion and eventual planel be met: Indding of well; Indall be posted on each led below shall be set imum of 20 feet into the experience of the poletic below shall be cemented below shall be cemented below shall be cemented below the well shall be completed below shall be completed below shall be completed below the well shall be completed by the well-by the	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is defined below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing in plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amon through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed  Ibmitted Electror  For KCC Use ONLY  API # 15 -  Conductor pipe required -  Minimum surface pipe red  Approved by:	ving minimum requirements wate district office <i>prior</i> to spud poed notice of intent to drill <i>s</i> unt of surface pipe as specificallidated materials plus a minule, an agreement between the strict office will be notified be the completion, production pendix "B" - Eastern Kansas is a within 30 days of the spud of the completion.	poletion and eventual planel be met: Indding of well; Indall be posted on each led below shall be set imum of 20 feet into the experience of the poletic below shall be cemented below shall be cemented below shall be cemented below the well shall be completed below shall be completed below shall be completed below the well shall be completed by the well-by the	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is defined below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing in plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 7. The appropriate dis 8. If an ALTERNATE I Or pursuant to Approved by:  Conductor pipe required I Minimum surface pipe required Approved by:  This authorization expires	ving minimum requirements wate district office <i>prior</i> to spud poed notice of intent to drill <i>s</i> unt of surface pipe as specificallidated materials plus a minule, an agreement between the strict office will be notified be the completion, production pendix "B" - Eastern Kansas is a within 30 days of the spud of the completion.	pletion and eventual planial be met: Idding of well; Idding of well of	An drilling rig;  The drilling rig;  The victual comply with K.S.A. 55 et. seq.  In drilling rig;  The victual complete to the top; in all cases surface pipe shall be set e underlying formation.  The victual complete to the top; in all cases surface pipe shall be set e underlying formation.  The victual complete to the victual case of the victu

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	-

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							_ Lo	cation of W	/ell: County:
Lease:									feet from N / S Line of Section
	ber:								feet from E / W Line of Section
Field:							Se	c	
	f Acres attr						− is :	Section:	Regular or Irregular
							If S	Section is ction corne	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
		ds, tank b			d electrica	the neare	required b		dary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032). ired.
		:	<u>:</u>	:		:	:	:	
		:	:					•	LEGEND
									O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
140 ft.	-	·	:	:		·	: : :		
			: : :	2	 3	: :	: : : :		EXAMPLE
		· 		·	••••	·			
		· 	·	·		·	:		1980' FSL
		: :::::::::::::::::::::::::::::::	: :	: :		: : :	: :	· · · · · · · · · · · · · · · · · · ·	

#### NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section		
Workover Pit   Haul-Off Pit   (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes N	No			
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits		
	om ground level to dee				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet.		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.		
Submitted Electronically					
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS					
Date Received: Permit Num	her:	Darmi	t Date: Lease Inspection: Yes No		



1308830

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person:	
Phone: ( ) Fax: ( )  Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
are preliminary non-binding estimates. The locations may be entered	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	
I	_

For KCC Use ONLY	
API # 15	_

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

/.	
Operator: Suemaur Exploration & Production, LLC	Location of Well: County: Sheridan
Lease: Kuehn SWD	2259 feet from X N / S Line of Section
Well Number: 1	149 E / X W Line of Section
Field: wildcat	Sec. 23 Twp. 6 S. R. 28 E W
/ /	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: NW - SW - SW - MW	
/ ( / / /	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
\ \ \ / /	occitor corner usedNENVVOEOVV
	A-T
The state of the s	AT
	ase or unit boundary line. Show the predicted locations of
	uired by the Kansas Surface Owner Notice Act (House Bill 2032).
2259 ft. You may attach a se	parate plat if desired.
2233 11.	
	LEGEND
	O Well Location
	Tank Battery Location
	Pipeline Location
	: Electric Line Location
	Lease Road Location
140 ft G	
140 11. 7	EXAMPLE : :
	: : : : : : : : : : : : : : : : : : :
23	
// : \\ : \	
//	
( )	1980' FSL
	:
\	
	· · · · · · · · · · · · · · · · · · ·

#### NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.