

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	

Yes No

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1310056

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

### NOTICE OF INTENT TO DRILL

	month day	 vear	Spot Description:						
	monun day	year	Sec Twp S. R E						
PERATOR: License#			feet from N / S Line of Sect						
ame:			feet from E / W Line of Sect						
ddress 1:			Is SECTION: Regular Irregular?						
			(Note: Locate well on the Section Plat on reverse side)						
	State: Zip:		County:						
Contact Person:			Lease Name: Well #:						
hone:			Field Name:						
ONTRACTOR: License#			Is this a Prorated / Spaced Field?						
ame:			Target Formation(s):						
			Nearest Lease or unit boundary line (in footage):						
Well Drilled For:	Well Class: Type I	Equipment:	Ground Surface Elevation:feet M						
Oil Enh Re	ec Infield Infield	Mud Rotary	Water well within one-quarter mile:						
Gas Storag	ge Pool Ext.	Air Rotary							
Dispos		Cable							
Seismic ;# of			Depth to bottom of fresh water:						
Other:			Depth to bottom of usable water:						
If OWWO: old well in	nformation as follows:		Surface Pipe by Alternate: II III						
			Length of Surface Pipe Planned to be set:						
•			Length of Conductor Pipe (if any):						
			Projected Total Depth:						
Original Completion Dat	te: Original Total D	Depth:							
inactional Deviated on Haw	inantal wallhara 2	□ Vaa □ Na	Water Source for Drilling Operations:						
Directional, Deviated or Hori	izontai welibore?	Yes No	Well Farm Pond Other:						
			DWR Permit #:						
			(Note: Apply for Permit with DWR )						
			Will Cores be taken?						
			If Yes, proposed zone:						
			FIDAVIT						
		<b>AF</b> I	IDATI						
he undersigned hereby a	ffirms that the drilling, complet		ugging of this well will comply with K.S.A. 55 et. seq.						
-	affirms that the drilling, completing minimum requirements will	tion and eventual plu							
t is agreed that the following	ing minimum requirements will	tion and eventual plu be met:							
is agreed that the following 1. Notify the appropriate		tion and eventual plut be met: ing of well;	ugging of this well will comply with K.S.A. 55 et. seq.						
t is agreed that the following 1. Notify the appropriate 2. A copy of the appropriate 3. The minimum amou	ing minimum requirements will te district office <b>prior</b> to spudd ved notice of intent to drill <b>sha</b> i int of surface pipe as specified	tion and eventual plut be met: ing of well; II be posted on each below shall be set	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set						
<ol> <li>is agreed that the following</li> <li>Notify the appropriate</li> <li>A copy of the appropriate</li> <li>The minimum amounthrough all unconsole</li> </ol>	ing minimum requirements will te district office <b>prior</b> to spudd ved notice of intent to drill <b>shai</b> int of surface pipe as specified lidated materials plus a minimum	be met: ing of well; If be posted on each below shall be set um of 20 feet into th	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> The e underlying formation.						
<ol> <li>agreed that the following</li> <li>Notify the appropriate</li> <li>A copy of the appropriate</li> <li>The minimum amounthrough all unconsole</li> <li>If the well is dry hole</li> </ol>	ing minimum requirements will ate district office <b>prior</b> to spudd wed notice of intent to drill <b>sha</b> ll and of surface pipe as specified didated materials plus a minimule, an agreement between the control of the surface of the sur	be met: ing of well; II be posted on each below shall be set um of 20 feet into th operator and the dis	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging;						
<ol> <li>is agreed that the following</li> <li>Notify the appropriate</li> <li>A copy of the appropriate</li> <li>The minimum amounthrough all unconsole</li> <li>If the well is dry hole</li> <li>The appropriate dist</li> </ol>	ing minimum requirements will ate district office <b>prior</b> to spudd ved notice of intent to drill <b>sha</b> ll int of surface pipe as specified didated materials plus a minimule, an agreement between the cotrict office will be notified before	be met: ing of well; II be posted on each below shall be set um of 20 feet into th operator and the dis e well is either plugg	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;						
<ol> <li>is agreed that the following</li> <li>Notify the appropriate</li> <li>A copy of the appropriate</li> <li>The minimum amounthrough all unconsole</li> <li>If the well is dry hole</li> <li>The appropriate dist</li> <li>If an ALTERNATE II</li> </ol>	ing minimum requirements will ate district office <i>prior</i> to spudd ved notice of intent to drill <i>shal</i> and of surface pipe as specified didated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pig	be met: iing of well; II be posted on each below shall be set um of 20 feet into th operator and the dis e well is either plugg pe shall be cemente	h drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date.						
<ol> <li>is agreed that the following</li> <li>Notify the appropriate</li> <li>A copy of the appropriate</li> <li>The minimum amounthrough all unconsole</li> <li>If the well is dry hole</li> <li>The appropriate dist</li> <li>If an ALTERNATE II</li> <li>Or pursuant to Appear</li> </ol>	ing minimum requirements will ate district office <i>prior</i> to spudd ved notice of intent to drill <i>shau</i> and of surface pipe as specified didated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surface.	be met: iing of well; II be posted on each below shall be set um of 20 feet into th operator and the dis e well is either plugg be shall be cemente face casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;						
is agreed that the following the appropriate of the appropriate o	ing minimum requirements will ate district office <i>prior</i> to spudd ved notice of intent to drill <i>shau</i> and of surface pipe as specified didated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surface.	be met: iing of well; II be posted on each below shall be set um of 20 feet into th operator and the dis e well is either plugg be shall be cemente face casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing						
<ol> <li>is agreed that the following</li> <li>Notify the appropriate</li> <li>A copy of the appropriate</li> <li>The minimum amount through all unconsole</li> <li>If the well is dry hole</li> <li>The appropriate dist</li> <li>If an ALTERNATE II</li> <li>Or pursuant to Appear</li> </ol>	ing minimum requirements will ate district office <i>prior</i> to spudd ved notice of intent to drill <i>shau</i> and of surface pipe as specified didated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surface.	be met: iing of well; II be posted on each below shall be set um of 20 feet into th operator and the dis e well is either plugg be shall be cemente face casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing						
<ol> <li>is agreed that the following</li> <li>Notify the appropriat</li> <li>A copy of the approximates</li> <li>The minimum amounthrough all unconsoles</li> <li>If the well is dry holes</li> <li>The appropriate dist</li> <li>If an ALTERNATE II  Or pursuant to Appermust be completed to</li> </ol>	ing minimum requirements will ate district office <i>prior</i> to spudd ved notice of intent to drill <i>sha</i> and of surface pipe as specified didated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surface within 30 days of the spud date	be met: iing of well; II be posted on each below shall be set um of 20 feet into th operator and the dis e well is either plugg be shall be cemente face casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing						
<ol> <li>agreed that the following and the support of the appropriation of the appropriation of the appropriation of the appropriation of the support of the appropriate distingular of the appropriate distingular of the appropriate of the appropriation of the appropriate of the appropriation of the</li></ol>	ing minimum requirements will ate district office <i>prior</i> to spudd ved notice of intent to drill <i>sha</i> and of surface pipe as specified didated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surface within 30 days of the spud date	be met: iing of well; II be posted on each below shall be set um of 20 feet into th operator and the dis e well is either plugg be shall be cemente face casing order #	h drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; ed from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.						
1. Notify the appropriat 2. A copy of the approv 3. The minimum amouthrough all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed with the completed of the complete of	ing minimum requirements will ate district office <i>prior</i> to spudd ved notice of intent to drill <i>sha</i> and of surface pipe as specified didated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surface within 30 days of the spud date	be met: iing of well; II be posted on each below shall be set um of 20 feet into th operator and the dis e well is either plugg be shall be cemente face casing order #	In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> It e underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; It ged or production casing is cemented in; It ict office on plug length and placement is necessary <b>prior to plugging</b> ; It is defined below any usable water to surface within <b>120 DAYS</b> of spud date. In all cases, NOTIFY district office prior to any cementing is plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:						
1. Notify the appropriat 2. A copy of the approv 3. The minimum amou through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Apperuist be completed with the completed of the complete o	ing minimum requirements will ate district office <i>prior</i> to spudd ved notice of intent to drill <i>sha</i> and of surface pipe as specified didated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surf within 30 days of the spud date	be met: iing of well; II be posted on each below shall be set um of 20 feet into th operator and the dis e well is either plugg be shall be cemente face casing order #	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification						
is agreed that the following agreed that the following and the appropriate of the appropriate and through all unconsoles. The appropriate dist is a proper appropriate dist is an ALTERNATE II or pursuant to Appear must be completed in the complete of the appropriate dist is an ALTERNATE II or pursuant to Appear must be completed in the complete of the appropriate distribution and the complete of	ing minimum requirements will the district office <i>prior</i> to spudd ved notice of intent to drill <i>sha</i> and of surface pipe as specified didated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surfacility	tion and eventual plus be met: ing of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either plugge shall be cemented face casing order # te or the well shall be	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is defined below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;						
is agreed that the following agreed that the following agreed that the following and the appropriate agreement and through all unconsolds. If the well is dry hole appropriate dist an ALTERNATE II Or pursuant to Appear must be completed and the agreement and the agreement and the agreement and the appear and the agreement and the appear are agreement and the appear and the agreement and the appear are agreement and the appear and the appear are agreement and the appropriate and the appropriate and the appear are agreement and the appropriate and the appropriate and the appropriate agreement agreement and the appropriate agreement and the appropriate agreement agreement and the appropriate agreement agreeme	ing minimum requirements will ate district office <i>prior</i> to spudd ved notice of intent to drill <i>shal</i> ant of surface pipe as specified didated materials plus a minimule, an agreement between the cotrict office will be notified beford COMPLETION, production pipendix "B" - Eastern Kansas surfaithin 30 days of the spud date nically	tion and eventual plube met: ing of well;  II be posted on each below shall be setum of 20 feet into the operator and the dise well is either plugge shall be cemented face casing order # e or the well shall be setucted.	An drilling rig; The drilling rig; The vicinity of the top; in all cases surface pipe shall be set to underlying formation. The drilling rig; The vicinity of the top; in all cases surface pipe shall be set to underlying formation. The vicinity of the vic						
is agreed that the following agreed that the following and the appropriate of the appropriate and through all unconsolds. If the well is dry hole appropriate dist an ALTERNATE II or pursuant to Appear must be completed and the appropriate dist and the appropriate distance of the appropriate di	ing minimum requirements will the district office <i>prior</i> to spudd ved notice of intent to drill <i>sha</i> and of surface pipe as specified didated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surfacility	tion and eventual plube met: ing of well;  II be posted on each below shall be setum of 20 feet into the operator and the dise well is either plugge shall be cemented face casing order # e or the well shall be setucted.	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is defined below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;						
is agreed that the following agreed that the following and the appropriation of the appropriation of the appropriation of the appropriate and the appropriate distingular and the appropriate and	ing minimum requirements will ate district office <i>prior</i> to spudd ved notice of intent to drill <i>shal</i> ant of surface pipe as specified didated materials plus a minimule, an agreement between the cotrict office will be notified beford COMPLETION, production pipendix "B" - Eastern Kansas surfaithin 30 days of the spud date nically	tion and eventual plus be met: ing of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either plugge shall be cemente face casing order # e or the well shall be the operator.	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is defined below any usable water to surface within 120 DAYS of spud date. In 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;						
1. Notify the appropriat 2. A copy of the approvat 3. The minimum amou through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed to the completed of the complete of	ing minimum requirements will te district office <i>prior</i> to spudd ved notice of intent to drill <i>shai</i> unt of surface pipe as specified dildated materials plus a minimule, an agreement between the of trict office will be notified before COMPLETION, production pig- endix "B" - Eastern Kansas surf within 30 days of the spud date  nically  feet uired	tion and eventual plus be met: ing of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either plugge shall be cemente face casing order # e or the well shall be the operator.	An drilling rig;  The drilling rig;  The vicinity of the top; in all cases surface pipe shall be set to e underlying formation. The trict office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing as plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);						
1. Notify the appropriat 2. A copy of the approvat 3. The minimum amou through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed to the completed of the complete of	ing minimum requirements will te district office <i>prior</i> to spudd ved notice of intent to drill <i>shai</i> unt of surface pipe as specified dildated materials plus a minimule, an agreement between the of trict office will be notified before COMPLETION, production pig- endix "B" - Eastern Kansas surf within 30 days of the spud date  nically  feet uired	tion and eventual plube met: ing of well; II be posted on each below shall be setum of 20 feet into the operator and the dise well is either plugge shall be cemented face casing order # e or the well shall be the operator.	An drilling rig;  The drilling rig;  The victual comply with K.S.A. 55 et. seq.  In drilling rig;  The victual complete to the top; in all cases surface pipe shall be set to enderlying formation.  The victual complete to the top; in all cases surface pipe shall be set to enderlying formation.  The victual complete to the victual case of the vic						



For KCC Use ONLY	
API # 15	

Operator:

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.


Location of Well: County:

operator								oation of tre	Jii. Oodiity				
Lease:										_ feet from	N /	S Line	of Section
Well Numb	er:									_ feet from	E /	W Line	of Section
Field:							_ Se	C	Twp	S. R		_ E _	W
	Acres attri						15	Section: [	Regular or	Irregul	ar		
JIK/QIK/	'QTR/QTR	or acreag	e:										
								Section is li ction corner	rregular, locate r used: NE		SE		dary.
							PLAT						
					_				ary line. Show t				
	lease roa	ds, tank b	atteries, pi	pelines and				y tne Kansa plat if desir	as Surface Own ed	er Notice Ad	t (House B	III 2032).	
				1980	) ft.	ay anaon c	и воригию	piat ii accii	ou.				
		:	:	:		:	:	:					
		•	:			•				LEC	SEND		
		· · · · · · · · · · · · · · · · · · · ·		·	•••••		•			O Well	Location		
		• • •	:	<u> </u>		:	:		Г		Battery L	ocation	
		:	:	:		:	:	:	_		line Locat		
		• •	:	:		:	:	:			tric Line L		
		: :	:	[ ]		:	:	:	-	Leas	se Road Lo	ocation	
200 ft		:	:	<u> </u>	•••••	:	:	:					
				: :		:	:		EXAN	/PI <sup>-</sup> E	:	:	
		:	:	<u>:</u>		:	:	:	LXXII	:	:		
				3	2	:		:			:	:	
		:		:		:	:	:		:	:	:	
			:	:		:	:	:		:	:	:	
			:			:	:	:	•••••	:	:	:	
		:	:	:	********	:	:	:		· ο <del>-</del>		:	1980' FSL
			:			:	:	:					
			•	· · · · · · · · · · · · · · · · · · · ·				•				:	
			:				:			: <u> </u>	<u> </u>  -	:	
	1 '		•	:	I	:	•	:	SEWARD	CO 3390' F	FI		

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:			Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit:	Pit is:						
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R				
Settling Pit Drilling Pit	If Existing, date con	structed:	Feet from North / South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section				
		(bbls)	County				
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits				
Depth fro	om ground level to deep	pest point:	(feet) No Pit				
material, thickness and installation procedure.		liner integrity, in	cluding any special monitoring.				
Distance to nearest water well within one-mile of	of pit:	Depth to shallor Source of inforr	west fresh water feet. nation:				
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover:					
Number of producing wells on lease:		Number of working pits to be utilized:					
Barrels of fluid produced daily:		Abandonment procedure:					
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS							
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No				



1310056


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)					
OPERATOR: License #	Well Location:					
Name:	SecTwpS. R East West					
Address 1:	County:					
Address 2:	Lease Name: Well #:					
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description o the lease below:					
Contact Person:						
Phone: ( ) Fax: ( )						
Email Address:						
Surface Owner Information:						
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional					
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the					
Address 2:	county, and in the real estate property tax records of the county treasurer.					
City:						
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice Acowner(s) of the land upon which the subject well is or will be located CP-1 that I am filing in connection with this form; 2) if the form beform; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner.	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this					
that I am being charged a \$30.00 handling fee, payable to the Ko	fee with this form. If the fee is not received with this form, the KSONA-1					
Submitted Electronically						



# KANSAS SURFACE OWNER NOTIFICATION ACT



SCALE = 1: 12,000 LANE COUNTY, KANSAS