

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC Use: | |
|-----------------|--|
| Effective Date: | |
| District # | |
| SGA? Yes No | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1310559

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Expected Spud Date: | Spot Description: |
|--|--|
| month day year | Sec Twp S. R |
| OPERATOR: License# | feet from N / S Line of Section |
| Name: | fact from E / W Line of Coation |
| Address 1: | Is SECTION: Regular Irregular? |
| Address 2: | |
| City: State: Zip: + | |
| Contact Person: | Lease Name: Well #: |
| Phone: | Field Name: |
| CONTRACTOR: License# | |
| Name: | Target Formation(s): |
| | Negreet League or unit boundary line (in feetage): |
| Well Drilled For: Well Class: Type Equipment | |
| Oil Enh Rec Infield Mud Rotar | Ground Surface Elevation:feet MSL |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: |
| Other: | Depth to bottom of usable water: |
| If OWWO: old well information as follows: | Surface Pipe by Alternate: II III |
| II OVVVVO. Old Well Information as follows. | Length of Surface Pipe Planned to be set: |
| Operator: | |
| Well Name: | |
| Original Completion Date: Original Total Depth: | |
| B: (: B : (H : (H 0) | Water Source for Drilling Operations: |
| | S No Well Farm Pond Other: |
| If Yes, true vertical depth: | DVV Fellill #. |
| Bottom Hole Location: | (Note: Apply for Fernit War DVV) |
| KCC DKT #: | Will Cores be taken? Yes No |
| | If Yes, proposed zone: |
| | AFFIDAVIT |
| | |
| The undersigned hereby affirms that the drilling, completion and e | ventual plugging of this well will comply with K.S.A. 55 et. seg. |
| | ventual plugging of this well will comply with K.S.A. 55 et. seq. |
| It is agreed that the following minimum requirements will be met: | |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel | l; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> poster | l; ed on each drilling rig; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i> | l; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f | l; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f | I; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. nd the district office on plug length and placement is necessary prior to plugging; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be | I; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir | I; ed on each drilling rig; eal on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir | I; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir | I; ed on each drilling rig; eal on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w | I; ed on each drilling rig; eal on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir | I; ed on each drilling rig; eal on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w | I; ed on each drilling rig; eal on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w | I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; wither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing. |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w | I; ed on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. Indid the district office on plug length and placement is necessary prior to plugging; wither plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. The gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing the lell shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel: 2. A copy of the approved notice of intent to drill <i>shall be</i> posts: 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f. 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is etc. 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well is completed. For KCC Use ONLY API # 15 - | l; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | l; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | l; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | l; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indithe district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | ced on each drilling rig; ced on each drilling rig; ced on each drilling rig; ced on each drilling cement to the top; in all cases surface pipe shall be set cet into the underlying formation. cet into the underlying length and placement is necessary prior to plugging; cet into the district office or plugged or production casing is cemented in; cet cemented from below any usable water to surface within 120 DAYS of spud date. cet cemented from below any usable water to surface within 120 DAYS of spud date. cet cemented from below any usable water to surface within 120 DAYS of spud date. cet cemented from below any usable water to surface within 120 DAYS of spud date. cet cemented from below any usable water to surface within 120 days of spud date; cet cemented from length from the first plugging is completed (within 60 days); cet cet into the underlying from the surface plugging is completed (within 60 days); cet cet into the underlying from the surface plugging is completed (within 60 days); cet cet into the underlying from the surface plugging is cemented into the surface plugging; cemen |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w Submitted Electronically For KCC Use ONLY API # 15 | l; ed on each drilling rig; eal be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Ind the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w Submitted Electronically For KCC Use ONLY API # 15 | ced on each drilling rig; ced on each drilling rig; ced on each drilling rig; ced on each drilling cement to the top; in all cases surface pipe shall be set cet into the underlying formation. cet into the underlying length and placement is necessary prior to plugging; cet into the district office or prior to plugging; cet into the district office within 120 DAYS of spud date. cet into the plugged or production casing is cemented in; cet into the plugged or production casing is cemented in; cet into the plugged. cet into the plugged or production of Compliance with the Kansas Surface Owner Notification cet into the plugged. cet into the plugged of prior to any cementing. cet into the plugged or prior to plugged or production or p |



| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: |
|---------------------------------------|--|
| Lease: | feet from N / S Line of Section |
| Well Number: | feet from E / W Line of Section |
| Field: | SecTwpS. R 🗌 E 🔲 W |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all dases locate the spot of the proposed drilling locaton.

3726 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | License Number: | |
|--|--------------------------------|--|--|
| Operator Address: | | | |
| Contact Person: | | Phone Number: | |
| Lease Name & Well No.: | | Pit Location (QQQQ): | |
| Type of Pit: | Pit is: | | |
| Emergency Pit Burn Pit | Proposed Existing | | SecTwpR East West |
| Settling Pit Drilling Pit | If Existing, date constructed: | | Feet from North / South Line of Section |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | | Feet from East / West Line of Section |
| | | (bbls) | County |
| Is the pit located in a Sensitive Ground Water A | rea? Yes N | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) |
| Is the bottom below ground level? Yes No | Artificial Liner? | 0 | How is the pit lined if a plastic liner is not used? |
| Pit dimensions (all but working pits): | Length (fee | t) | Width (feet) N/A: Steel Pits |
| Depth fro | om ground level to dee | pest point: | (feet) No Pit |
| material, thickness and installation procedure. | | liner integrity, in | cluding any special monitoring. |
| | | Depth to shallor Source of inforr | west fresh water feet. nation: |
| feet Depth of water well | feet | measured | well owner electric log KDWR |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Worko | ver and Haul-Off Pits ONLY: |
| Producing Formation: | | Type of materia | l utilized in drilling/workover: |
| Number of producing wells on lease: | | Number of working pits to be utilized: | |
| Barrels of fluid produced daily: | | Abandonment p | procedure: |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must b | e closed within 365 days of spud date. |
| | | | |
| Submitted Electronically | | | |
| | ксс | OFFICE USE O | NLY Liner Steel Pit RFAC RFAS |
| Date Received: Permit Numl | ber: | Permi | t Date: Lease Inspection: Yes No |



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) |
|---|---|
| OPERATOR: License # | Well Location: |
| Surface Owner Information: Name: | When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer. |
| the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A | dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. ct (House Bill 2032), I have provided the following to the surface |
| CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, as I have not provided this information to the surface owner(s). I as KCC will be required to send this information to the surface owner(s). | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned. |
| Submitted Electronically | |

| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| rator: Lakeshore Operating, LLC | Location of Well: County: Woodson |
|--|--|
| ator: Lancistore operating, EEC e: Sturdivan 3 | <u> </u> |
| e: | isst, itsiii ii |
| Number: LOI-4 | Too was a second |
| Verifori | Sec 34 Twp. 23 S. R. 16 X E W |
| ber of Acres attributable to well: 2 | 1- 01 |
| /QTR/QTR/QTR of acreage: NW - NE /- SW - NW | Is Section: Regular or Irregular |
| | If Section is Investigate Insets well from property common houndary |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |
| | Section connectused. [NE NVV SE SVV |
| | |
| | DI AT |
| | PLAT |
| | lease or unit boundary line. Show the predicted locations of equired by the Kansas Surface Owner Notice Act (House Bill 2032). |
| | separate plat if desired. |
| Too may altering a | Soparato piat ii desirea. |
| | 20 |
| | LEGEND |
| \ \ \ / | LEGEND |
| | O Well Location |
| cona | Tank Battery Location |
| | Pipeline Location |
| 1/2 | 4362 ft. Electric Line Location |
| / () / - 17 | Lease Road Location |
| in which the | |
| Las lectric | |
| 7 | EXAMPLE |
| | |
| 34 | |
| | |
| | * |
| / \ \ \ | |
| | |
| | 1980' FS |
| | a 20 |
| | |
| \ \V / | |
| | SEWARD CO. 3390' FEL |
| | |

3726 ft. In plotting the proposed location of the well, *you must show*:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

June 28, 2016

Wesley Ketcham Lakeshore Operating, LLC 23 1/2 E. Madison Ave. Suite A Iola, KS 66749

Re: Drilling Pit Application Sturdivan 3 LOI-4 NW/4 Sec.34-23S-16E Woodson County, Kansas

Dear Wesley Ketcham:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.