

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

or KCC Use:	
Effective Date:	
District #	

SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1310834

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R
DPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I II
	Length of Surface Pipe Planned to be set:  Length of Conductor Pipe (if any):
Operator:	Projected Total Depth:
Well Name: Original Total Depth:	Formation at Total Depth:
Original Completion Date Original Total Deptil	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR)
(CC DKT #·	
ΛΟΟ DIXI π	Will Cores be taken? YesN
ΟΟ ΟΙΝΙ π.	Will Cores be taken? Yes N  If Yes, proposed zone:
AFF	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  FIDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  Dry circulating cement to the top; in all cases surface pipe shall be set to underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In comply with K.S.A. 55 et. seq.  Idrilling rig;  In comply with K.S.A. 55 et. seq.  In comply with K.S.A. 55 et. seq.  In comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg	If Yes, proposed zone:  FIDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set enderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In you circulating cement to the top; in all cases surface pipe shall be set enunderlying formation.  In this increase of the production casing is cemented in; if the production case is the pr
The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In you circulating cement to the top; in all cases surface pipe shall be set enunderlying formation.  In this increase of the production casing is cemented in; if the form below any usable water to surface within 120 DAYS of spud date.  If you have a surface within 120 DAYS of spud date.  If you have a surface within 120 DAYS of spud date.  If you have a surface within 120 DAYS of spud date.  If you have a surface within 120 DAYS of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In you circulating cement to the top; in all cases surface pipe shall be set enunderlying formation.  In this increase of the production casing is cemented in; if the production case is the pr
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In you circulating cement to the top; in all cases surface pipe shall be set enunderlying formation.  In this increase of the production casing is cemented in; if the form below any usable water to surface within 120 DAYS of spud date.  If you have a surface within 120 DAYS of spud date.  If you have a surface within 120 DAYS of spud date.  If you have a surface within 120 DAYS of spud date.  If you have a surface within 120 DAYS of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In you circulating cement to the top; in all cases surface pipe shall be set enunderlying formation.  In this increase of the production casing is cemented in; if the production case is the pr
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be a supported by the spud by the spud date or the well shall be a supported by the spud by the spud date or the well shall be a supported by the spud by the spud date or the well shall be a supported by the spud by the spud date or the well shall be a supported by the spud by the spud date or the well shall be a supported by the spud by the supported by the spud by the supported by the spud by the supported by the supported by the spud by the spud by the spud by the supported by the spud by the spu	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In you circulating cement to the top; in all cases surface pipe shall be set enunderlying formation.  In this increase of the production casing is cemented in; if the production case is the pr
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In original comply with the set of the underlying formation.  In original complete in the set of the underlying formation.  In original complete in the set of the underlying formation.  If or on plug length and placement is necessary prior to plugging;  In original complete in the set of the
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed before the well shall be appropriate.	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In original comply with the set of the underlying formation.  In original complete in the set of the underlying formation.  In original complete in the set of the underlying formation.  In original complete in the set of the s
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed before the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In original comply with the sequence of the sequence
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In original comply with the complete set of the set of the underlying formation.  In original complete set of the complete set of the underlying formation.  In original complete set of the complete set
The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the feet of the conductor pipe required	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In original comply with the set of the set of the underlying formation.  In original complete in the set of the set of the underlying formation.  In original complete in the set of
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  **Lubmitted Electronically**  For KCC Use ONLY  API # 15	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In yo circulating cement to the top; in all cases surface pipe shall be set ounderlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  If you have a surface within 120 DAYS of spud date.  If you have a surface within 120 DAYS of spud date.  In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.  If you have a surface prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be conducted by the spud by the spud by the shall be conducted by the spud by the spud by the shall be conducted by the spud by the spud by the shall be conducted by the spud by the spud by the shall be shall be conducted by the spud by the spud by the spud by the spud by the shall be shall by the shall be sha	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In original comply with the set of the set of the underlying formation.  In original complete the set of the set of the underlying formation.  In original complete the set of the se



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR/QTR of acreage:	
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
D	LAT
	LAT lease or unit boundary line. Show the predicted locations of
	quired by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a se	eparate plat if desired.
1650 ft.	
	LEGEND
	Tank Battery Location
	Pipeline Location
	: Flectric Line Location
	2310 ft Lease Road Location
	EXAMPLE :
5, 1	
	1980' FSL
the state of the s	

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West			
Settling Pit Drilling Pit	If Existing, date con	structed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	pest point:	(feet) No Pit			
material, thickness and installation procedure.		liner integrity, in	cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallor Source of inforr	west fresh water feet. nation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	l utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment p	procedure:			
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.			
Submitted Electronically						
	ксс	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS			
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No			



1310834

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East _ West
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 1 will be returned.
Submitted Electronically	

For KCC Use ONLY	
API # 15	

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Bear Petroleum, LLC Lease: Barnes	Location of Well: County: Su	mner			
	1,650	feet from X N / S Line of Section			
Well Number: 1	2,310	feet from X E / T W Line of Section			
Field: Rome Northeast	Sec. 5 Twp. 33	S. R.1 🔀 E 🔲 W			
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: NW SW NE	Is Section: Regular or	Irregular			
	If Section is Irregular, locate Section corner used: NE	e well from nearest corner boundary.			

#### **PLAT**


Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



# LEGEND

O Well Location
Tank Battery Location
Pipeline Location
Electric Line Location
Lease Road Location




NOTE: In all cases locate the spot of the proposed drilling locaton.

# In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

BEAR PETROLEUM, INC. BARNES LEASE NE. 1/4, SECTION 5, T33S, R1E SUMNER COUNTY, KANSAS




<sup>\*</sup> Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

Elevations derived from National Geodetic Vertical Datum.

March 31, 2015

Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying therein agree to hold Control Kansas Diffield Services, Inc. its officers and process and losses cares and said entities released from any liability from incidental or consequential damage.



## Additional Surface Owner Information

Name:

Marsha Barnes

Address 1:

534 N. Market St.

Address 2:

City:

Caldwell

State:

KS

Zip:

67022

Name:

Address 1:

George Barnes 7627 E. 37<sup>th</sup> St. N.

Address 2:

City:

Wichita

State:

KS

Zip:

667226

Name:

Herbert Barnes

Address 1:

878 E. 50<sup>th</sup> St. S.

Address 2:

City:

Wellington

State:

KS

Zip:

67152

Name:

Max Barnes

Address 1:

897 E. 50<sup>th</sup> St. S.

Address 2:

City:

Wellington

State:

Zip:

67152

KS

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

July 12, 2016

R. A. (Dick) Schremmer Bear Petroleum, LLC PO BOX 438 HAYSVILLE, KS 67060-0438

Re: Drilling Pit Application Barnes 1 NE/4 Sec.05-33S-01E Sumner County, Kansas

## Dear R. A. (Dick) Schremmer:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.

STATE OF KANSAS STATE CORPORATION COMMISSION 200 Colorado Derby Building Wichita, Kansas 67202

WELL PLUGGING RECORD K.A.R.-82-3-117

TYPE OR PRINT NOTICE: Fill out completely

and return to Cons. Div. office within 30 days.

API NUMBER 15-191-21,619 LEASE NAME Barnes #1

rrvatr	NVME_	Darne

W	Ε	L	L	N	U	М	В	Ε	R	₹

SPOT LOCATION NW SW NE

SEC. 5 TWP. 33SRGE. 1E (E) or (W)

COUNTY Sumner

Date Well Completed

Plugging Commenced 3-27-86

Plugging Completed 4-30-86

LEASE OPERATOR Aladdin PetroleumCorporation

ADDRESS 809 Petroleum Bldg. Wichita, Ks. 67202

PHONE # ( 316 265-9602 OPERATORS LICENSE NO. 5035

Character of Well Oil (Oil, Gas, D&A, SWD, Input, Water Supply Well)

Did you notify the KCC/KDHE Joint District Office prior to plugging this well? Yes

Which KCC/KDHE Joint Office did you notify?\_\_\_\_\_\_\_ Wichita, Kansas

Is ACO-1 filed?\_\_\_\_\_If not, is well log attached?\_\_\_\_\_

Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ bottom \_\_\_\_ T.D. 4250'

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

\_\_\_\_\_CASING RECORD

Formation	6	Content	From	To	Size	Put in	Pulled out
:							
					8-5/8"	330	none
					5-1/2"	4161'	2668'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used state, the character of same and

depth placed, from feet to \_\_feet each set.\_ Plugged off bottom with sand to 4000' and 6 sacks cement. Shot pipe @3100'. 2900', 2668', pulled a total of 65 joints (2668') of 5-1/2" casing. Plugged surface with 3 hulls, 15 gel, 100 cement, 60/40 pos, 2% cc Plugging Complete.

(If additional description is necessary, use BACK of this form.)

Name of Plugging Contractor Kelso Casing Pulling License No. 6050

Address P.O. Box 347 Chase, Kansas 67524

COUNTY OF Rice STATE OF Kansas

STATE COAPORATION COMMISSION

(employee of operator) or Darrell Kelso (operator) of above-described well, being first duly sworn on oath, says: That (operator) of above-described well, being first duly sworn on oath, says: 1801

I have knowledge of the facts, statements, and matters herein contained and Wichila, Kanen, Says: 1801

Wichila, Wichila, Wichila, Says: 1801

Wichila, Wi correct, so help me God.

MAY 0 7 1986 Wichita, Kansas

(Signature) Rhoulls

(Address) Box 347 Chase, Ks. 67524

SUBSCRIBED AND SWORN TO before me this 6th day of May , 19 86

IRENE HOOVER State of Kansas My Appt. Exp. Aug. 15, 1989