



# CEMENTING LOG

STAGE NO. \_\_\_\_\_

Date 9/28/16 District Cadley Ticket No. 267580  
 Company Bureau Rig 267580  
 Lease Eglyn Well No. 1-1  
 County Stanton State K3  
 Location \_\_\_\_\_ Field \_\_\_\_\_

CEMENT DATA:

Spacer Type: \_\_\_\_\_  
 Amt. \_\_\_\_\_ Skys Yield \_\_\_\_\_ ft<sup>3</sup>/sk Density \_\_\_\_\_ PPG \_\_\_\_\_

LEAD: Pump Time \_\_\_\_\_ hrs. Type NEW 65/35 0.75 gal  
1/4 Flt 370cc Excess \_\_\_\_\_

Amt. 580 Skys Yield 2.2 ft<sup>3</sup>/sk Density 12.07 PPG \_\_\_\_\_

TAIL: Pump Time \_\_\_\_\_ hrs. Type \_\_\_\_\_  
 Excess \_\_\_\_\_

Amt. 150 Skys Yield 1.33 ft<sup>3</sup>/sk Density 19.9 PPG \_\_\_\_\_

WATER: Lead 12.5 gals/sk Tail 6.5 gals/sk Total \_\_\_\_\_ Bbls. \_\_\_\_\_

CASING DATA: Conductor  PTA  Squeeze  Misc   
 Surface  Intermediate  Production  Liner   
 Size 8 5/8 Type \_\_\_\_\_ Weight \_\_\_\_\_ Collar \_\_\_\_\_

Pump Trucks Used 566-281  
 Bulk Equip. 891  
Liberal?

Casing Depths: Top KB Bottom 209

Float Equip: Manufacturer \_\_\_\_\_  
 Shoe: Type \_\_\_\_\_ Depth \_\_\_\_\_  
 Float: Type \_\_\_\_\_ Depth \_\_\_\_\_  
 Centralizers: Quantity \_\_\_\_\_ Plugs Top \_\_\_\_\_ Btm. \_\_\_\_\_  
 Stage Collars \_\_\_\_\_  
 Special Equip. \_\_\_\_\_  
 Disp. Fluid Type H<sub>2</sub>O Amt. 108 Bbls. Weight 8.37 PPG \_\_\_\_\_  
 Mud Type \_\_\_\_\_ Weight \_\_\_\_\_ PPG \_\_\_\_\_

Drill Pipe: Size 4 1/2 Weight \_\_\_\_\_ Collars \_\_\_\_\_  
 Open Hole: Size 12 1/4 T.D. \_\_\_\_\_ ft. P.B. to \_\_\_\_\_ ft.

CAPACITY FACTORS:  
 Casing: Bbbs/Lin. ft. 0.633 Lin. ft./Bbl. \_\_\_\_\_  
 Open Holes: Bbbs/Lin. ft. \_\_\_\_\_ Lin. ft./Bbl. \_\_\_\_\_  
 Drill Pipe: Bbbs/Lin. ft. \_\_\_\_\_ Lin. ft./Bbl. \_\_\_\_\_  
 Annulus: Bbbs/Lin. ft. \_\_\_\_\_ Lin. ft./Bbl. \_\_\_\_\_  
 Bbbs/Lin. ft. \_\_\_\_\_ Lin. ft./Bbl. \_\_\_\_\_  
 Perforations: From \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Amt. \_\_\_\_\_

COMPANY REPRESENTATIVE \_\_\_\_\_

CEMENTER AB1

TIME AM/PM	PRESSURES PSI		FLUID PUMPED DATA			REMARKS
	DRILL PIPE CASING	ANNULUS	TOTAL FLUID	Pumped Per Time Period	RATE Bbls Min.	
						Calculation, SET mix, Setup
						Drill Hole
						Run Log Circulate
				174	4.0	Amt 25/35
				22.0	4.0	Mix Com
				108.0		Displace Plug w/ H <sub>2</sub> O
						Lead Plug
0:130						JOB Complete