# CORRECTION #1

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

Spud date: \_

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

	month da	ny year	Spot Description:
	monun da	y year	
OPERATOR: License#			feet from N / S Line of Section
Name:			feet from E / W Line of Section
Address 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
City:	State: 2	Zip: +	County:
Contact Person:			Lease Name: Well #:
Phone:			Field Name:
CONTRACTOR: License#	<u> </u>		Is this a Prorated / Spaced Field?
Name:			
vario.			Target Formation(s):
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh F	Rec Infield	Mud Rotary	Ground Surface Elevation:feet MS
Gas Stora	age Pool Ext.	Air Rotary	Water well within one-quarter mile:
Dispo	osal Wildcat	Cable	Public water supply well within one mile:
Seismic ;#	of Holes Other	_	Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
			Surface Pipe by Alternate: III
If OWWO: old well	I information as follows:		Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
•			Projected Total Depth:
Original Completion Da	ate: Origin	al Total Depth:	Formation at Total Depth:
			Water Source for Drilling Operations:
Directional, Deviated or Ho	orizontal wellbore?	Yes No	Well Farm Pond Other:
·			DWK Femili #.
			(Note: Apply for Fernill Will DWIT
KCC DKT #:			Will Cores be taken?
			If Yes, proposed zone:
		ΛE	FIDAVIT
The undersigned hereby	affirms that the drilling		ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow	_		agging of this well will comply with N.O.A. 55 ct. 36q.
it is agreed that the lollow			
Notify the appropri		•	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
2. A copy of the appro	sunt of curface pine ac c		
<ol> <li>A copy of the appre</li> <li>The minimum amo</li> </ol>			
<ol> <li>A copy of the appre</li> <li>The minimum amo through all uncons</li> </ol>	colidated materials plus	a minimum of 20 feet into th	ne underlying formation.
<ol> <li>A copy of the appro</li> <li>The minimum amo through all uncons</li> <li>If the well is dry ho</li> </ol>	colidated materials plus a ble, an agreement betwe	a minimum of 20 feet into the en the operator and the dis	
<ol> <li>A copy of the approach</li> <li>The minimum amonthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE</li> </ol>	solidated materials plus a ble, an agreement betwe strict office will be notifi II COMPLETION, produ	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente	the underlying formation.  It is underlying formation.  It is office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>A copy of the approach</li> <li>The minimum amonthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE</li> <li>Or pursuant to Approach</li> </ol>	colidated materials plus a ole, an agreement betwe strict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cemented as surface casing order #	the underlying formation.  Attrict office on plug length and placement is necessary <i>prior to plugging;</i> aged or production casing is cemented in;  ad from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approach</li> <li>The minimum amonthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE</li> <li>Or pursuant to Approach</li> </ol>	colidated materials plus a ole, an agreement betwe strict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cemented as surface casing order #	the underlying formation.  It is underlying formation.  It is office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>A copy of the approach</li> <li>The minimum amonthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE</li> <li>Or pursuant to Approach</li> </ol>	colidated materials plus a ole, an agreement betwe strict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cemented as surface casing order #	the underlying formation.  Attrict office on plug length and placement is necessary <i>prior to plugging;</i> aged or production casing is cemented in;  ad from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approach</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE Or pursuant to Approach</li> </ol>	colidated materials plus a ole, an agreement betwe strict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cemented as surface casing order #	the underlying formation.  Attrict office on plug length and placement is necessary <i>prior to plugging;</i> aged or production casing is cemented in;  ad from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approach</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE Or pursuant to Approach</li> </ol>	colidated materials plus a ole, an agreement betwe strict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cemented as surface casing order #	the underlying formation.  Attrict office on plug length and placement is necessary <i>prior to plugging;</i> aged or production casing is cemented in;  ad from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
A copy of the approach     The minimum amosthrough all uncons     If the well is dry ho     The appropriate dis     If an ALTERNATE     Or pursuant to Approach     must be completed  ubmitted Electron	colidated materials plus a ole, an agreement betwe strict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cemented as surface casing order #	the underlying formation.  Attrict office on plug length and placement is necessary <i>prior to plugging;</i> aged or production casing is cemented in;  ad from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approach</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE Or pursuant to Approach</li> </ol>	colidated materials plus a ole, an agreement betwe strict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cemented as surface casing order #	the underlying formation.  Attrict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
A copy of the approach     The minimum amosthrough all uncons     If the well is dry ho     The appropriate dis     If an ALTERNATE     Or pursuant to Approach     must be completed  ubmitted Electron	colidated materials plus a ole, an agreement betwe strict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the en the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order # spud date or the well shall be	trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
2. A copy of the approach of the minimum amost through all uncons  4. If the well is dry ho  5. The appropriate dis  6. If an ALTERNATE Or pursuant to Approach of the completed of the most be completed.  Compared to the complete of the c	colidated materials plus a ole, an agreement betwe strict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the en the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order # spud date or the well shall be	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification.
2. A copy of the approach of the minimum amost through all uncons  4. If the well is dry ho  5. The appropriate dis  6. If an ALTERNATE  Or pursuant to Approach be completed  Ubmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required	colidated materials plus a ole, an agreement betwe estrict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the en the operator and the dised before well is either pluguction pipe shall be cemented as surface casing order # spud date or the well shall be s	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the approsection of the proof of the appropriate displayed in the property of the appropriate displayed in the appropr	colidated materials plus a ole, an agreement betwe estrict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the en the operator and the dised before well is either pluguction pipe shall be cemented as surface casing order # spud date or the well shall be s	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to filed from CDP-1) with Intent to Orders;
2. A copy of the approach and through all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approach be completed as a completed by the complete by the co	colidated materials plus a ole, an agreement betwe estrict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the en the operator and the dised before well is either pluguction pipe shall be cemented as surface casing order # apud date or the well shall be shall be recommended.  feet  feet  feet per ALT.	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to filed provation within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App must be completed  ubmitted Electroi  For KCC Use ONLY  API # 15 -  Conductor pipe required and minimum surface pipe received.	colidated materials plus a ole, an agreement betwee strict office will be notific II COMPLETION, produ- pendix "B" - Eastern Kar d within 30 days of the s nically	a minimum of 20 feet into the en the operator and the dised before well is either pluguction pipe shall be cemented as surface casing order # apud date or the well shall be shall be recommended.  feet  feet  feet per ALT.	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Cartification of Plught according to field proration orders;

For KCC Use ONLY	
API # 15	_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
_ease:	feet from N / S Line of Section
Vell Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	PLAT
Show location of the well. Show footage to the	nearest lease or unit boundary line. Show the predicted locations of
	es, as required by the Kansas Surface Owner Notice Act (House Bill 2032).
You may a	ttach a separate plat if desired. 880 ft.
	000 it.
	LEGEND
	730 ft. Tank Battery Location
	: : : Pipeline Location
	Electric Line Location
	Lease Road Location
	EXAMPLE :
· · · · · · · · · · · · · · · · · · ·	
17	
	1980' FSL
	: SEWARD CO. 3390' FEL

 ${\it NOTE: In all \ cases \ locate \ the \ spot \ of \ the \ proposed \ drilling \ locaton.}$ 

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1311033

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Submit in Dunlicato

	Sui	omit in Duplicat	nte	
Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A  Is the bottom below ground level?  Yes No  Pit dimensions (all but working pits):  Depth fro	Artificial Liner?  Yes N  Length (fee	(bbls) No No No et)	SecTwp R East West Section Feet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?  Width (feet) N/A: Steel Pits No Pit	n '
If the pit is lined give a brief description of the li material, thickness and installation procedure.		liner integrity, ir	edures for periodic maintenance and determining including any special monitoring.	
Distance to nearest water well within one-mile of pit:		Source of inforr		
feet Depth of water well	feet	measured		
Emergency, Settling and Burn Pits ONLY:		_	cover and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes  No		Abandonment procedure:  Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
	KCC	OFFICE USE O		
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS	

## CORRECTION #1

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1311033

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tan	odic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be I	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface or	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

## **Summary of Changes**

Lease Name and Number: Fulsom "B" 11-1

API/Permit #: 15-019-27547-00-00

Doc ID: 1311033

Correction Number: 1

Approved By: Rick Hestermann 07/06/2016

Field Name	Previous Value	New Value
Fresh Water Information Source: KDWR	Yes	No
KCC Only - Approved By	Rick Hestermann 06/21/2016	Rick Hestermann 07/06/2016
KCC Only - Approved Date	06/21/2016	07/06/2016
KCC Only - Date Received	06/17/2016	07/05/2016
KCC Only - Lease Inspection	Yes	No
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=13 09690	//kcc/detail/operatorE ditDetail.cfm?docID=13 11033
Surface Owner Address Line 1	P.O. Box 231	P.O. Box 547
Well Number	11-2	11-1