

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	_
District #	_
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1311515

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month day	vear	Spot Description:
	monur day	year	Sec Twp S. R E
PERATOR: License#			feet from N / S Line of Sec
			feet from E / W Line of Sec
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Type I	Equipment:	Ground Surface Elevation:feet N
Oil Enh Re	ec Infield Infield	Mud Rotary	Water well within one-quarter mile:
Gas Storage	je Pool Ext.	Air Rotary	
Dispos		Cable	
Seismic ;# of			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OW/WO: old well in	nformation as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
-			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Dat	te: Original Total D	Depth:	Formation at Total Depth:
inactional Deviated on Havi	incental wallbarra?	□ Vaa □ Na	Water Source for Drilling Operations:
Directional, Deviated or Hori	izontai welibore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR)
			Will Cores be taken?
			If Yes, proposed zone:
			FIDAVIT
		AF	FIDAVII
he undersigned hereby a	ffirms that the drilling, complet		ugging of this well will comply with K.S.A. 55 et. seq.
-	offirms that the drilling, completing minimum requirements will	tion and eventual plu	
t is agreed that the following	ing minimum requirements will	tion and eventual plu be met:	
is agreed that the following 1. Notify the appropriate		tion and eventual plut be met: ling of well;	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following 1. Notify the appropriat 2. A copy of the approx 3. The minimum amou	ing minimum requirements will te district office prior to spuddi ved notice of intent to drill shal int of surface pipe as specified	tion and eventual plut be met: ling of well; II be posted on each below shall be set	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
 is agreed that the following Notify the appropriate A copy of the appropriate The minimum amounthrough all unconsol 	ing minimum requirements will the district office prior to spudding ved notice of intent to drill shall and of surface pipe as specified lidated materials plus a minimum.	tion and eventual plu be met: ling of well; II be posted on each below shall be set um of 20 feet into th	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 agreed that the following Notify the appropriate A copy of the appropriate The minimum amounthrough all unconsole If the well is dry hole 	ing minimum requirements will the district office <i>prior</i> to spudding ved notice of intent to drill <i>shall</i> and of surface pipe as specified lidated materials plus a minimule, an agreement between the control of the surface of the	tion and eventual plut be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dis	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It trict office on plug length and placement is necessary prior to plugging;
 is agreed that the following Notify the appropriat A copy of the approximation The minimum amounthrough all unconsol If the well is dry hole The appropriate dist 	ing minimum requirements will the district office <i>prior</i> to spudding ved notice of intent to drill <i>shall</i> and of surface pipe as specified lidated materials plus a minimule, an agreement between the cotrict office will be notified before	tion and eventual plu be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either plugge	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 is agreed that the following Notify the appropriat A copy of the approximation The minimum amounthrough all unconsol If the well is dry hole The appropriate dist If an ALTERNATE II 	the district office <i>prior</i> to spudding minimum requirements will steed notice of intent to drill <i>shall</i> and of surface pipe as specified lidated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pig	tion and eventual plus be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either pluggee shall be cemented.	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
 is agreed that the following Notify the appropriated A copy of the appropriated The minimum amount through all unconsoled If the well is dry holed The appropriate dist If an ALTERNATE II Or pursuant to Append 	the district office <i>prior</i> to spudding minimum requirements will steed district office <i>prior</i> to spudding ved notice of intent to drill <i>shall</i> and of surface pipe as specified lidated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surface.	tion and eventual plus be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either pluggee shall be cemented face casing order #	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
is agreed that the following Notify the appropriat A copy of the appropriat The minimum amouthrough all unconsol If the well is dry hole The appropriate dist If an ALTERNATE II	the district office <i>prior</i> to spudding minimum requirements will steed district office <i>prior</i> to spudding ved notice of intent to drill <i>shall</i> and of surface pipe as specified lidated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surface.	tion and eventual plus be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either pluggee shall be cemented face casing order #	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; deform below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following Notify the appropriat A copy of the appropriat The minimum amount through all unconsol If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appen 	the district office <i>prior</i> to spudding minimum requirements will steed district office <i>prior</i> to spudding ved notice of intent to drill <i>shall</i> and of surface pipe as specified lidated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surface.	tion and eventual plus be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either pluggee shall be cemented face casing order #	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; deform below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following Notify the appropriat A copy of the approx The minimum amounthrough all unconsol If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appermust be completed to 	ing minimum requirements will te district office <i>prior</i> to spuddived notice of intent to drill <i>shal</i> int of surface pipe as specified didated materials plus a minimule, an agreement between the otrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surf within 30 days of the spud date	tion and eventual plus be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either pluggee shall be cemented face casing order #	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; deform below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 agreed that the following Notify the appropriat A copy of the approximates The minimum amounthrough all unconsoles If the well is dry holes The appropriate dist If an ALTERNATE II Or pursuant to Appermust be completed to 	ing minimum requirements will te district office <i>prior</i> to spuddived notice of intent to drill <i>shal</i> int of surface pipe as specified didated materials plus a minimule, an agreement between the otrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surf within 30 days of the spud date	tion and eventual plus be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either pluggee shall be cemented face casing order #	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; did from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
1. Notify the appropriat 2. A copy of the approv 3. The minimum amou through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed w	ing minimum requirements will te district office <i>prior</i> to spuddived notice of intent to drill <i>shal</i> int of surface pipe as specified didated materials plus a minimule, an agreement between the otrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surf within 30 days of the spud date	tion and eventual plus be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either pluggee shall be cemented face casing order #	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
1. Notify the appropriat 2. A copy of the approx 3. The minimum amou through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed with the completed of the complete o	ing minimum requirements will the district office <i>prior</i> to spuddived notice of intent to drill <i>shal</i> and of surface pipe as specified didated materials plus a minimula, an agreement between the cotrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surf within 30 days of the spud date	tion and eventual plus be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either pluggee shall be cemented face casing order #	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; diffrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the following 1. Notify the appropriat 2. A copy of the approx 3. The minimum amous through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appearust be completed to be a completed to the complete of th	ing minimum requirements will the district office <i>prior</i> to spuddived notice of intent to drill <i>shal</i> and of surface pipe as specified didated materials plus a minimule, an agreement between the ottrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surf within 30 days of the spud date	tion and eventual plus be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either plugge shall be cemented face casing order # e or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; did from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the following agreed that the following and the appropriate of the approximation of the approximation of the approximation of the approximation of the appropriate distorated and the appropriate distorated of the appropriate distorated of the appropriate distorated of the approximation of	ing minimum requirements will the district office <i>prior</i> to spuddived notice of intent to drill <i>shall</i> and of surface pipe as specified lidated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surf within 30 days of the spud date nically	tion and eventual plus be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either plugge shall be cemented face casing order # e or the well shall be set.	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; did from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
is agreed that the following agreed that the following and the appropriate of the approximation of the approximation of the approximation of the approximation of the appropriate distorated and the appropriate distorated of the appropriate distorated of the appropriate distorated of the approximation of	ing minimum requirements will the district office <i>prior</i> to spuddived notice of intent to drill <i>shal</i> and of surface pipe as specified didated materials plus a minimule, an agreement between the ottrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surf within 30 days of the spud date	tion and eventual plus be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either plugge shall be cemented face casing order # e or the well shall be set.	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; did from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the following a greed that the following and a copy of the appropriators and a copy of the appropriation and a copy of the appropriation and a copy of the appropriate distorman and a copy of the appropriate appropriate and a copy of the appropriate an	ing minimum requirements will the district office <i>prior</i> to spuddived notice of intent to drill <i>shall</i> and of surface pipe as specified lidated materials plus a minimule, an agreement between the cotrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surf within 30 days of the spud date nically	tion and eventual plus be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either plugge shall be cemente face casing order # e or the well shall be the operator.	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; did from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriat 2. A copy of the approv 3. The minimum amou through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Apper must be completed to the completed of the complete of	te district office <i>prior</i> to spuddived notice of intent to drill <i>shal</i> ant of surface pipe as specified lidated materials plus a minimule, an agreement between the orderict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surface within 30 days of the spud date spice.	tion and eventual plus be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either plugge shall be cemente face casing order # e or the well shall be the operator.	An drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; diffrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriat 2. A copy of the approv 3. The minimum amou through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Apper must be completed to the completed of the complete of	te district office <i>prior</i> to spuddived notice of intent to drill <i>shal</i> ant of surface pipe as specified lidated materials plus a minimule, an agreement between the orderict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas surface within 30 days of the spud date spice.	tion and eventual plus be met: ling of well; II be posted on each below shall be set um of 20 feet into the operator and the dise well is either plugge pe shall be cemented face casing order # e or the well shall be the operator.	An drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; did from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all dases locate the spot of the proposed drilling locaton.

3260 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		-	License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R	
Settling Pit Drilling Pit	If Existing, date cons	structed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes N	Ю	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (feet	t)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to deep	pest point:	(feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallow Source of inform	west fresh water feet.	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:	
Producing Formation: Type		Type of material utilized in drilling/workover:		
Number of producing wells on lease: Number		Number of working pits to be utilized:		
Barrels of fluid produced daily: Abandonm		Abandonment p	andonment procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
	KCC O	OFFICE USE OF	NLY Liner Steel Pit RFAC RFAS	
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No	



1311515

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Email Address:	
Surface Owner Information: Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this nd email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

rator: Lakeshore Operating, LLC	Location of Well: Co	unty: Woodson	
e: Sturdivan 3	3260	feet from N / D	S Line of Section
Number: LO-50	4362	feet from X E /	W Line of Sectio
. Vernon	Sec 34 Twp		₹ I I w
ber of Acres attributable to well: 2 /QTR/QTR/QTR of acreage: _NW SF /- SW NW,	Is Section: Re	gular or Irregular	_
77	If Section is Irregul	ar, locate well from nearest co	ther bounders
	Section corner used:		SW
/ ~/			
	PLAT		
Show location of the well. Show footage to the neare	st lease or unit boundary line	e. Show the predicted locations of	of
lease roads, tank batteries, pipelines and electrical lines, as		ace Owner Notice Act (House B	ill 2032).
You may attach	separate plat if desired.		
\ \ /		LEGEND	
	747	O Well Location	
rood		Tank Battery L	ocation
		Pipeline Locat	
	•	Electric Line L	
		Lease Road L	
	400		ocation
	430	62 ft.	
as here		EXAMPLE '	
1		EXAMPLE	
oter 34			
end /		•	
	84		
			22
		38	33
		o ¬	1980' FS
			1980' FS

3260 ft. In plotting the proposed location of the well, *you must show*:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.