

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	_ Spot Description:
month day year	Sec Twp S. R E
OPERATOR: License#	(a/a/a/a) feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	Target Formation(s):
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	· · · · · · · · · · · · · · · · · · ·
Disposal Wildcat Cable	
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I I II
<u> </u>	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No. If Yes, true vertical depth:	Well Tallit ond Salot.
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	— (Note: Apply for Permit with DWR )
	VIII GOTOS SE LAKETT:
	If Yes, proposed zone:
Α	FFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual	olugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:	olugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	olugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the or	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the of</li> <li>The appropriate district office will be notified before well is either plus</li> </ol>	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the control of the surface of the	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the control of the surface district office will be notified before well is either plus if an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the control of the surface district office will be notified before well is either plus in the surface district office will be notified before well be cement of pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>It is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the control of the properties of the plus of the properties of the plus of the plu</li></ol></li></ol>	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>It is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the control of the properties of the plus of the properties of the plus of the plu</li></ol></li></ol>	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plue.  5. The appropriate district office will be notified before well is either plue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall submitted Electronically	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the construction of the surface of the plus of the specified before well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall submitted Electronically  For KCC Use ONLY	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the construction of the surface of the well is either plue.  5. The appropriate district office will be notified before well is either plue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall submitted Electronically  For KCC Use ONLY  API # 15 -	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the construction of the surface of the plus of the specified before well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall submitted Electronically  For KCC Use ONLY	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the construction of the surface of the well is either plue.  5. The appropriate district office will be notified before well is either plue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall submitted Electronically  For KCC Use ONLY  API # 15 -	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the composition of the surface of the properties of the surface of the surface of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the composition of the compo	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the composition of the surface of the well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemeral or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall submitted Electronically  For KCC Use ONLY  API # 15	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the office will be notified before well is either plue.  5. The appropriate district office will be notified before well is either plue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer.  7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  8. Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _							_ Lo	cation of W	/ell: County:	i				
Lease:							_			fee	et from	N /	S Line	of Section
Well Number	er:						_			fee	et from	E /	W Line	of Section
Field:							Se	C	Twp		S. R		E	W
Number of A							15	Section:	Regular	or _	] Irregular			
							If S	Section is	Irregular, lo	cate we	II from ne	arest co	rner boun	darv
									er used:					uu. y.
							00	CHOIT COITIC	or uscu.	]		01	J V V	
							PLAT							
	St	now locatio	n of the w	ell. Show	footage to	the neare	st lease or	r unit bound	dary line. Sh	ow the p	redicted lo	ocations o	of	
	lease roa	ds, tank ba	atteries, pi	pelines an	d electrica	al lines, as	required b	y the Kans	as Surface (	Owner N	otice Act (	(House B	ill 2032).	
				2190 f	You m	ay attach a	a separate	plat if desi	ired.					
		:	:	:		:	:	:	]					
		:		:		:	:				LEGE	-ND		
		:	:	:		:	:	:			LLOL	-140		
		:		:		:	:	:		0	Well L	ocation		
		:		:		:	:				] Tank E	Battery L	ocation.	
			•	·		•	•	•			<ul><li>Pipelir</li></ul>	ne Locat	ion	
		:		:		:	:	:			- Electri	ic Line L	ocation	
		:		:		:	:	:			<ul><li>Lease</li></ul>	Road Lo	ocation	
			•	·			•	•						
2020 ft		:	<u>:                                    </u>	ည်		:	:	:						
		:		Ě		:	:	:	F.	XAMPLE	= ;		:	
		•		<u>:                                    </u>		:	:	:	-	:				
				2	6	:	:	:		:	:		:	
						:	:	:	•••	:			:	
	•••••			• • • • • • • • • • • • • • • • • • • •	•••••									
						:	:	:		:	:		:	
						:	:	:		:			:	
	•••••				••••						07		:	1980' FSL
						:	:			:			:	
				:		:	:	:	"					
	•••••				•••••					:				
		:		:		:	:	:		:			:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:					
Operator Address:								
Contact Person:		Phone Number:						
Lease Name & Well No.:			Pit Location (QQQQ):					
Type of Pit:	Pit is:		1					
Emergency Pit Burn Pit	Proposed [	Existing	SecTwp R					
Settling Pit Drilling Pit	If Existing, date con	structed:	Feet from North / South Line of Section					
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section					
(II WI Supply All TNO. St. Total Difficult)		(bbls)	County					
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)					
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?					
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits					
Depth fro	om ground level to deep	pest point:	(feet) No Pit					
If the pit is lined give a brief description of the lin material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.					
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:						
feet Depth of water well	feet	measured well owner electric log KDWR						
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:						
Producing Formation:		Type of material utilized in drilling/workover:						
Number of producing wells on lease:		Number of working pits to be utilized:						
Barrels of fluid produced daily:		Abandonment procedure:						
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.						
Submitted Electronically								
	кссс	OFFICE USE OF	NLY Steel Pit RFAC RFAS					
Date Received: Permit Numb	ber:	Permi	Date: Lease Inspection: Yes No					



1311607

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)							
OPERATOR: License #	Well Location:							
Name:								
Address 1:	County:							
Address 2:	Lease Name: Well #:							
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of							
Contact Person:	the lease below:							
Phone: ( ) Fax: ( )								
Email Address:								
Surface Owner Information:								
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional							
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the							
Address 2:	county, and in the real estate property tax records of the county treasurer.							
City:								
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathod the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat							
owner(s) of the land upon which the subject well is or will be loc	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this id email address.							
KCC will be required to send this information to the surface owr	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.							
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1								
Submitted Electronically								

