

Notice: Fill out COMPLETELY
and return to Conservation Division at
the address below within
60 days from plugging date.

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1312197

Form CP-4

March 2009

Type or Print on this Form
Form must be Signed
All blanks must be Filled

WELL PLUGGING RECORD
K.A.R. 82-3-117

OPERATOR: License #: _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

Type of Well: (Check one) ☐ Oil Well ☐ Gas Well ☐ OG ☐ D&A ☐ Cathodic

☐ Water Supply Well ☐ Other: _____ ☐ SWD Permit #: _____

☐ ENHR Permit #: _____ ☐ Gas Storage Permit #: _____

Is ACO-1 filed? ☐ Yes ☐ No If not, is well log attached? ☐ Yes ☐ No

Producing Formation(s): List All (If needed attach another sheet)

_____ Depth to Top: _____ Bottom: _____ T.D. _____

_____ Depth to Top: _____ Bottom: _____ T.D. _____

_____ Depth to Top: _____ Bottom: _____ T.D. _____

API No. 15 - _____

Spot Description: _____

____ - ____ - ____ Sec. ____ Twp. ____ S. R. ____ ☐ East ☐ West

_____ Feet from ☐ North / ☐ South Line of Section

_____ Feet from ☐ East / ☐ West Line of Section

Footages Calculated from Nearest Outside Section Corner:

☐ NE ☐ NW ☐ SE ☐ SW

County: _____

Lease Name: _____ Well #: _____

Date Well Completed: _____

The plugging proposal was approved on: _____ (Date)

by: _____ (KCC District Agent's Name)

Plugging Commenced: _____

Plugging Completed: _____

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: _____ Name: _____

Address 1: _____ Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Phone: (_____) _____

Name of Party Responsible for Plugging Fees: _____

State of _____ County, _____, ss.

(Print Name) ☐ Employee of Operator or ☐ Operator on above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically





DEEP WELL GROUNDWATER DATA

UNIT NO: RECTIFIER #11 WELL #8

CITY: ANTHONY, KS.

DATE: 02/09/2000

STATE: KANSAS

COUNTY: HARPER

DISTRICT: KANSAS

CONTRACTOR: McLEANS C P AMARILLO, TX.

INSPECTOR: TERRY HILLIARD

AFE: # JOB # GGC 10657

K.C.C. API #: # 15-077-21380-0000

LOCATION: LOCUST ST. BETWEEN BLUFF AND JENNINGS T33S - R7W - SEC. 24

GROUNDED: DEPTH- 250 Ft. Dia.- 8 In. ANODES: 10 - ANOTEC - 2684

(No., Type, & Mfg.)

CASING: SIZE- 8 In. DEPTH- 40 Ft. COKE BRKEZE: LORESCO SC3 4000 LBS.

(Amount & Mfg.)

CASING CENTRALIZER SPACING: 20' 40'

TO DEPTH- 2-10-2000 COMPLETED- 2-11-2000

12 VOLTS D.C.

DEPTH FT.	DRILLER' LOG	RESISTIVITY OHMS AMPS	ANODE NO.	DEPTH TO ANODE	BEFORE COKE	AFTER COKE
5	TAN SOIL + SANDY SOIL					
10	TAN CLAY + SOME SAND					
15	" " " " + SMALL GRAVEL	40' SCHEDULE 40		TOP OF 8" PVC CASING		
20	" " " " + COARSE SAND	8" CASING 1 1/4"		CAP 3' 5"		
25	" " " " " "	RODHOUSE CEMENTED		CEMENTED		
30	" " " " " "	IN.		FROM TOP OF COKE		
35	" " " " " " TAN STONE	32 BAGS		TO TOP OF		
40	" " " " " " MORE GRAY CLAY + TAN STONE	MT 15.4	1" PVC	CASING		
45	RED CLAY + SOME GRAY CLAY	CHLORIDE 200PPM	SOLID	20 BAGS		
50	" " " " " " + SOME RED STONE			MT. 15.7		
55	" " " " " " " "					
60	" " " " " " - GRAY CLAY + SOME STONE					
65	" " " " " " - " " " " + MORE STONE			TOP OF COKE - 62 FT.		
70	" " " " " " - " " " " - RED + GRAY STONE					
75	" " " " " " - " " " " - " " " " " "					
80	" " " " " " - " " " " - " " " " " "					
85	" " " " " " - " " " " - " " " " + MORE RED + GRAY STONE					
90	" " " " " " - " " " " - " " " " " "					
95	RED CLAY - RED STONE - SOME WHITE STONE					
100	" " " " " " " " " " " "				100 - 3.3	
105	" " " " " " " " " " " " GRAY CLAY + SOME RED + GRAY STONE				110 - 3.5	
110	" " " " " " " " " " " " " " " "				120 - 3.7	
115	" " " " " " " " " " " " " " " "				130 - 3.8	
120	" " " " " " " " " " " " " " " "					
125	" " " " " " " " " " " " " " " "					
130	" " " " " " " " " " " " " " " "					
135	" " " " " " " " " " " " " " " "	CHLORIDE 1000 PPM				
140	RED CLAY + GRAY CLAY	450 OHMS		#10-145	140 - 3.9	7.5
145	" " " " " " " " " " " " " " " "		140 FT.			
150	" " " " " " " " " " " " " " " "		ALL WENT	#9-150	150 - 4.5	8.1
155	" " " " " " " " " " " " " " " "		1" PVC	#8-160	160 - 4.4	6.5
160	" " " " " " " " " " " " " " " "			#7-170	170 - 4.5	6.5
165	" " " " " " " " " " " " " " " "			#6-180	180 - 4.9	6.4
170	GRAY CLAY - DARK GRAY + RED STONE					
175	" " " " " " " " " " " " " " " "					
180	GRAY CLAY + GRAY STONE					
185	" " " " " " " " " " " " " " " "	240 OHMS		#5-190	190 - 4.8	6.1
190	" " " " " " " " " " " " " " " "			#4-200	200 - 6.0	10.6
195	" " " " " " " " " " " " " " " "					
200	" " " " " " " " " " " " " " " "					
205	" " " " " " " " " " " " " " " "			#3-210	210 - 6.3	11.9
210	GRAY + RED CLAY - GRAY + RED STONE	CHLORIDE 1500 PPM		#2-220	220 - 6.7	12.0
215	" " " " " " " " " " " " " " " "					
220	GRAY CLAY + GRAY STONE SOME RED CLAY			#1-230	230 - 6.8	11.7
225	" " " " " " " " " " " " " " " "					
230	" " " " " " " " " " " " " " " "	210 OHMS				
235	" " " " " " " " " " " " " " " "					
240	RED + GRAY STONE - SOME CLAY	CHLORIDE 1500 PPM				
245	" " " " " " " " " " " " " " " "					
250	" " " " " " " " " " " " " " " "					

BOREHOLE 172' E. & BLUFF AVE. + 24' N. & LOCUST ST.

ANTHONY-HARPER READY MIX

Anthony • 129 1/2 N. Lawrence, Anthony, KS 67003, (316) 842-5365
Harper • 804 East Main, P.O. Box 476, Harper, KS 67058, (316) 896-7331

PLUG

To: McLean CP Installations

Date: 2-11-00

Quan.	Material	Unit Price	Total
20 bags	Cu Yd. Rock Mix (Cement P.S.I.)	6.99	139.80
	Cu Yd. Sand Mix () P.S.I.		
	Hot Water		
	Calcium Chloride		
	Sand		
10	Mileage	2.00	20.00
Approx. Slump	in	Entrained Air	%
Add Mix Used			
PAY FROM THIS INVOICE			
Amount of Water Added			
Loaded By	Ram	Sub-Total	159.80
Delivered By	Math	Tax	7.83
Charge ☒ Cash ☐		Total	167.63

We assume no responsibility for damage to sidewalks, buildings, trees, etc., when required to deliver inside of the curb line. Additional water added to this concrete will reduce its strength and durability. Any water added is at the customer's own risk.
Free waiting time 20 minutes, unloading time 40 minutes will be allowed. There will be a charge of 8 cents for each additional minute.

NO CREDIT ALLOWED FOR CONCRETE RETURNED.
NO CANCELLATION ALLOWED AFTER THE TRUCK IS LOADED.
1 1/2 % interest per month added to unpaid account after 30 days.
Minimum charge 50\$ per month.

16531

Received By: *Calderon*

CAUTION: Cement powder or freshly mixed concrete, grout or mortar may cause skin injury. Avoid contact with skin and wash exposed skin areas promptly with water.

ANTHONY-HARPER READY MIX

Anthony • 129 1/2 N. Lawrence, Anthony, KS 67003, (316) 842-5365
Harper • 804 East Main, P.O. Box 476, Harper, KS 67058, (316) 896-7331

CAS/NC
ANTHONY

To: McLean CP Installations

Date: 2-9-2000

Quan.	Material	Unit Price	Total
32 bags	Cu Yd. Rock Mix (Cement P.S.I.)	6.99	223.68
	Cu Yd. Sand Mix () P.S.I.		
	Hot Water		
	Calcium Chloride		
	Sand		
10	Mileage	2.00	20.00
Approx. Slump	in	Entrained Air	%
PAY FROM THIS INVOICE			
Amount of Water Added			
Loaded By	Math	Sub-Total	243.68
Delivered By		Tax	11.94
Charge ☐ Cash ☐		Total	255.62

We assume no responsibility for damage to sidewalks, buildings, trees, etc., when required to deliver inside of the curb line. Additional water added to this concrete will reduce its strength and durability. Any water added is at the customer's own risk.
Free waiting time 20 minutes, unloading time 40 minutes will be allowed. There will be a charge of 8 cents for each additional minute.

NO CREDIT ALLOWED FOR CONCRETE RETURNED.
NO CANCELLATION ALLOWED AFTER THE TRUCK IS LOADED.
1 1/2 % interest per month added to unpaid account after 30 days.
Minimum charge 50\$ per month.

16526

Received By: *Calderon*

CAUTION: Cement powder or freshly mixed concrete, grout or mortar may cause skin injury. Avoid contact with skin and wash exposed skin areas promptly with water.