

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form CB-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

	ty (60) days prior to commencing well. Surface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E W
OPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
OPERATOR: License#	feet from E / W Line of Section
Name:	Is SECTION: Regular Irregular?
Address 1:	
Address 2:	(Check directions from nearest outside corner boundries)
City: State: Zip: +	County:
Contact Person:	Facility Name:
Phone:	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MSL
Name:	Cathodic Borehole Total Depth: feet
Type Drilling Equipment:	Depth to Bedrock: feet
Air Rotary Other	Water Information
Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set: feet	Depth to bottom of usable water:
Length of Conductor pipe (if any):	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	☐ Well ☐ Farm Pond ☐ Stream ☐ Other
;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depthfeet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;; ;; ;;	Annular space between borehole and casing will be grouted with:
	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq.	Borehole will be Pre-Plugged? Yes No
t is agreed that the following minimum requirements will be met:	
 Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prio 	, , ,
2. Notify appropriate District Office 48 hours prior to workover or re-entry.	to any groung.
3. A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
4. The minimum amount of cathodic surface casing as specified below shall be set by	grouting to the ton when the cathodic surface casing is set
	form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act
Submitted Electronically	
For KCC Use ONLY	
API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return
Conductor pipe requiredfeet	to the address below.
Minimum Cathodic Surface Casing Required:feet	Permit Expired Well Not Drilled
Approved by:	
This authorization expires:	
(This authorization void if drilling not started within 12 months of approval date.)	
	Date Signature of Operator or Agent
Spud date: Agent:	



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator: _							Loc	cation of We	ell: Coun	ntv.				
Facility Nar									o • • • • • • • • • • • • • • • • • •		eet from	N /	S Line	of Section
Borehole N							_				eet from] E / [Ħ	
Dorenole iv	iumber						Se	C	Twp				B E	of Section W
							ls S	Section:	Regu	lar or	Irregular			
								Section is I		locate w	ell from ne		ner bound	dary.
							PLAT							
					d electrica	l lines, as	required b	lease or un by the Kans plat if desi	as Surfac	-				
			9	3 ft.			,	,						
1836 ft	<u> </u>						•	:]					
						:	:							
						:	:	:			LEGI	END		
					•••••					C	ا الم/١٨	ocation		
						:	:	:						
						:	:	:				Battery L		
					•••••		• • • • • • • • • • • • • • • • • • • •				-	ne Locat		
	:					:	:	:			Electr	ic Line L	ocation	
						:	:	:			Lease	Road L	ocation	
			•					•						
	:	:	: :			:	:	:						
						:	:	:						
				1	5	:	:			EXAMPI	LE :		:	
	:			·	·	:	:	:					:	
	:					:	:	:						
	:					:	:	:			:		:	
	•••••		• • • • • • • • • • • • • • • • • • • •		•••••	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •						
						:	:	:			:		:	
	:					:	:	:						
	•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •				0==		:	1980' FSL
		:				:	:				ĭ		:	
						:	:							
								•			: 🎚		:	
	:		:			:	:	:					:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		,	License Number:			
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed [Existing	SecTwp R			
Settling Pit Drilling Pit	If Existing, date con	structed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section			
(II WI Supply All TNO. St. Total Difficult)		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to deep	pest point:	(feet) No Pit			
If the pit is lined give a brief description of the lin material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallow	west fresh water feet.			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment p	procedure:			
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
	кссс	OFFICE USE OF	NLY Steel Pit RFAC RFAS			
Date Received: Permit Numb	ber:	Permi	Date: Lease Inspection: Yes No			



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1312454

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
are preliminary non-binding estimates. The locations may be entered on Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice Acowner(s) of the land upon which the subject well is or will be located CP-1 that I am filling in connection with this form; 2) if the form be 	batteries, pipelines, and electrical lines. The locations shown on the plat of the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Cut (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form reing filed is a Form C-1 or Form CB-1, the plat(s) required by this
form; and 3) my operator name, address, phone number, fax, an	ıd email address.
KCC will be required to send this information to the surface own	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	



0.05 0.1

Davis Groundbed





Legend



Deep_Well_GB



Rectifier



Pipeline

Stevens County 93' FNL 1836' FWL

	T	YPE 3	PAGE	1	OF
CLIENT: ONEOK	PROJECT NAME:	Groundbed Insta	llation [DATE DRILLED: T	BD
SITE: Multple	LOCATION	l: Kansas			
OTHER ID#	FACILITY:		GPS		
DRILLING COMPANY: COMPANY SERVICING TOOLS	RIG:		BOREHOLI	E: 10 inch	
LOGGED BY:	DRILLING METHOD:	Wet Rotary or D	 ry FLUI	ID Water if wet rota	ary

	TYPE	INTERVAL	MATERIAL	JOINT LENGTH	DIAMI
CASING:	SDR 21	0-20'	PVC		10
SCREEN:					
GROUT:					
SEAL:					
FILTER PACK:					

DEPTH (FT.) DEEP GROUNDBED WELL CONSTRUCTION DESCRIPTION/COMMENTS 3 S O I L 20" Casin Casing CEMENTED CASING g P U R E GOLD B E N T O N I T E 120 110 130 LORES CO BREEZE GRAPHITE ANODES 12 250

Not to scale

Initial Depth to Water: Static Depth to Water:

Comments

ETER

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.