## 

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:

Effective Date:

District #

SGA? Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1312546

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

	month day		Spot Description:
	monun day	year	
OPERATOR: License#			foot from   N /   S Line of Sec
			feet from E / W Line of Sec
Address 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		
Contact Person:			Lease Name: Well #:
hone:			Field Name:
CONTRACTOR: License#			
lame:			- Target Formation(s):
	W # 01 T	<b>-</b>	Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Type	Equipment:	Ground Surface Elevation:feet N
Oil Enh R		Mud Rotary	Water well within one-quarter mile:
Gas Storag		Air Rotary	Public water supply well within one mile:  Yes
Dispos		Cable	Depth to bottom of fresh water:
Seismic ; # of			Depth to bottom of iresh water:  Depth to bottom of usable water:
Other:			<u> </u>
If OWWO: old well i	nformation as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
-			
			_ Projected Total Depth:
Original Completion Date	te: Original Total [	Depth:	
Pirectional, Deviated or Hor	izantal wallbara?	Yes No	Water Source for Drilling Operations:
	izoniai welibore!		Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR )
			Will Golds be taken:
			If Yes, proposed zone:
		AF	FIDAVIT
The undersigned hereby a	affirms that the drilling, complet	tion and eventual p	olugging of this well will comply with K.S.A. 55 et. seq.
t is careed that the followi	ing minimum requirements will	be met:	
i is agreed that the lollowi		ling of well:	
•	te district office <b>prior</b> to spudd		
Notify the appropria	te district office <i>prior</i> to spudd ved notice of intent to drill <i>sha</i> .		ch drilling rig;
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amou</li> </ol>	ved notice of intent to drill <b>sha</b> ant of surface pipe as specified	II be posted on ear	et by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> </ol>	ved notice of intent to drill sha int of surface pipe as specified lidated materials plus a minim	II be posted on ear below shall be se um of 20 feet into t	et by circulating cement to the top; in all cases surface pipe <b>shall be set</b> he underlying formation.
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> </ol>	ved notice of intent to drill sha. Int of surface pipe as specified Ilidated materials plus a minimule, an agreement between the common states.	II be posted on ear below shall be se um of 20 feet into to operator and the di	et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. strict office on plug length and placement is necessary prior to plugging;
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> </ol>	ved notice of intent to drill sha. Int of surface pipe as specified Ilidated materials plus a minimule, an agreement between the outried before	Il be posted on earl below shall be seeum of 20 feet into to perator and the dire well is either plug	Let by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE II</li> </ol>	ved notice of intent to drill sha. Int of surface pipe as specified didated materials plus a minimule, an agreement between the contribution of trict office will be notified befor COMPLETION, production pipers.	If be posted on earl below shall be secum of 20 feet into to pperator and the die well is either pluipe shall be cement	Let by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  Strict office on plug length and placement is necessary <b>prior to plugging</b> ; aged or production casing is cemented in; ted from below any usable water to surface within <b>120 DAYS</b> of spud date.
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE II Or pursuant to Appe</li> </ol>	ved notice of intent to drill sha. Int of surface pipe as specified didated materials plus a minimule, an agreement between the contribution of trict office will be notified befor COMPLETION, production pipendix "B" - Eastern Kansas sur	If be posted on earl below shall be see um of 20 feet into to perator and the die well is either pluipe shall be cementate casing order.	Let by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE II Or pursuant to Appe</li> </ol>	ved notice of intent to drill sha. Int of surface pipe as specified didated materials plus a minimule, an agreement between the contribution of trict office will be notified befor COMPLETION, production pipendix "B" - Eastern Kansas sur	If be posted on earl below shall be see um of 20 feet into to perator and the die well is either pluipe shall be cementate casing order.	Let by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  Strict office on plug length and placement is necessary <b>prior to plugging</b> ; gged or production casing is cemented in; ted from below any usable water to surface within <b>120 DAYS</b> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE II Or pursuant to Appe</li> </ol>	ved notice of intent to drill sha. Int of surface pipe as specified didated materials plus a minimule, an agreement between the contribution of trict office will be notified befor COMPLETION, production pipendix "B" - Eastern Kansas sur	If be posted on earl below shall be see um of 20 feet into to perator and the die well is either pluipe shall be cementate casing order.	Let by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  Strict office on plug length and placement is necessary <b>prior to plugging</b> ; gged or production casing is cemented in; ted from below any usable water to surface within <b>120 DAYS</b> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE II         Or pursuant to Appendix     </li> </ol>	ved notice of intent to drill sha, ant of surface pipe as specified didated materials plus a minime, an agreement between the currict office will be notified befor COMPLETION, production pipendix "B" - Eastern Kansas sur within 30 days of the spud date	If be posted on earl below shall be see um of 20 feet into to perator and the die well is either pluipe shall be cementate casing order.	Let by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  Strict office on plug length and placement is necessary <b>prior to plugging</b> ; gged or production casing is cemented in; ted from below any usable water to surface within <b>120 DAYS</b> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE II         Or pursuant to Appendix     </li> </ol>	ved notice of intent to drill sha, ant of surface pipe as specified didated materials plus a minime, an agreement between the currict office will be notified befor COMPLETION, production pipendix "B" - Eastern Kansas sur within 30 days of the spud date	If be posted on earl below shall be see um of 20 feet into to perator and the die well is either pluipe shall be cementate casing order.	Let by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  Strict office on plug length and placement is necessary <b>prior to plugging</b> ; gged or production casing is cemented in; ted from below any usable water to surface within <b>120 DAYS</b> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE II         Or pursuant to Appendix     </li> </ol>	ved notice of intent to drill sha, ant of surface pipe as specified didated materials plus a minime, an agreement between the currict office will be notified befor COMPLETION, production pipendix "B" - Eastern Kansas sur within 30 days of the spud date	If be posted on earl below shall be see um of 20 feet into to perator and the die well is either pluipe shall be cementate casing order.	Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gaged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed  Ubmitted Electron  For KCC Use ONLY	ved notice of intent to drill shaunt of surface pipe as specified didated materials plus a minimule, an agreement between the contrict office will be notified befor COMPLETION, production pipendix "B" - Eastern Kansas sur within 30 days of the spud date nically	If be posted on earl below shall be see um of 20 feet into to perator and the die well is either pluipe shall be cementate casing order.	Pet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; goged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropria 2. A copy of the appropria 3. The minimum amout through all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed  UDMitted Electron  For KCC Use ONLY  API # 15 -	ved notice of intent to drill sha. Int of surface pipe as specified Idiated materials plus a minimite, an agreement between the contribution of the complete o	If be posted on earl below shall be secum of 20 feet into to perator and the die well is either pluges shall be cementace casing order are or the well shall be	Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gaged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed  Jubmitted Electron  For KCC Use ONLY  API # 15  Conductor pipe required	ved notice of intent to drill sha. Int of surface pipe as specified Idiated materials plus a minimule, an agreement between the contrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas sur within 30 days of the spud date.  Inically	be posted on earl below shall be secum of 20 feet into to operator and the die well is either pluippe shall be cementace casing order are or the well shall be cementated as the well shall be cementated as the well shall be cementated as the well shall be cementated.	Put by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; goged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed  Jubmitted Electron  For KCC Use ONLY  API # 15  Conductor pipe required	ved notice of intent to drill sha. Int of surface pipe as specified Idiated materials plus a minimite, an agreement between the contribution of the complete o	be posted on earl below shall be secum of 20 feet into to operator and the die well is either pluippe shall be cementace casing order are or the well shall be cementated as the well shall be cementated as the well shall be cementated as the well shall be cementated.	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed  UDMITTED Electron  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe required	ved notice of intent to drill sha. Int of surface pipe as specified Idiated materials plus a minimule, an agreement between the contrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas sur within 30 days of the spud date.  Inically	be posted on earl below shall be secum of 20 feet into the poperator and the disperator and the dispersall be cementificate casing order are or the well shall be a continuous factor of the	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to filed proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amout through all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed  Ubmitted Electron  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe required	ved notice of intent to drill sha. Int of surface pipe as specified Ididated materials plus a minimule, an agreement between the contrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas sur within 30 days of the spud date.  Inically  feet production of the specific plus of the specific p	be posted on earl below shall be secum of 20 feet into the poperator and the disperator and the dispersall be cementificate casing order are or the well shall be a continuous factor of the	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to filed proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is necessary prior to plugging; geed or production to the top; in all cases surface within 120 DAYS of spud date.  Remember to:  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropria 2. A copy of the appropria 3. The minimum amout through all unconso 4. If the well is dry hold 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appromust be completed  ubmitted Electron  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe required  Approved by:  This authorization expires	ved notice of intent to drill sha. Int of surface pipe as specified Ididated materials plus a minimule, an agreement between the contrict office will be notified before COMPLETION, production pipendix "B" - Eastern Kansas sur within 30 days of the spud date.  Inically  feet production of the specific plus of the specific p	If be posted on earl below shall be secum of 20 feet into to operator and the die well is either plugpe shall be cementace casing order are or the well shall be to or the wel	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to filed proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;

For KCC Use ONLY	
API # 15	_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 1690 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1312546

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Submit in Dunlicate

		onnit in Dupilcat			
Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
(ii iii Guppiy Al Frio. or feat Diffied)		(bbls)	County		
Is the pit located in a Sensitive Ground Water Area? Yes No		No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes N	lo			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
material, thickness and installation procedure.		eginy, "	ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:			
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS					
Date Received: Permit Numl	ber:	Permi	it Date: Lease Inspection: Yes No		

## CORRECTION #1

Kansas Corporation Commission Oil & Gas Conservation Division 1312546

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	Sec TwpS. R East West
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be keeping.	ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 1 will be returned.
Submitted Electronically	

## **Summary of Changes**

Lease Name and Number: Chesney Unit 406

API/Permit #: 15-163-24316-00-00

Doc ID: 1312546

Correction Number: 1

Approved By: Rick Hestermann 07/25/2016

Field Name	Previous Value	New Value
Contractor License Number		33575
Contractor Name	Advise on ACO-1 Must be licensed by KCC	WW Drilling, LLC
Fresh Water Information Source: KDWR	Yes	No
KCC Only - Approved By	NAOMI JAMES 07/21/2016	Rick Hestermann 07/25/2016
KCC Only - Approved Date	07/21/2016	07/25/2016
KCC Only - Date Received	07/21/2016	07/22/2016
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=13 12466	//kcc/detail/operatorE ditDetail.cfm?docID=13 12546