Form CP-111 June 2011 Form must be Typed Form must be signed

All blanks must be complete

TEMPORARY ABANDONMENT WELL APPLICATION

OPERATOR: License#				API No. 15-						
Name:				Spot Descri	iption:					
Address 1:					Sec	Twp	S. R			
Address 2:							= =	=		
Dity:	State:	_ Zip: +			on: Lot:					
Contact Person:		Datum: NAD27 NAD83 WGS84 Ge.gxxx.xxxxxx Ge.gxxx.xxxxxx Ge.gxxx.xxxxx Ge.gxxx.xxxxx Ge.gxxx.xxxxx Ge.gxxx.xxxxx Ge.gxxx.xxxxx Ge.gxxx.xxxxx Ge.gxxx.xxxxx Ge.gxxx.xxxxx Ge.gxxx.xxxxx Ge.gxxx.xxxx Ge.gxxx.xxx Ge.gxxx.xx Ge.gxxx.xxx Ge.gxxx.xx Ge.gxxx.								
Phone:()										
Contact Person Email:										
Field Contact Person:										
Field Contact Person Phone: (SWD Permit #: ENHR Permit #: Gas Storage Permit #: Date Shut-In:						
Tota Contact Forcon Finance.	,									
				Spud Date:		Date Shut-	·In:			
	Conductor	Surface	Pro	oduction	Intermediate	Liner		Tubing		
Size										
Setting Depth										
Amount of Cement										
Top of Cement										
Bottom of Cement										
	, ,		ement,	to	(bottom) W /	sacks of cen	nent. Date:			
Do you have a valid Oil & Gas Lo Depth and Type: Junk in Ho Type Completion: ALT. I	ease? Yes Die at (depth) ALT. II Depth of	No Tools in Hole at	Ca w / _	sing Leaks:	Yes No Depth	n of casing leak(s): Collar:				
Do you have a valid Oil & Gas Lo Depth and Type: Junk in Ho Type Completion: ALT. I Packer Type:	ease? Yes colle at collection (depth) ALT. II Depth of Size:	No Tools in Hole at(depth	Ca _{oth)} w / _ _{n)} Inch	sing Leaks: sacks	Yes No Depth s of cement Port (n of casing leak(s): Collar:				
Do you have a valid Oil & Gas Lo Depth and Type:	ease? Yes colle at collection (depth) ALT. II Depth of Size:	No Tools in Hole at(depth	Ca _{oth)} w / _ _{n)} Inch	sing Leaks: sacks	Yes No Depth s of cement Port (n of casing leak(s): Collar:				
Do you have a valid Oil & Gas Lo Depth and Type:	ease? Yes colle at (depth) ALT. II Depth of Size: Plug Ba	No Tools in Hole at(depth	Ca _{oth)} w / _ _{n)} Inch	sing Leaks: sacks	Yes No Depth s of cement Port (n of casing leak(s): Collar:				
Do you have a valid Oil & Gas Lo Depth and Type:	ease? Yes Dele at (depth) Size: Plug Ba	No Tools in Hole at(depth of: DV Tool:(depth ck Depth:	oth) Ca	sacks: sacks Set at: Plug Back Meth	Yes No Depth s of cement Port (n of casing leak(s): Collar:	w/	sack of cement		
Do you have a valid Oil & Gas Lo Depth and Type:	ease? Yes colle at (depth) ALT. II Depth of Size: Plug Ba Formation At: At:	No Tools in Hole at(depth of: DV Tool:(depth ck Depth:	coth) Ca w / _ Inch et Perfo	sacks Set at: Plug Back Meth	Yes No Depth of sof cement Port (n of casing leak(s): Collar:	w /	sack of cement		
Do you have a valid Oil & Gas Lo Depth and Type:	ease? Yes colle at (depth) ALT. II Depth of Size: Plug Ba Formation At: At:	No Tools in Hole at	coth) Ca w / _ Inch et Perfo	sacks Set at: Plug Back Meth	Yes No Depth s of cement Port (Fee od: Completion to Fe	n of casing leak(s): Collar:	w /	sack of cement		
Do you have a valid Oil & Gas Lo Depth and Type:	ease? Yes colle at (depth) ALT. II Depth of Size: Plug Ba Formation At: At:	Tools in Hole at	oth) Ca	sacks Set at: Plug Back Methoration Interval	Yes No Depth of the soft cement Port (Completion to Feed to Fe	n of casing leak(s): Collar:	w /	sack of cement		
Do you have a valid Oil & Gas Lo Depth and Type:	ease? Yes colle at (depth) ALT. II Depth of Size: Plug Ba Formation At: At:	Tools in Hole at	oth) Ca	sacks Set at: Plug Back Meth	Yes No Depth of the soft cement Port (Completion to Feed to Fe	n of casing leak(s): Collar:	w /	sack of cement		
Do you have a valid Oil & Gas Lo Depth and Type:	ease? Yes colle at (depth) ALT. II Depth of Size: Plug Ba Formation At: At:	Tools in Hole at	oth) Ca	sacks Set at: Plug Back Methoration Interval	Yes No Depth of the soft cement Port (Completion to Feed to Fe	n of casing leak(s): Collar:	Interval	sack of cement		
Do you have a valid Oil & Gas Lo Depth and Type:	ease? Yes Dele at (depth) Size: Plug Ba Formation At: At: Date Tested:	Tools in Hole at	oth) Ca w / _ Inch tet Perfo ted Ele Results:	sacks Set at: Plug Back Methoration Interval pration Interval coration Interval cor	Yes No Depth of the soft cement Port Completion Completion to Fee to F	on of casing leak(s): Collar:	Interval	to Feet		
Do you have a valid Oil & Gas Lo Depth and Type:	ease? Yes Dele at (depth) Size: Plug Ba Formation At: At: Date Tested:	Tools in Hole at	oth) Ca w / _ Inch tet Perfo ted Ele Results:	sacks Set at: Plug Back Methoration Interval pration Interval coration Interval cor	Yes No Depth of the soft cement Port Completion Completion to Fee to F	on of casing leak(s): Collar:	Interval	to Feet		

KCC District Office #1 - 210 E. Frontview, Suite A, Dodge City, KS 67801 Phone 620.225.8888 KCC District Office #2 / UPGS - 3450 N. Rock Road, Building 600, Suite 601, Wichita, KS 67226 Phone 316.630.4000 KCC District Office #3 - 1500 SW Seventh Steet, Chanute, KS 66720 Phone 620.432.2300 Phone 785.625.0550 KCC District Office #4 - 2301 E. 13th Street, Hays, KS 67601-2651

LEASE INSPECTION FORM

(Also to be used when shooting fluid levels)

Routing-Top: Division Engineer	•
Production Tech	
Production Assistant	
Well File	
Bottom: - Field Office	


Rev. May 2009

Foremen should attempt to perform annually a lease inspection on every lease in his division.

Foremen should perform annually at least one inspection with each pumper in his division and obtain pumper's signature.

X:\Forms\Lease Inspection

Lease Name: EVel					For	eman Name: M. Leiker	_	Date:	5-	16-
					Pu	mper Name:	_	Date:		
WELL EVALUATION	Well#	Well#	Well#	Well#]		Well#	Well#	Well #	Weli#
TIME CLOCK	!	<u> </u>	<u> </u>		-}	PUMPING UNIT		<u> </u>		<u> </u>
In the well on time clock? Y/N			1	T	1	Type	<u> </u>	1	T	T
# of hours on per day					1	Size				†
ARREL TEST					1	Is gearbox oil level low? Y/N (Pull dipstick)	-	<u> </u>		1
When last taken? A, B, C, or D (see below)		_	T		1	Any water or metal shavings in the oil? Y/N		1	-	
Test with 5 gallon bucket or barrel					1	(pull drain plug)				
Total fluid			1		1	Are all bearings on the unit greased? Y/N	_	 	1	
% Oil					1	(Random test by lubricating with a grease gun)		İ		1
BOPD				1	1	Is any bearing on the unit in need of repair?		† 		
Does barrel need replaced? Y/N					1	Y/N	İ	1		1
Comments:					┪	Is either wrist pin visibly in need of repair? Y/N	 	 		
ROKE LENGTH (measured)	1		T		1	Do stuffing box rubbers need adjusted or		 	 	+
ROKES PER MINUTE			1	1	1	replaced? Y/N	1	l	1	1
UID POUND					1	Comments:	_ــ			ــــــــــــــــــــــــــــــــــــــ
Can you feel a fluid pound? Y/N	. [Ι	T		1	Comments.				
If yes, where in the stroke? PT, PM, PB	 	 		 	- ∙	ENGINE OF MOTOR (including helts and sheepes)				
Is pound Very Hard (VH), Hard (H),	 	 	+	+	+	ENGINE OR MOTOR (including belts and sheaves)	-	Т	<u> </u>	_
Soft (S) or Very Soft (VS)		1	1 .	1	1	Type		+	+	+
Comments:	<u> — — </u>	L	٠		-	Size & design		 		
UID LEVEL					-	Horsepower		—	- 	↓
	1	r			┥.	Sheave diameter			.	
Joints to perfs	·	 	 	-	4	Sheave shaft diameter				
Joints to fluid 2.5 "	357'	 	 	-	4	RPMs (measured)		<u></u>	<u> </u>	
Joints in hole				<u> </u>		Carburetor Pressure (ounces)				
Comments:						Unusual Noises? Y/N				
RCULATING SYSTEM						Do belts need tightened? Y/N			i	
Any air leaks in the casing? Y/N					7	Does water or oil need to be added? Y/N		1		-
Did you drop a barrel of fluid to test for		-			1	Is sheave worn and need changed? Y/N	-	· · · · · ·	 	
casing air leaks? Y/N			1			Are wiring protective devices and magneto and	-	1		
Is circulation system air tight? Y/N					1	spark plug covers adequate, any bearings loose				i
Is the casing vent installed crooked, the			<u> </u>		1 .	and/or rough; or does the clutch need to be				
gas vent chappel holes plugged or the	1		1			greased, or are any other repairs needed? Y/N	,		1	
ball and seat on the gas vent in need				ľ		Comments:	<u> </u>			┸
of repair? Y/N			1			Comments.				
Comment:	J	<u> </u>	Т.	<u></u>	1					
DES PUMP HOLD PRESSURE? Y/N	T		Т	Т	╡	DANG				
Comment on pressure and bleed off:	Ь				-	PANEL		, ,		
Comment on pressure and bleed oil.						Heater Coil Size				
ADLINE					4	Fuse Size		<u> </u>		
				T	4	Starter Size		<u></u> .	<u> </u>	
Pressure (psig)			ļ		1	UNIT BALANCE				
Does check valve need replaced? Y/N	<u> </u>		 		1	Amps up			J	1
Do any valves need to be opened or closed						Amps middle				
for proper operations? Y/N	<u> </u>		<u> </u>	<u>.l</u>] .	Amps down				
ASE EVALUATION es gun barrel, heater treater, sait water tank or sto ke amp reading on cathodic protection. y work necessary to properly seal or net the top of	Gun b f the SW tank	arrel: ? Y/N			-	Heater-Treater Wa	ater knockout:			
repairs to walkways, handrails, or ladders neede		e production	on or treating	g equipment	? Y/N					
y loose insulation on production or treating equipn										
e oil levels OK in the saltwater pumps on the lease										
there any leaks or spills that require attention on	the lease? Y	/N								
here trash or junk that needs to be removed from	any location of	on the lease	e? Y/N (be:	specific)			-	·		
like sufficient? Y/N	•									
EMICAL INVENTORY: Use a barrel gauge to est	imate the em	ount of cha	emical in occ	nh open der-						
		ount of GIE	muodi iii edl	и орен агап						
e:										
ount: (drums)	gal			gal		gal	gal			
ount: (bulk)	gal				_					
	_ = = -			gal		gal	gal			
tion:										
the barrel gauge used to estimate the amount of	f chemical in	the open di	rums? Y/N	I						
REVIEW AND OTHER COMMENTS (List any w	vork done on	the lease, a	any work tha	at needs to b	e done or a	ny other comments.)				
	_	·								
			-							
										
ell is on a time clock, barrel test and fluid level status shot	ıld be taken If	nossible of	er gunning the	well on bond	for at locat co	hours if the well will not sur-	·			
pourid and balance status should be determined before	putting the wel	on hand an	d/or just prior	to the end of a	i fime clock cy	rious, ii die weil will not over pump, cle.				
Just prior to end of time clock cycle in normal o						After well had been left on hand for hours.				
Number of minutes or hours in time clock cycle						Well is not on a time clock.				



Conservation Division District Office No. 1 210 E. Frontview, Suite A Dodge City, KS 67801



Phone: 620-225-8888 Fax: 620-225-8885 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

August 02, 2016

Andrew Moore BEREXCO LLC 2020 N. BRAMBLEWOOD WICHITA, KS 67206-1094

Re: Temporary Abandonment API 15-135-21225-00-00 Evel Lease 1 NE/4 Sec.15-16S-26W Ness County, Kansas

Dear Andrew Moore:

Your application for Temporary Abandonment (TA) for the above-listed well is denied for the following reasons(s):

High Fluid Level

Pursuant to K.A.R. 82-3-111, the well must be plugged, or returned to service, or obtain temporary abandonment status by August 30, 2016.

This deadline does NOT override any compliance deadline given to you in any Commission Order.

You may contact me if you have any questions.

Sincerely, Michael Maier KCC DISTRICT 1