

Confiden	tiality Requested:
Yes	No

Kansas Corporation Commission Oil & Gas Conservation Division

1313610

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R East West
Address 2:	Feet from North / South Line of Section
City:	Feet from
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
	Lease Name: Well #:
Designate Type of Completion:	Field Name:
New Well Re-Entry Workover	Producing Formation:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW ☐ Temp. Abd.	
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
□ 0	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	
ENHR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
	QuarterSecTwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:



Operator Name:			Lease Name:			Well #:	
Sec Twp	S. R	East West	County:				
open and closed, flow	ring and shut-in pressu	ormations penetrated. Dres, whether shut-in pre	ssure reached stati	c level, hydrosta	tic pressures, bott		
		tain Geophysical Data a r newer AND an image f		gs must be ema	iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Taker (Attach Additional		Yes No			on (Top), Depth an		Sample
Samples Sent to Geo	logical Survey	Yes No	Nam	Э		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		0.0000					
		CASING Report all strings set-c	RECORD Ne conductor, surface, inte		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives			
Perforate Protect Casing							
Plug Back TD Plug Off Zone							
Did you perform a hydrau	ulic fracturing treatment or	n this well?		Yes	No (If No, ski	o questions 2 an	nd 3)
	· ·	aulic fracturing treatment ex	_			o question 3)	of the ACO 1)
was the hydraulic fractur	ring treatment information	submitted to the chemical of	disclosure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)
Shots Per Foot		N RECORD - Bridge Plug potage of Each Interval Perf			cture, Shot, Cement mount and Kind of Ma		d Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed	Production, SWD or ENH	R. Producing Meth		Gas Lift C	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil B		Mcf Wate			ias-Oil Ratio	Gravity
DISPOSITIO	ON OF GAS:	, and a second	METHOD OF COMPLE	TION:		PRODI ICTIC	ON INTERVAL:
Vented Solo		Open Hole	Perf. Dually	Comp. Cor	nmingled	THODOUTIC	ZIN IINI ELIVAE.
	bmit ACO-18.)	Other (Specify)	(Submit A		mit ACO-4)		

Form	ACO1 - Well Completion
Operator	Mears, John C.
Well Name	MEARS LEASE M M-25
Doc ID	1313610

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	41	STD	8	STD
Production	5.625	2.875	6.5	1030	STD	125	STD

MARK MORRISON 1651 50th Road Yates Center, KS 66783

WORK ORDER

MEARS M LEASE

DATE	WELL	<u>DESCRIPTION</u>
6/27/2016	M-25	mixed 8 sacks of cement to cement surface
6/29/2016	M-25	established circulation; circulate 125 sacks of cement to surface; pumped plug and set float shoe

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc. NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks is 5 minutes per yard. A charge will be made for holding trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength ror mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

JOHN MEARS 4100 SAOTH RD

E 2 MI TO RENO RD N 1MI TO 10TH

						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
9:26 AM	WELL DO MIMBE	12.50	12.50		35		wooco
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
6/29/16	WELL HMQ5	1	12.50	8	0.00	4.00 in	41150

WARNING IRRITATING TO THE SKIN AND EYES

THEN COMMENT WEST RUBBER BOOKS and Gloves, PROLONGED CONTACT MAY

CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE **LOADING** STARTS.

The undersigned promises to play all agest including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that he size and weight of his
truck may possibly cause damage to the premises and/or adjacent
properly if I please the material in this load where you deser is. It is
our wish to help you lin every way that we can, but in order to do this
the driver is requesting that you sign this RELEASE relieving him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewise,
driveways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove much from the wheels of his velicle so
that he will not litter the public street. Further, as additional consideration, he undersigned agrees to indemnify and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property willibh may be claimed by anyone to have
arisin out of delivery of this order:
SIGNED (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

EXTENDED PRICE QUANTITY CODE DESCRIPTION UNIT PRICE 12.50 WELL (10 SACKS PER UNIT) 2.50

MIXING AND HAULING

M-25

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
		1100	1. JOB NOT READY 6. TRUCK/BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	*	TAX 7.50
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN OTHER ADDED WATER	TIME DUE	
951	1042				ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL
			4		

Building Materials Farm & Ranch Supplies Structural Steel Products **Hardware & Paint**



A Division of Cleaver Farm Supply, Inc. 2103 S. SANTA FE

CHANUTE, KS 66720 (620)431-6070

SHIP TO

items

JOHN C. MEARS

JOHN C. MEARS 4100-240TH.

4100-240TH.

CHANUTE, KS 66720-9803

SOLD TO

431-2129

CHANUTE, KS 66720-9803

431-2129

Shipment #: 1

RETURN POLICY - within 30 days only - merchandise must be in saleable condition and accompanied by invoice.

No refunds on Special Order non-stock

Account due 10th of month following purchase. 1 1/2% interest per month added for an annual percentage rate of 18%.

	A.I.AA			TERMS	OPDEP #	ORDER DATE	SLSMN	INVOICE #	INVOICE DATE
ACCOUNT # M1478	CUSTOME	:K P.U.#	NET 1	TERMS LOTH	ORDER # 1523352	06/27/16	JMP	1077098	The same of the sa
									AMOUNT
8	0	SHIPPED 8	EA	CEMENT STAI MONARCH STD PALLET ?	DESCRIPTION NDARD TYPE 1	94LB	PRIO 1	2.200	97.60
				# 1	N-25				
	2016 07:47		IKE P	ETERS	O /		MERCH	ANDISE	97.6
*	INVOICE *****	*					TAX 8	750%	8.5
		10		PAGE 1 OF 1			FREIGH		0.0
							тота		106.1

DRILLERS LOG

Company:

JOHN MERAS

Contractor: EK Energy LLC

License# 33977

Farm:

MEARS

County: WOODSON

Well No:

M-25

Sec: 34 TWP: 26 Range: 16E

API:

15-207-29347-00-00

Location: 3150 FSL

Surface Pipe: 41.1'

Location: 3010 FEL

Spot: NW-SE-SE-NW

Thickness	Formation	Depth	Remarks
	SOIL & CLAY	9	Drilled 9 7/8 Hole Set 7"
41	LIME	50	Drilled 5 7/8" HOLE
107	SHALE	157	
107	LIME	254	
99	SHALE	353	Started 6/27/2016
174	LIME	527	Finished 6/29/2016
113	SHALE	640	
10	LIME	650	
87	SHALE	737	T.D. Hole 1041'
33	LIME	770	T.D. PIPE 1030'
29	SHALE	799	
14	LIME	813	
9	SHALE	822	
3	LIME	825	
43	SHALE	868	
19	SAND/SHALE	887	
109	SHALE	996	
12	OIL SAND	1008	
1	BLACK SAND	1009	
1	LIMEY SAND	1010	
	SHALE	1041	