

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1314366

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	East _ West
Address 2:			F6	eet from	South Line of Section
City: S	tate: Zi	p:+	Fe	eet from East / V	West Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section Co	orner:
Phone: ()			□ NE □ NV	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	We	ell #:
New Well Re	-Entry	Workover	Field Name:		
	_	_	Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW □ SIGW	Elevation: Ground:	Kelly Bushing: _	
☐ OG	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total De	epth:
CM (Coal Bed Methane)	dow	iemp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet
Cathodic Other (Con	e. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No
If Workover/Re-entry: Old Well In			If yes, show depth set:		Feet
Operator:			If Alternate II completion, of	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:	Original To	otal Depth:			
Deepening Re-perf.	Conv. to E	NHR Conv. to SWD	Drilling Fluid Manageme	nt Plan	
☐ Plug Back	Conv. to G	SW Conv. to Producer	(Data must be collected from t		
O constitued and	D		Chloride content:	ppm Fluid volume:	bbls
CommingledDual Completion			Dewatering method used:		
SWD			Location of fluid disposal if	f haulad offsita:	
☐ ENHR			Location of fluid disposal fi	nauled offsite.	
GSW			Operator Name:		
_			Lease Name:	License #:	
Spud Date or Date Rea	ached TD	Completion Date or	Quarter Sec	TwpS. R	East _ West
Recompletion Date		Recompletion Date	County:	Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I III Approved by: Date:



Operator Name:			Lease Name:			Well #:	
Sec Twp	S. R	East West	County:				
open and closed, flow	ring and shut-in pressu	ormations penetrated. Dres, whether shut-in pre	ssure reached stati	c level, hydrosta	tic pressures, bott		
		tain Geophysical Data a r newer AND an image f		gs must be ema	iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Taker (Attach Additional		Yes No			on (Top), Depth an		Sample
Samples Sent to Geo	logical Survey	Yes No	Nam	Э		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		0.0000					
		CASING Report all strings set-o	RECORD Ne conductor, surface, inte		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives			
Perforate Protect Casing							
Plug Back TD Plug Off Zone							
Did you perform a hydrau	ulic fracturing treatment or	n this well?		Yes	No (If No, ski	o questions 2 an	nd 3)
	· · · · · · · · · · · · · · · · · · ·	aulic fracturing treatment ex	_			o question 3)	of the ACO 1)
was the hydraulic fractur	ring treatment information	submitted to the chemical of	disclosure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)
Shots Per Foot		N RECORD - Bridge Plug potage of Each Interval Perf			cture, Shot, Cement mount and Kind of Ma		d Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed	Production, SWD or ENH	R. Producing Meth		Gas Lift C	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil B		Mcf Wate			ias-Oil Ratio	Gravity
DISPOSITIO	ON OF GAS:	, and a second	METHOD OF COMPLE	TION:		PRODI ICTIC	ON INTERVAL:
Vented Solo		Open Hole	Perf. Dually	Comp. Cor	nmingled	THODOUTIC	ZIN IINI EI IVAE.
	bmit ACO-18.)	Other (Specify)	(Submit A		mit ACO-4)		

Form	CO1 - Well Completion				
Operator	Whitaker Companies, Inc.				
Well Name	KORTE FARMS 13				
Doc ID	1314366				

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	12	8	8	20	Portland	6	NA
Production	7	4	10	988	Portland	125	NA

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

169 N TO S DAKOTA E TO 1800 S

66749

4800 & S DAKOTA

ALMOST A 1/2MI ESD

KORTE WELLWIZ.

TOLA

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	% Air	PLANT/TRANSACTION #
aria PM	WELL	, 12.50	12.50		35		- ALLEO
DATE	PO NUMBER	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
6/29/16		1	12.50	j le	0.00	4.00 18	41153

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Inflation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

121 2600 ST

WHITAKER COMPANIES. INC.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES ON CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality, No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60HR CODE

QUANTITY

16.50

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY YTO BE MADE INSIDE CURB UNE). Dear OustomecThe driver of this truck in presenting this RELEASE to you tor your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent propery if a places the material in this load where you desire it. It is our wish to help you in every lawy that we can, but in order to do this order with the presence and/or adjacent propery, butlings, sideways, divieways, curbs, stc., by the delivery of the material, and that you also agree to help him remove must from the wheels of his virial cost that he will not little the public street. Further, as additional consideration, the undersigned appeals to indemityle and hold hardes the different of his truck and this supplier for any and all damage to the premises and/or adjacent properly which may be claimed by anyone to have arisen out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURBLINE.

LOAD RECEIVED BY

UNIT PRICE

EXTENDED PRICE

FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED RETURNED TO PLANT LEFT JOB 6. TRUCK BROKE DOWN SLOW POUR OR PUMP TRUCK AHEAD ON JOB ACCIDENT 8. CITATION 9. OTHER CONTRACTOR BROKE DOWN TIME DUE & LEFT PLANT **ARRIVED JOB** START UNLOADING 5 ADDED WATER 380 **DELAY TIME** TOTAL AT JOB **UNLOADING TIME** TOTAL ROUND TRIP

DESCRIPTION

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL

Well 13 TD Pipe 988 # 0 Sx 125

Drillers Log

Company: Wihitaker Oil Farm. Korte Parms

#13 Operatoril

Surface Pipe: 20.ft with 6 sacks API.# 15-001-

Contractor: David Wrestler

License #, 7160 County: Allen Sec: 7/24/19e Location location

Spot:

6/27/16

finished 6/29/16

Thickness	Formation	Depth	Remarks		
30	Top Sof	0-30			
13ft	Clay	16ft			
7/1	Line	23Å			
27ñ	Shale	30N			
100	Lime	60ft			
40ft	Shale	1001			
8ft	Lime	108ft			
37ft	Shale	143ft			
120ft	Lime	26311			
1791	Shale	4420			
40ft	Lime	482A			
85ft	Shale	527tì			
3ift -	Lime	558fî			
318	Shale	589ñ			
2211	Lime	6110			
6fi	Shale	617ft			
711	Lime	624 ft			
2241)	Shale	848A			}
324N 62R	sard	910ft	odor oil show		
150	Shale	92511			(
15ft	sand	940ft	odor oil show		ļ
	oil sand	950lt	good bleed	oil sand unce	nsolidate
10ft 25ft	oil sand	975fi	Very good Bleed		
10	Lime	97611			
25ft	Gray sand	9911/	odor oil show		-
					ļ
					1
991 T.D.					4
988 T.D. pipe.					