

Confid	entiali	ty Requested:
Yes		No

Kansas Corporation Commission Oil & Gas Conservation Division

1314612

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			SecTwpS. R East _ West		
Address 2:			Feet from North / South Line of Section		
City: State: Zip:+			Fe	eet from East /	West Line of Section
Contact Person:			Footages Calculated from I	Nearest Outside Section C	Corner:
Phone: ()			□ NE □ NW	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long: _	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	W	/ell #:
	e-Entry	Workover	Field Name:		
	_		Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW □ SIGW	Elevation: Ground:	Kelly Bushing:	:
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total C	Depth:
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet
Cathodic Other (Core, Expl., etc.):			Multiple Stage Cementing	Collar Used? Yes	No
If Workover/Re-entry: Old Well I			If yes, show depth set:		Feet
Operator:			If Alternate II completion, c	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:					
Deepening Re-perf	•	NHR Conv. to SWD	Drilling Fluid Managemer	nt Plan	
☐ Plug Back	Conv. to G		(Data must be collected from the		
Commingled	Pormit #:		Chloride content:	ppm Fluid volume	e: bbls
Dual Completion			Dewatering method used: _		
SWD			Location of fluid disposal if	hauled offsite	
☐ ENHR			· ·		
GSW	Permit #:		Operator Name:		
_ _			Lease Name:	License #:_	
Spud Date or Date R	eached TD	Completion Date or	QuarterSec	TwpS. R	East _ West
Recompletion Date		Recompletion Date	County:	Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I III Approved by: Date:



Operator Name:			Lease Name:			Well #:	
Sec Twp	S. R	East West	County:				
INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.							
		tain Geophysical Data a r newer AND an image f		gs must be ema	iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Taker (Attach Additional S		Yes No			on (Top), Depth an		Sample
Samples Sent to Geo	logical Survey	☐ Yes ☐ No	Nam	9		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		0.0000					
		CASING Report all strings set-o	RECORD Ne onductor, surface, inte		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Durmaga	Depth		CEMENTING / SQU	EEZE RECORD			
Purpose: Perforate	Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives			
Protect Casing Plug Back TD							
Plug Off Zone							
Did you perform a hydrou	ulia fracturing tractment or	a this well?		Yes	No (If No, ski	n quantiana 2 an	(d 2)
	ulic fracturing treatment or otal base fluid of the hydra	aulic fracturing treatment ex	ceed 350,000 gallons?	= =	= ' '	p questions 2 an p question 3)	u 3)
Was the hydraulic fractur	ring treatment information	submitted to the chemical o	disclosure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)
Shots Per Foot		N RECORD - Bridge Plug			cture, Shot, Cement		
	Specify Fo	ootage of Each Interval Perf	orated	(Ai	mount and Kind of Ma	terial Used)	Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		l
Date of First, Resumed	Production, SWD or ENH	R. Producing Meth		Gas Lift C	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil B		Mcf Wate			as-Oil Ratio	Gravity
DISPOSITIO	ON OF GAS:		METHOD OF COMPLE	TION:		PRODUCTIO	DN INTERVAL:
Vented Sold		Open Hole	Perf. Dually	Comp. Cor	mmingled	1110000110	TO THE LANGE.
	bmit ACO-18.)	Other (Specify)	(Submit A	ACO-5) (Sub	mit ACO-4)		

Form	ACO1 - Well Completion
Operator	Wilson County Holdings LLC
Well Name	DOCIA BATES 5F
Doc ID	1314612

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	32	43	portland	18	15ppg
Intermedia te	6.75	4.5	11.6	1180	portland	125	13.8ppg



Invoice

DATE	INVOICE #
6/22/2016	998750

Oil & Gas Well Drilling Water Wells Geo-Loop Installation

11 Lewis Dr. Paola, KS 66071 (913)557-9083

Scott A. Evans, President

BILL TO

Wilson County Holdings LLC

Attn: Sheila Griffith

907 North Poplar Drive, Suite 235

Casper, WY 82601

TERMS	Project	
Due on recpt	PO#152892	

QTY	DESCRIPTION		RATE	AMOUNT
43 1	Feet Drilling 12 1/4" Hole Set and Cement 43' of 8 5/8" Surface Casing as per Quote, Include 16 Sacks of Cement	es	8.50 440.00	
1,157 1	Feet Drilling 6 3/4" Hole to Total Depth De Mobilize Rig and Support Vehicles to Paola, Kansas		8.50 800.00	
Finance charge on unpaid Computed at 1.5% per mo	l balance after 30 days onth 18% annual percentage.		Total	\$11,440.00

Elite Cementing & Acidizing of KS, LLC

810 E 7th, PO Box 92 Eureka, KS 67045



Date	Invoice #
7/5/2016	2840

Bill To

Wilson County Holdings LLC 907 North Poplar Drive, Suite 235 Casper, WY 82601

Customer ID#

1138

Job Date	7/1/2016				
Lease Information					
Bates 5F					
County	Wilson				
Foreman	KM				

			Terms	Net 15
Item	Description	Qty	Rate	Amount
C102 C107 C201 C208 C206 C214 C108B C113 C113 C224 C403	Cement Pump-Longstring Pump Truck Mileage (one way) Thick Set Cement Pheno Seal Gel Bentonite Cottonseed Hulls Ton Mileage-per mile (one way) 80 Bbl Vac Truck 80 Bbl Vac Truck City Water 4 1/2" Top Rubber Plug Discount on Services Discount on Materials	1 40 125 125 300 40 275.2 2.5 2.5 6,600 1	1,050.00 3.95 19.50 1.25 0.20 0.45 1.35 85.00 85.00 0.01 45.00 -100.21 -139.14	1,050.00 158.00 2,437.50T 156.25T 60.00T 18.00T 371.52 212.50 212.50 66.00T 45.00T -100.21 -139.14T

We appreciate your business!

Phone #	Fax#	E-mail		
620-583-5561	620-583-5524	rene@elitecementing.com		

Send payment to: Elite Cementing & Acidizing of KS, LLC PO Box 92 Eureka, KS 67045

Subtotal	\$4,547.92
Sales Tax (6.5%)	\$171.83
Total	\$4,719.75
Payments/Credits	\$0.00
Balance Due	\$4,719.75

810 E 7TH PO Box 92 EUREKA, KS 67045 (620) 583-5561



Cement or Acid Field Report Ticket No. Foreman Kevin McCoy Camp Eureka

P	0.	#	152	-	915
P.	0.		152	-	7/3

P.O. 47		Lo	ase & Well Number	T	Section	Township	Range	County	State
Date	Cust. ID#	Le	ase & vveii ivuilibei		COOLIGIT				
7-1-16	1138	Rate	5 5 F					WILSON	KS
	1130	21170		Safety	Unit #	Driv	/er	Unit #	Driver
Customer	<u> </u>	.1.1		Meeting	105	DAVE	6.		
WILSON	County	Holdin	gs, LLC	KM	112	Alan			
Mailing Address				DE	141	Russ			
111 Co	NGRESS AV	e 57e 4	50	AM	145	Steve	m.		
City	,	State	Zip Code	Sm -					
Austi	V	TX	78701	3".					

1	1200'	Slurry Vol. <u>39 B64</u>	Tubing
Job Type Longstring	Hole Depth 1200 Hole Size 63/4"	. 0 #	Drill Pipe
Casing Depth 1180		Water Gal/SK 9.°	Other
Casing Size & Wt. 41/2 11.6 #	Cement Left in Casing O		BPM BPM
Displacement 18.8 BbL	Displacement PSI <u>&50</u>	Bump Plug to 1300 ASI	- ·
	- 1 1111	Danielal	1 25 RH FORSh

Remarks: SAFety Meeting: Big up to 41/2 CASING. BREAK CIRCUlation w/ 25 Bbl Flush w/ 15K Halls Pump 10 Bbl water Spacer. Mixed 125 sks THICK Set Cement w/ 1# Pheno Seal /SK@ 13.8#/gal yield 1.75 = 39 Bbl Sturry. WASh out Pump & Lines. Shut down. Release Plug. Displace Plug to SEAT W/ 18.8 BLL FRESH WATER. FINAL Pumping PRESSURE 850 PSI. Bump Plug to 1300 Release PRESSURE. FRAT Held. Shut IN @ O PSI. Good Cement Returns to SURFACE = 8 Bbl Sturry to Pit. Job Complete. Rig down.

Code	Qty or Units	Description of Product or Services	Unit Price	Total
102	diy or ornico	Pump Charge	1050.00	1050.00
107	4/0	Mileage	3.95	158.00
201	125 sks	THICK Set Coment	19.50	2437.50
208	125 #	PhenoSeAL 1#/sk	1.25 #	156.25
266	300 #	Gel Flush	.20 +	60.00
214	40 #	Coffor Seed Hulls	.45 #	18.00
7 INO P	6.88 Tons	Jon Mileage 40 miles	1.35	371.52
108 B	2.5 HRS	80 Bbl VAC TRUCK #141	85.00	212.50
: 113	2.5 HRS	80 BLL VAC TRUCK # 145	85.00	212.50
224		City water	10.00/1000	66.00
: 403	/	41/2 Top Rubber Plug	45.00	45.00
			Sub Total	4787.27
		THANK YOU 6.5%	Zess 5% Sales Tax	186.89
	zation //	1 1	Total	4719.75

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

October 28, 2016

Forrest Sutherland Wilson County Holdings LLC 1135 N. 15TH ST. FREDONIA, KS 66736

Re: ACO-1 API 15-205-28384-00-00 DOCIA BATES 5F NE/4 Sec.01-29S-14E Wilson County, Kansas

Dear Forrest Sutherland:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 6/21/2016 and the ACO-1 was received on October 26, 2016 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

Production Department