

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1315846

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 | | | |
|--|--|--|--|--|
| Name: | Spot Description: | | | |
| Address 1: | SecTwpS. R 🗌 East 🗌 West | | | |
| Address 2: | Feet from North / South Line of Section | | | |
| City: State: Zip:+ | Feet from _ East / _ West Line of Section | | | |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: | | | |
| Phone: () | □NE □NW □SE □SW | | | |
| CONTRACTOR: License # | GPS Location: Lat:, Long: | | | |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) | | | |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 | | | |
| Purchaser: | County: | | | |
| Designate Type of Completion: | Lease Name: Well #: | | | |
| New Well Re-Entry Workover | Field Name: | | | |
| ☐ Oil ☐ WSW ☐ SWD ☐ SIOW | Producing Formation: | | | |
| ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW | Elevation: Ground: Kelly Bushing: | | | |
| ☐ OG ☐ GSW ☐ Temp. Abd. | Total Vertical Depth: Plug Back Total Depth: | | | |
| CM (Coal Bed Methane) | Amount of Surface Pipe Set and Cemented at: Feet | | | |
| Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? | | | |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet | | | |
| Operator: | If Alternate II completion, cement circulated from: | | | |
| Well Name: | feet depth to:w/sx cmt. | | | |
| Original Comp. Date: Original Total Depth: | | | | |
| ☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD | Drilling Fluid Management Plan | | | |
| ☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer | (Data must be collected from the Reserve Pit) | | | |
| Commingled Paymit #: | Chloride content: ppm Fluid volume: bbls | | | |
| ☐ Commingled Permit #: ☐ Dual Completion Permit #: | Dewatering method used: | | | |
| SWD Permit #: | Location of fluid disposal if hauled offsite: | | | |
| ENHR Permit #: | · | | | |
| GSW Permit #: | Operator Name: | | | |
| | Lease Name: License #: | | | |
| Spud Date or Date Reached TD Completion Date or | Quarter Sec TwpS. R | | | |
| Recompletion Date Recompletion Date | County: Permit #: | | | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | |
|---------------------------------|--|--|--|--|
| Confidentiality Requested | | | | |
| Date: | | | | |
| Confidential Release Date: | | | | |
| Wireline Log Received | | | | |
| Geologist Report Received | | | | |
| UIC Distribution | | | | |
| ALT I II III Approved by: Date: | | | | |




| Operator Name: | | | Lease Name: _ | | | Well #: | |
|---|-----------------------------|---|--------------------------|----------------------------|---|---------------------------------|-------------------------------|
| Sec Twp | S. R | East West | County: | | | | |
| open and closed, flow | ring and shut-in pressu | ormations penetrated. Eures, whether shut-in predict final chart(s). Attach | essure reached stati | c level, hydrosta | atic pressures, bott | | |
| | | otain Geophysical Data a or newer AND an image | | ogs must be ema | ailed to kcc-well-lo | gs@kcc.ks.go | v. Digital electronic log |
| Drill Stem Tests Taken (Attach Additional S | | Yes No | | | on (Top), Depth an | | Sample |
| Samples Sent to Geol | logical Survey | Yes No | Nam | е | | Тор | Datum |
| Cores Taken Electric Log Run | | Yes No | | | | | |
| List All E. Logs Run: | | | | | | | |
| | | CASING | RECORD Ne | ew Used | | | |
| | | | conductor, surface, inte | | ion, etc. | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | | | | | | |
| | | ADDITIONAL | CEMENTING / SQL | JEEZE RECORD | | | |
| Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives | | | |
| Did you perform a hydrau | ulic fracturing treatment o | n this well? | | Yes | No (If No, ski | p questions 2 aı | nd 3) |
| Does the volume of the to | otal base fluid of the hydr | aulic fracturing treatment ex | _ | = : | No (If No, ski | p question 3) out Page Three | |
| Shots Per Foot | PERFORATIO Specify F | N RECORD - Bridge Plug ootage of Each Interval Per | s Set/Type forated | | cture, Shot, Cement mount and Kind of Ma | | d Depth |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Packer At: | Liner Run: | Yes No | | |
| Date of First, Resumed | Production, SWD or ENH | HR. Producing Meth | | Gas Lift (| Other (Explain) | | |
| Estimated Production Per 24 Hours | Oil E | Bbls. Gas | Mcf Wate | er B | bls. G | as-Oil Ratio | Gravity |
| DISPOSITIO | ON OF GAS: | Open Hole | | Comp. Comp. | mmingled | PRODUCTIO | ON INTERVAL: |
| | bmit ACO-18.) | Other (Specify) | (Submit) | 4CO-5) (Sub | omit ACO-4) | | |

| Form | ACO1 - Well Completion |
|-----------|--------------------------|
| Operator | Lakeshore Operating, LLC |
| Well Name | STURDIVAN 3 LOI-7 |
| Doc ID | 1315846 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------|-----|----------------------------------|
| Surface | 9.875 | 7 | 17 | 40 | Portland | 10 | |
| Production | 5.875 | 2.875 | 6.5 | 1085 | Poz Blend | 136 | |
| | | | | | | | |
| | | | | | | | |



6541

LOCATION Officer ICS

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT CEMENT

Invoice#808443

| DATE | CUSTOMER# | WELL NAME & NUI | VIBER | SECTION | TOWNSHIP | RANGE | COUNTY |
|---------------------|-----------|-------------------|-------------|---------------------------------------|-----------------|---------------------------------------|-------------|
| 8.26-16 | 4807 | Stordtvan HLO | 7 | NW 34 | 23 H5 | 16 | MP |
| CUSTOMER | | • | | | | | |
| Lake | share Ope | rathy had | | TRUCK# | DRIVER | TRUCK# | DRIVER |
| MAILING ADDRI | ESS | Φ. | · · | 712 / | · Fre Mad | · · · · · · · · · · · · · · · · · · · | |
| 340 | So, Laus | | | 368 | Arl Mcs | <i>.</i> | |
| CITY | | STATE ZIP CODE | | 675 | Ki Del | 4 | |
| Wich. | ta | KS. 67211 | | 804 | M: KHea | · · · | |
| JOB TYPE LO | ng stong | HOLE SIZE S78 | HOLE DEPTH | 1 <u>/092</u> | CASING SIZE & W | EIGHT_ 27/6 I | Συ <u>Ε</u> |
| CASING DEPTH | 1 10 80 0 | DRILL PIPE | TUBING | <u> </u> | | OTHER | |
| SLURRY WEIGH | НТ | SLURRY VOL | WATER gal/s | k | CEMENT LEFT in | CASING <u>った</u> * | Plie |
| DISPLACEMEN | T 6.388 | DISPLACEMENT PSI | _ MIX PSI | | RATE 461M | | ۵. |
| REMARKS: H | old Safe | 4 max v, - (Mod x | Dozer | Terstablic | Circulax | ou. M. | gs. |
| Pum | 0 100 # | 7 · · · · · | | | 36 SKS PO | s Blend | II A |
| Ceme | # 270 6 | l 5th Kel Seal + | 1th Pheno | Seel/si | c Cemens | + Yo Sur | faco. |
| Flus | h puma | * lines clean | . Dis | lace 27 | " Rubber | plug to | : |
| Cass | y TD. | Pressure to | 800 4 /S | 1. Mon | for pros | sure fo | |
| కేం | mr. mi | 7. Release | | | | | |
| S hu | + in Cas | M | : | · · · · · · · · · · · · · · · · · · · | · : | : | |
| | | / | | | | - 1 | |
| _ Jack | man Oil | Wed Services. | · | ٠. | Fud V | ladu | |
| : | | | | | | | |

| ACCOUNT CODE | QUANITY or UNITS | DESCRIPTION of SERVICES or PRODUCT |
|-----------------|-----------------------|------------------------------------|
| E 0450 | i | PUMP CHARGE 366 |
| EODOZ | 40 mi | MILEAGE 368 |
| EOTH ! | Mariner | Ton Miles Delivera 804 |
| E0853. | 35 hrs | 80 BBL Vec Truck 675 |
| | | Sub Total |
| | | hes 47% |
| | | • |
| | | |
| C5842 | 136.5KJ | Por Blend II A Cament |
| C 5965 | / 334 [#] | Boutonite Cul |
| C 6077 | 450# | Kal Smal |
| C 60790 | 136# | Pheno Scal |
| P8176 | | 272" Rubber Plus Got Total |
| | | Sub Total Least 1/6 |
| | | Less 47% |
| | | |
| | H | |
| | | |
| | And the second second | 7.5% |

TITLE

l acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

Jackman Oilfield Services 1 West Mulberry St. Colony, KS 66015 620-852-3350

WELL LOG Lakeshore Operating, LLC Sturdivan 3 LOI-7

August 23, 2016

| <u>Thickness</u> | <u>Formation</u> | <u>Total</u> |
|------------------|------------------|--------------|
| of Strata | | |
| 3.00 | Soil | 3.00 |
| 8.00 | Clay | 11.00 |
| 11.00 | Lime | 22.00 |
| 15.00 | Shale | 37.00 |
| 5.00 | Lime | 42.00 |
| 146.00 | Shale | 188.00 |
| 73.00 | Lime | 261.00 |
| 20.00 | Shale | 281.00 |
| 117.00 | Lime | 398.00 |
| 9.00 | Shale | 407.00 |
| 2.00 | Lime | 409.00 |
| 67.00 | Sand | 476.00 |
| 23.00 | Lime | 499.00 |
| 77.00 | Shale | 576.00 |
| 100.00 | Lime | 676.00 |
| 99.00 | Shale | 775.00 |
| 8.00 | Lime | 783.00 |
| 186.00 | Shale | ` 969.00 |
| 19.00 | Lime | 988.00 |
| 20.00 | Shale | ` 1,008.00 |
| 1.00 | Lime | 1,009.00 |
| 3.00 | Oil sand | 1,012.00 |
| 27.00 | Shale | 1,039.00 |
| 2.00 | Lime | 1,041.00 |
| 7.00 | Shale | 1,048.00 |
| 1.00 | Lime | 1,049.00 |
| 16.00 | Oil sand | 1,065.00 |
| 21.00 | Shale | 1,086.00 |
| 6.00 | Lime | 1,092.00 |

Drilled a 9 7/8" hole to 39.5' Drilled a 5 7/8" hole to 1092'

Set 40' of 7" surface casing cemented with 10 sacks of portland cement Ran 1085' of 2 7/8" No cores No seating nipple Cemented on 8/26/16

Sturdivan 3 LOI-7