Confidentiality Requested: Yes No

## KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1315866

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Duilling Fluid Management Dian
Plug Back       Conv. to GSW       Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:      Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR         Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

### Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1315866
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	
INCTRUCTIONS, Chow important tang of formations papatrated	Datail all cares Report a	Il final conject of drill stoms tosts giving interval tostod, time tool

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sho	eets)	Yes No		-	on (Top), Depth ar		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING	RECORD Ne	w Used			
		Report all strings set-o	conductor, surface, inte	rmediate, producti	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQL	EEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used		Type and F	Percent Additives	

Perforate	Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

(If No, skip questions 2 and 3) (If No, skip question 3)

No

No No

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION Specify For		RD - Bridge P Each Interval F		96	А		ement Squeeze Record d of Material Used)	Depth
TUBING RECORD:	Siz	ze:	Set At:		Packe	r At:	Liner Ru	ın:	No	
Date of First, Resumed	Product	ion, SWD or ENHF	<b>?</b> .	Producing M	lethod:	ping	Gas Lift	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
				-						
DISPOSITIO		Jsed on Lease		Open Hole	Perf.	(Submit /	Comp. 4 <i>CO-5)</i>	Commingled (Submit ACO-4)		IERVAL:
(II verneu, Sui		-10.j		Other (Specify)						

Form	ACO1 - Well Completion
Operator	Lakeshore Operating, LLC
Well Name	STURDIVAN 3 LOI-9
Doc ID	1315866

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	40	Portland	10	
Production	5.875	2.875	6.5	1092	Poz Blend	150	

### Jackman Oilfield Services 1 West Mulberry St. Colony, KS 66015 620-852-3350

### WELL LOG Lakeshore Operating, LLC Sturdivan 3 LOI-9

### August 12, 2016

<b>Thickness</b>	Formation	<u>Total</u>	
of Strata			
3.00	Soil	3.00	
5.00	Clay	8.00	
3.00	Shale	11.00	
2.00	Lime	13.00	
3.00	Shale	16.00	
5.00	Broken lime/	21.00	mix shale
16.00	Gray shale	37.00	
5.00	Lime	`	
135.00	Shale	177.00	
11.00	Lime	188.00	
25.00	Sandstone	213.00	
12.00	Lime	225.00	
5.00	Sandstone	230.00	
46.00	Lime	276.00	
18.00	Shale	294.00	
121.00	Lime	415.00	
17.00	Shale	432.00	
9.00	Lime	` 441.00	
47.00	Shale	488.00	
7.00	Coal	`	
20.00	Shale	515.00	
7.00	Red bed shale	522.00	
29.00	Gray shale	551.00	
106.00	Lime	657.00	
119.00	Shale	776.00	
8.00	Lime	784.00	
76.00	Shale	860.00	
6.00	Lime	866.00	
122.00	Shale	988.00	
8.00	Lime	996.00	
5.00	Shale	1,001.00	
2.00	Lime	1,003.00	
4.00	Shale	1,007.00	

Lime	1,008.00
Oil sand	1,019.00
Shale	1,044.00
Lime	1,046.00
Oil sand	1,059.00
Shale	1,086.00
Lime	1,088.00
Shale	1,092.00 TD
	Oil sand Shale Lime Oil sand Shale Lime

Drilled a 9 7/8" hole to 39' 7" Drilled a 5 7/8" hole to 1092'

Set 40' of 7" surface casing cemented with 10 sacks of portland cement Ran 1085' of 2 7/8" No cores No seating nipple Cemented on 8/16/16

Sturdivan 3 LOI-9

ASING DEPTH	Stunds 2 poroxing	I NAME & NUMBER	SECTION		RANGE	
AILING ADDRESS AILING ADDRESS A.340 So. ITY Wichita DB TYPE Long styling ASING DEPTH JO 85 LURRY WEIGHT	Laura STATE KS	ZIP CODE	TRUCK#	and the second s	<b>Solution</b>	
ASING DEPTH JO 55	Laura STATE KS	and the second second second	TRUCK#	and the second s	TRUCK#	
AILING ADDRESS	STATE KS	and the second second second	4	and the second s	TRUCK#	DRIVER
B -3 40 So.	STATE KS	and the second second second	HO	The second of th		In the second
ASING DEPTH TO ES	STATE KS	and the second second second		Harbee 1		
OB TYPE Long styling	and the second		6751	. the Dat		
LURRY WEIGHT	HOLE SIZE	67211	8041	Cuskin		
URRY WEIGHT		STIR HOLE DEPT	TH 1095	CASING SIZE & WI	EIGHT 27	FEUE
	DRILL PIPE	TUBING			OTHER	
	_ SLURRY VOL	WATER gal		CEMENT LEFT In C		"Plus
DISPLACEMENT 6.3.8.6	L DISPLACEMEN	AND STORE OF STREET, ST	145 165 7/211 (SASS)	RATE UBP	M	
REMARKS: Nold S	a fe to	4	ablish Circ	vlation.	MixEPu	
100 to Get Flu	sh. Mix	+ Putp 150	SKE Poz Bl	and TA Cor	nest 270	Gue
5th Kol Seal, 1	= pheno S.	esligk! Ceme	nt to Su	stace. F	Tushporn	a second s
+ lmss cle	an. Dis	aloce 212 Rot	sher play	to casing	Th. Fre	SEVIC
to 800 * 13	1. Mone	for Pressure	For 30	mix m	17. Ka	lease
decisive to	Set Th	soft- Value.		PLV		
ACCOUNT	ITY or UNITS		of SERVICES of PRO			1
CODE	inter ordere	PUMP CHARGE				
CEOPOL	.40m:	MILEAGE	Contraction of the second			
ABOTH & MM		Ton Miles DA	Dunn			
WE0853	3 1/2 hr	80 BAL Var	Truck			
1200309	O IL MT	10 000 100	Sub Total	<u>e</u>		
			Less 4			
	11.00					
	der - anderer - er	(Page 11				
1256-12	150 SKS	Por Bland D	A Connect			
AC 5965 1	.3684	Bentonite		-		
C 4037	250#	KalSeel	-			
	1504.	Phino Seal				
CF 8176	1	23 Rubbe				
CT 01/20		- Contraction of the second	Eub Te	ot		
	a secondaria		Less			
	1043					
	the second se					
				11		
Extp \$737						