


J.William 2-29 DST 10





Diamond Testing General Report

Wilbur Steinbeck
TESTER
CELL: 620-282-1573

General Information

Company Name	Trans Pacific Oil Corp	Bryce Job Number	W238
Contact		Representative	Wilbur Steinbeck
Well Name	J.William 2-29 DST 10	Well Operator	Pickerell
Unique Well ID	DST 10 Morrow Sand 4323-4375	Report Date	2016/08/04
Surface Location	29-14s-32w logan /Kansas	Prepared By	Wilbur Steinbeck
Field	Wildcat	Qualified By	Bryce

Test Information

Test Type	Conventional		
Formation	Morrow Sand		
Well Fluid Type	01 Oil		
Test Purpose (AEUB)	Initial Test		
Start Test Date	2016/08/04	Start Test Time	11:06:00
Final Test Date	2016/08/04	Final Test Time	18:48:00

Test Recovery

Recovery
10' Mud
10' Total Fluid

Tool Sample=Mud



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: J.William 2-29 DST 10

TIME ON: 11:06
TIME OFF: _____

Company Trans Pacific Oil Corp. Lease & Well No. J.Williams 2-29
Contractor Pickerell Charge to TPOC
Elevation 2734 KB Formation Morrow Sand Effective Pay _____ Ft. Ticket No. W238
Date 8-4-16 Sec. 29 Twp. 14 S Range 32 W County Logan State KANSAS
Test Approved By Bryce Diamond Representative Wilbur Steinbeck

Formation Test No. 10 Interval Tested from 4323 ft. to 4375 ft. Total Depth 4375 ft.
Packer Depth 4318 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth 4323 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 4309 ft. Recorder Number 5965 Cap. 5000 P.S.I.
Bottom Recorder Depth (Outside) 4324 ft. Recorder Number 5587 Cap. 5,000 P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type Chem Viscosity 54 Drill Collar Length 0 ft. I.D. 2 1/4 in.
Weight 9.4 Water Loss 8.4 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
Chlorides 4,400 P.P.M. Drill Pipe Length 4298 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number 7 Test Tool Length 25 ft. Tool Size 3 1/2-IF in.
Did Well Flow? No Reversed Out No Anchor Length 52 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: Surface Blow Died in 25 min No Return
2nd Open: No Blow No Return

Recovered 10 ft. of Mud
Recovered 10 ft. of Total Fluid
Recovered _____ ft. of _____
Recovered _____ ft. of _____

Recovered _____ ft. of _____	60 Miles RT	Price Job
Recovered _____ ft. of _____		Other Charges
Remarks: <u>Tool Sample=Mud</u>		Insurance
		Total

Time Set Packer(s) 13:50 A.M. P.M. Time Started Off Bottom 16:26 A.M. P.M. Maximum Temperature 115
Initial Hydrostatic Pressure..... (A) 2083 P.S.I.
Initial Flow Period..... Minutes 30 (B) 13 P.S.I. to (C) 14 P.S.I.
Initial Closed In Period..... Minutes 60 (D) 175 P.S.I.
Final Flow Period..... Minutes 15 (E) 16 P.S.I. to (F) 17 P.S.I.
Final Closed In Period..... Minutes 90 (G) 133 P.S.I.
Final Hydrostatic Pressure..... (H) 2070 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.