

IMPORTANT
Kans. Geo. Survey request
samples on this well.

State Geological Survey
WICHITA BRANCH
S. 21 T. 18 R. 24 E
Loc. 150' ENL & 150' FEL NW

KANSAS DRILLERS LOG

API No. 15 — 121 — 21,619
County Number

Operator
Daniel Tucker

Address
710 South Mahaffie Olathe, Kansas 66061

Well No. #14 Lease Name
Lester Windler

Footage Location
150 feet from (N) — 44 line 150 feet from (E) — 44 line


Principal Contractor Geologist
TOWN OIL CO

Spud Date Total Depth P.B.T.D.
JUNE 4 1980 535'

Date Completed Oil Purchaser
JUNE 7 1980 PRODUCERS GROUP

County Miami

640 Acres
N



Locate well correctly

Elev.: Gr. _____

DF _____ KB _____

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
SURFACE	8"	6 1/2"		25'	PORTLAND	2	
INTERMEDIATE	5 1/4"	7 1/2"		525'	PORTLAND	60	
PRODUCTION		1"					

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
			3	1 1/16 GLASS JETS	482-486

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
FRACTURE 30 SACKS 12-30 SAND	
20 SACKS 10-20 SAND	
60 BA. WATER	

INITIAL PRODUCTION

Date of first production <u>Oct 1 1980</u>	Producing method (flowing, pumping, gas lift, etc.) <u>PUMPING</u>
RATE OF PRODUCTION PER 24 HOURS	Oil _____ bbls. Gas _____ MCF Water <u>1/2</u> bbls. Gas-oil ratio _____ CFPB
Disposition of gas (vented, used on lease or sold) <u>VENTED</u>	Producing interval (s) _____

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

operator

Daniel Jucker

DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:

Well No.

14

Lease Name

Jester Windler

OIL

S 21 T 18 R 24 E

150 FNL 150 FCL NW 4

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.

TOP

BOTTOM

NAME

DEPTH

SHALE & SHELLS

478

481

GAS SAND

481

489

SAND

489

494

SHALE

494

496

~~SAND~~ GREY SHALE

496

508

SAND

508

509

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received

Daniel Jucker

Signature

owner

Title

DEC. 8

Date

1980

TOWN OIL CO.
 "Purchaser of Crude Oil"

Route 4
 Paola, Kansas 66071

913-294-2854
 913-294-4232

Well No. 14
 Farm Owner: Windler
 Lease Owner: Tucker
 Miami County, Kansas

Well Completed: June 7, 1980

WELL LOG

<u>Thickness of Strata</u>	<u>Formation</u>	<u>Total Depth</u>
9	Surface Soil	9
6	Clay	15
11	Lime	26
10	Shale	36
33	Lime	69
6	Shale & Slate	75
22	Lime	97
5	Shale & Slate	102
2	Lime	104
4	Shale & Slate	108
6	Lime	114 (Hertha)
4	Shale & Slate	118
2	Shale & Shells	120
10	Sand	130
6	Dark Shale	136
15	Sand	151
39	Dark Shale	190
36	Shale	226
11	Shale & Shells	237
13	Sand	250
7	Shale	257
4	Shale & Shells	262
4	Shale & Slate	266
2	Shale	268
15	Sand	281 (White - no show)
7	Sand	288 (Green - no show)
6	Shale	294
6	Shale	300 (Red Bed)
16	Shale & Shells	316
4	Shale	320 (Gray)
4	Lime	324
5	Shale & Slate	329
2	Lime Shells	331
3	Lime	334
2	Lime Shells	336
1	Lime	337
5	Coal	342
3	Shale	345
13	Lime	358
2	Sand	360

Well No. 14 (Continued)

Windler

Tucker

8	Dark Shale	368	
3	Lime	371	
6	Slate & Coal	377	
3	Lime	380	
3	Sand	383	
24	Lime	410	
5	Shale & Slate	415	
3	Lime	418	
12	Shale & Slate	430	
10	Lime Shells	440	
8	Shale & Slate	448	
2	Shale	450	
5	Lime Shells	455	
9	Shale	464	
8	Dark Shale	472	
2	Lime	474	
4	Shale & Slate	478	
3	Shale & Shells	481	
8	Gas Sand	489	(Some show)
5	Sand	494	(Show)
2	Shale	496	
6	Gray Shale	508	
1	Sand (Good)	509	
2	Lime	511	
14	Dark Shale	525	
3	Shale & Slate	528	
7	Shale	535	
		<hr/>	
	TOTAL DEPTH	535	