

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1316047

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15		
Name:	Spot Description:		
Address 1:	SecTwpS. R 🗌 East 🗌 West		
Address 2:	Feet from		
City: State: Zip:+	Feet from _ East / _ West Line of Section		
Contact Person:	Footages Calculated from Nearest Outside Section Corner:		
Phone: ()	□NE □NW □SE □SW		
CONTRACTOR: License #	GPS Location: Lat:, Long:		
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)		
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84		
Purchaser:	County:		
Designate Type of Completion:	Lease Name: Well #:		
☐ New Well ☐ Re-Entry ☐ Workover			
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	Producing Formation: Elevation: Ground: Kelly Bushing: Feet Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet		
Operator:	If Alternate II completion, cement circulated from:		
Well Name:	feet depth to:w/sx cmt.		
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer Commingled Permit #: Dual Completion Permit #: SWD Permit #:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite:		
☐ ENHR Permit #: ☐ GSW Permit #:	Operator Name:		
	Lease Name: License #:		
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter Sec. Twp. S. R. East West County: Permit #:		

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:



Operator Name:			Lease Name: _			Well #:		
Sec Twp	S. R	East West	County:					
open and closed, flow	ring and shut-in pressu	ormations penetrated. Cures, whether shut-in prediction of the pre	essure reached stat	ic level, hydrosta	tic pressures, bot			
		otain Geophysical Data a or newer AND an image		ogs must be ema	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital electronic log	
Drill Stem Tests Taken (Attach Additional S		Yes No			on (Top), Depth ar		Sample	
Samples Sent to Geol	logical Survey	Yes No	Nam	ie		Тор	Datum	
Cores Taken Yes No Electric Log Run Yes No								
List All E. Logs Run:								
		CASING	RECORD N	ew Used				
		Report all strings set-			ion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
		ADDITIONAL	. CEMENTING / SQI	JEEZE RECORD	I	1		
Purpose: Depth Type of Cement # Sacks Used — Perforate # Sacks Used		# Sacks Used	Type and Percent Additives					
Protect Casing Plug Back TD Plug Off Zone								
	ulic fracturing treatment or	n this well? aulic fracturing treatment ex	sceed 350 000 gallons	Yes		p questions 2 ar	nd 3)	
		submitted to the chemical of	=	Yes	= ' '	out Page Three	of the ACO-1)	
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Ceme Specify Footage of Each Interval Perforated (Amount and Kind of				d Depth				
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:				
TODING RECORD.	OILG.	Jet At.	i aunei Al.		Yes No			
Date of First, Resumed	Production, SWD or ENF	HR. Producing Meth	nod: Pumping	Gas Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil B	Bbls. Gas	Mcf Wat	er B	bls.	Gas-Oil Ratio	Gravity	
DISPOSITION Vented Sold	ON OF GAS:	N Open Hole	METHOD OF COMPLI		mmingled	PRODUCTIO	DN INTERVAL:	
	bmit ACO-18.)	Other (Specify)	(Submit		mit ACO-4)			

Form	ACO1 - Well Completion
Operator	Petroleum Technologies, Inc.
Well Name	KNABE C 4I
Doc ID	1316047

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7.0	17	23	Common	6	None
Production	5.625	2.875	6.5	932	50/50 Pozmix		2% gel, 1/4# Floseal



PO Box 884, Chanute, KS 66720

ticket NUMBER 5026
LOCATION Offers KS
FOREMAN Casey Ke unedy

CEMENT

620-431-9210 o	r 800-467-8676		CEMEN	IT			
DATE	CUSTOMER#	WELL NAME & NUI	MBER	SECTION	TOWNSHIP	RANGE	COUNTY
7/26/16	6370	Knabe C# 4	-I	NW 32	14	22	00
CUSTOMER.	AND LEDY TO SHOULD	British and the first of the second	- 1				44的2至23的。
Petroleu	our Technolo	aies he		TRUCK #	DRIVER	TRUCK#	DRIVER
MAILING ADDRES		J		727	Casken	Satotu	Meeting
801	W. 47th	St Ste 412	Laure de	467	Kei ar 95	~ /	
CITY	S	STATE ZIP CODE	TT-	503	Har Bec	e l	
Kaysas C	ity	MO 164112	3 445	369	Ala Mad	r	Managar.
JOB TYPE law	gstring H	OLE SIZE 5 %"	HOLE DEPT	H 956'	CASING SIZE & W	IEIGHT 27/8	"EUE_
CASING DEPTH_	9351	RILL PIPE	b	affe - 922	And the same of the same of	OTHER	
SLURRY WEIGH	r s	LURRY VOL	WATER gal/s	sk	CEMENT LEFT in	CASING 10	
DISPLACEMENT	5.34 bbs 0	ISPLACEMENT PSI	MIX PSI		RATE 46pm		
REMARKS: 40	ld sataly	maetine establi	shed cite	slatton, n	rived + P	umped 10	07#
gel tello	ned by 5	bbls tresh water	AND THE RESERVE TO SERVE THE RESERVE THE R		A . m! - 1V	Pozbleno	l IA
consut	0/ 2%		/ /	st, cema	1 1 -	face. Alus	hed.
	ean our		per plug	1 /1	w 5.34	bblg feel	water.
rossured	to stop	PSI, well held		^ -	WIN MIT	released	pressure,
that in a	rasine,	interest of the parties	V		0		,
and Orbinion		and a t		1.8		12	1 -
12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					1		
- एक्ट्रेक्ट वित	Aug 1		Lyspies - A			7	271, 1
The same of the	garle deam	9707.40 000	doctina			the fig. 1	Na Indiana yes
ACCOUNT CODE	QUANITY o	r UNITS I	DESCRIPTION of	of SERVICES or PR	ODUCT	UNIT PRICE	TOTAL
a=	4 1					150000	

CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
EOUSO	Same Water	PUMP CHARGE	1500.00	
Focoa /	30 mi	MILEAGE	214.50	
CEO711	nin	ton nieleage	660.00	
N £0853	2 hrs	80 Vac	200.∞	
		trucks	2574.50	
	and the second s	-60%	1544.70	illary Santia
		Subpland		1029.80
CC584092	90/14 Stes	Porbland It coment	1539,000	
CC 5965	292 #	Gel	87.60	
CC 6078	29 #	Fleserel	58,000	
18976	1	2'5 "rubber plug	45,000	
		numberials	1729.60	412000
		-60%	1037.76	
		Subtotal		691.84
		/ Tax: \$3.45		a frui -
			n data	
		se sensulte a milital ad an	order to 67 the Feet	1-21-6
-		ENTERED JUL 2 8 2016	22	Es âir
avin 3737	1	ENTERED JUL 2 8 2012.725	SALES TAX ESTIMATED	33,90
	1811		TOTAL	1775 CA
AUTHORIZTION_		TITLE	DATE	4437.71

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account resords, at our office, and conditions of service on the back of this form are in effect for services identified on this form

TERMS

In consideration of the prices to be charged for Consolidated Oil Wall Services, LLC (COWS) services, equipment and products and for the performance of services and supplying of materials, Customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice date. On all invoices not paid within 30 days. Castomer agrees to pay COWS interest at the rate of 18% per annum or the maximum rate allowed by law, whichever is higher. In the event COWS retains an attorney to pursue collection of any account, Customer agrees to pay all collection costs and attorney's fees incurred by COWS.

Any applicable federal, state or local sales; use occupation, consumer's or emergency taxes shall be added to the quoted price. All process license fees required to be paid to others will be added to the scheduled prices.

All COWS' prices are subject to change without notice.

SERVICE CONDITIONS

Constitues warrants that the well is in proper condition to receive the services, equipment, products and materials to be supplied by COWS. The Customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment of the well, and the premises about the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service which is to be performed.

- (a) COWS shall not be responsible for any claim, cause of action or demand (hereinafter referred to as a 'claim') for damage to property, or injury to or death of employees and representatives, of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross regligence of COWS, including but not limited to sub-surface damage and surface damage arising from sub-surface damage.
- (b) Unless a claim is the result of the sole wiliful misconduct or gross negligence of COWS, Customer shall be responsible for and indemnify and hold COWS harmless from any claim for: (1) reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS; (3) injury to or death of persons, other than employees of COWS, or damage to property (including. but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; and (4) well damage or reservoir damage caused by (i) loss of circulation, cement invasion, cement misplacement, pumping cement or cement plugs on wells with loss of circulation, including the failure to displace plug to proper depth, (ii) subsurface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. COWS may furnish down hole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage, loss or result caused by the use of such tools.

Furthermore, Customer will be responsible for the cost to replace such tools if they are lost or left in the well.

- (c) COWS makes no guarantee of the effectiveness of any COWS products, supplies or materials, or the results of any COWS treatment or services.
- (d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS' persoanel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS' gross negtigence or willful misconduct in the preparation or fornishing of it.
- (c) COWS may bry and re-sell to Customa down hole equipment, including but not limited to float equipment. DV tools, port toilars, type A& B packers, and Customer agrees that COWS is not an agent or dealer for the companies who manufacture such items, and further agrees that Customer shall be solely responsible for and indemnify COWS against any claim with regard to the effectiveness, malfunction of, or functionality of such items.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants title to the products, supplies and materials, and that the same are free from defects in workmanship and materials. THERL ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, NOR ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE. WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty or otherwise,) arising out of the sale or use of any COWS' products, supplies, materials or services is expressly limited to the replacement of such products, supplies, materials or services or their return to COWS or, at COWS' option, an allowance to Customer of credit for the cost of such items.

Customer waives and releases all claims against COWS for any special, incidental, indirect, consequential or punitive damages.



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG

Petroleum Technologies, Inc. Knabe C #4i API #15-091-24,422 July 25 - July 26, 2016

Thickness of Strata	<u>Formation</u>	<u>Total</u>
5	soil & clay	5
15	sandstone	20
53	shale	73
22	lime	95
9	shale	104
9	lime	113
7	shale	120
20	lime	140
24	shale	164
27	lime	191
14	shale	205
8	lime	213
17	shale	230
22	lime	252
15	shale	267
8	lime	275
21	shale	296
7	lime	303
55	shale	358
26	lime	384
8	shale	392
22	lime	414
3	shale	417
16	lime	433 base of the Kansas City
26	shale	459
7	sand	466
132	shale	598
9	lime	607
10	shale	617
4	lime	621
16	shale	637
3	broken sand	640
35	shale	675
6	lime	681
64	shale	745
3	lime	748
39	shale	787
2	lime	789
89	shale	878

 Knabe C #4i
 Page 2

 5
 limey sand
 883

 9
 oil sand
 892

 6
 limey sand
 898

shale

Drilled a 9 7/8" hole to 22.7' Drilled a 5 5/8" hole to 956'

58

Set 22.7' of 7" casing cemented with 6 sacks cement.

Set 932' of 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe, 1 clamp, and 1 baffel at 922'.

956 TD