# 

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	<u> </u>
SGA?	Yes No

Kansas Corporation Commission Oil & Gas Conservation Division 1316391

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
	year,,, Sec Twp S. R E V
DPERATOR: License#	(Q/Q/Q/Q) feat from N / S Line of Section
lame:	fact from E / W Line of Section
ddress 1:	LOCATION D. L. D. L. O.
ddress 2:	
City: State: Zip:	
ontact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	
Well Drilled For: Well Class: Type	e Equipment: Nearest Lease or unit boundary line (in footage):
	Ground Surface Flevation: feet MS
	Mud Rotary  Air Rotary  Water well within one-quarter mile:  Yes N
	Cable Public water supply well within one mile: Yes N
Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total	·
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Farm Pond Other:
Yes, true vertical depth:	BWICT GITTIE #.
Sottom Hole Location: CCC DKT #:	(Note. Apply for Fernit with DWK )
	will cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
"ha undersigned hereby affirms that the drilling	etion and eventual plugging of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby animis that the drilling, comple	
0 ,	. 35 5
t is agreed that the following minimum requirements wil	Il be met:
0 ,	ll be met: ding of well;
t is agreed that the following minimum requirements wil  1. Notify the appropriate district office <i>prior</i> to spudd  2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>is agreed that the following minimum requirements wil</li> <li>Notify the appropriate district office <i>prior</i> to spude</li> <li>A copy of the approved notice of intent to drill <i>sha</i></li> <li>The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim</li> </ol>	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.
<ol> <li>is agreed that the following minimum requirements wil</li> <li>Notify the appropriate district office <i>prior</i> to spude</li> <li>A copy of the approved notice of intent to drill <i>sha</i></li> <li>The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim</li> <li>If the well is dry hole, an agreement between the</li> </ol>	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging;
<ol> <li>t is agreed that the following minimum requirements wil</li> <li>Notify the appropriate district office <i>prior</i> to spude</li> <li>A copy of the approved notice of intent to drill <i>sha</i></li> <li>The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim</li> <li>If the well is dry hole, an agreement between the</li> <li>The appropriate district office will be notified before</li> </ol>	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in;
<ol> <li>is agreed that the following minimum requirements wil</li> <li>Notify the appropriate district office <i>prior</i> to spude</li> <li>A copy of the approved notice of intent to drill <i>sha</i></li> <li>The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim</li> <li>If the well is dry hole, an agreement between the</li> <li>The appropriate district office will be notified befo</li> <li>If an ALTERNATE II COMPLETION, production p</li> </ol>	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging;
<ol> <li>t is agreed that the following minimum requirements wil</li> <li>Notify the appropriate district office <i>prior</i> to spude</li> <li>A copy of the approved notice of intent to drill <i>sha</i></li> <li>The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim</li> <li>If the well is dry hole, an agreement between the</li> <li>The appropriate district office will be notified befo</li> <li>If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su</li> </ol>	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>t is agreed that the following minimum requirements wil</li> <li>Notify the appropriate district office <i>prior</i> to spude</li> <li>A copy of the approved notice of intent to drill <i>sha</i></li> <li>The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim</li> <li>If the well is dry hole, an agreement between the</li> <li>The appropriate district office will be notified befo</li> <li>If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su</li> </ol>	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  urface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements wil</li> <li>Notify the appropriate district office <i>prior</i> to spude</li> <li>A copy of the approved notice of intent to drill <i>sha</i></li> <li>The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim</li> <li>If the well is dry hole, an agreement between the</li> <li>The appropriate district office will be notified befo</li> <li>If an ALTERNATE II COMPLETION, production p</li> <li>Or pursuant to Appendix "B" - Eastern Kansas su</li> </ol>	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  urface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  urface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  urface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  ubmitted Electronically	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; one well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  Jubmitted Electronically  For KCC Use ONLY	Il be met:  ding of well;  all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; one well is either plugged or production casing is cemented in; sipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  Jubmitted Electronically  For KCC Use ONLY  API # 15 -	Il be met:  ding of well;  all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; one well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the following minimum requirements wil  1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Il be met:  ding of well;  all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing after or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
is agreed that the following minimum requirements wil  1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Il be met:  ding of well;  all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; one well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
is agreed that the following minimum requirements wil  1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Il be met:  ding of well;  all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing atte or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  **Description**  **Descri	Il be met:  ding of well;  all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged. In all cases, NOTIFY district office prior to any cementing of the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
t is agreed that the following minimum requirements wil  1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  Libmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Il be met:  ding of well;  all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged. In all cases, NOTIFY district office prior to any cementing of the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

For KCC Use ONLY	
API # 15	_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:		
_ease:	feet from N / S Line of Section		
Nell Number:	feet from E / W Line of Section		
Field:	SecTwp S. R		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
QTR/QTR/QTR/QTR of acreage:			
	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		
n	LAT		
	LAT lease or unit boundary line. Show the predicted locations of		
	quired by the Kansas Surface Owner Notice Act (House Bill 2032).		
	separate plat if desired.		
·	1186 ft.		
	<u> </u>		
	LEGEND		
	O Well Location		
	Tank Battery Location Pipeline Location		
	: Pipeline Location		
	Lease Road Location		
	: Lease Noad Location		
	:		
	EXAMPLE : :		
<u> </u>	EXAMPLE :		
35			
	÷		
	SEWARD CO. 3390' FEL		

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1316391

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Submit in Duplicate

		onnit in Dupilcat			
Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		SecTwp R		
Settling Pit Drilling Pit	t If Existing, date constructed		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled) Pit capacity:			Feet from East / West Line of Section		
(ii iii Guppiy Al Frio. or feat Diffied)		(bbls)	County		
Is the pit located in a Sensitive Ground Water Area? Yes No		No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes N	lo			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
material, thickness and installation procedure.  liner integrity, including any special monitoring.					
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:			
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit?    Yes    No		Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS					
Date Received: Permit Numl	ber:	Permi	it Date: Lease Inspection: Yes No		

## CORRECTION #1

Kansas Corporation Commission Oil & Gas Conservation Division 1316391

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	Sec TwpS. R East West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be k	ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 1 will be returned.		
Submitted Electronically			

## **Summary of Changes**

Lease Name and Number: Schroeder 2-35

API/Permit #: 15-179-21420-00-00

Doc ID: 1316391

Correction Number: 1

Approved By: Rick Hestermann 09/12/2016

Field Name	Previous Value	New Value
KCC Only - Approved By	Rick Hestermann 09/01/2016	Rick Hestermann 09/12/2016
KCC Only - Approved Date	09/01/2016	09/12/2016
KCC Only - Date Received	09/01/2016	09/07/2016
KCC Only - Lease Inspection	Yes	No
Nearest Lease Or Unit Boundary	668	768
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=13 15894	//kcc/detail/operatorE ditDetail.cfm?docID=13 16391