Form CP-111 June 2011 Form must be Typed

Form must be signed All blanks must be complete

TEMPORARY ABANDONMENT WELL APPLICATION

OPERATOR: License#				API No. 15-										
Name:				Spot Descr	iption:									
Address 1:					Sec.	Twp	S. R.		E W					
Address 2:														
City: State: + Contact Person: Phone: Contact Person Email:														
										Lease Name: Well #:				
									Field Contact Person:				Well Type: (Well Type: (check one) Oil Gas OG WSW Other:
				Field Contact Person Phone: ()				ermit #:		•	t #:		
,	,				orage Permit #:									
				Spud Date.		Date	s Silut-III.							
	Conductor	Surface	F	Production	Intermediate		Liner	Tubing	ı					
Size														
Setting Depth														
Amount of Cement														
Top of Cement														
Bottom of Cement														
								ate:						
Casing Squeeze(s):	to w	/ sacks o No Tools in Hole at of: DV Tool: (de	f cement,	Casing Leaks: / sacks ch Set at:	(bottom) W /	epth of casing lead of the control of casing lead of the control o	of cement. Da							
Casing Squeeze(s):	to w	/ sacks o No Tools in Hole at of: DV Tool: (de	f cement,	Casing Leaks: / sacks ch Set at:	(bottom) W /	epth of casing lead of the control of casing lead of the control o	of cement. Da							
Casing Squeeze(s):	to w	/ sacks o No Tools in Hole at of: DV Tool: (de	f cement,	Casing Leaks: / sacks ch Set at:	Yes No Des of cement Po	epth of casing lead of the control of casing lead of the control o	of cement. Da							
Casing Squeeze(s):	to w	/ sacks o No Tools in Hole at of: DV Tool: (de	f cement,	toto Casing Leaks: / sacks ch Set at:	Yes No Des of cement Po	epth of casing leader to Collar: (de) Feet (stion Information)	of cement. Da	sack	of cement					
Casing Squeeze(s):	to w	/ sacks o No No Tools in Hole at of: DV Tool: (de) ack Depth: Top Formation Base	f cement,	tototo	(bottom) w / w / w / w / possible of cement Possible Pos	epth of casing leader to compare the compare to compare the compar	ak(s): w /	sack (of cement					
Casing Squeeze(s):	to w	/ sacks o	depth) w pth) Inc	Casing Leaks: / sacks ch Set at: Plug Back Meth	(bottom) W / W / W / W /	epth of casing leader to Collar:(de) Feet tion Information Feet or Open Feet or Open	ak(s): w /	sack (of cement					
Casing Squeeze(s):	to w	/ sacks o	depth) w pth) Inc	Casing Leaks: Casing Leaks: Sacks Ch Set at: Sacks Plug Back Meth reforation Interval of Castalane Buen	(bottom) W / W / W / W /	sacks of epth of casing leader Collar:	ak(s): w / Phole Interval: Hole Interval:	sack (Feet Feet					
Casing Squeeze(s): (top) Do you have a valid Oil & Gas Depth and Type: Junk in H Type Completion: Packer Type: Total Depth: Geological Date: Formation Name 1. 2. Do NOT Write in This	to w w w	/ sacks o	depth) W pth) Income Per Per Per Per Per Per Per Per Per Pe	Casing Leaks: Ca	(bottom) W / W / W / W /	sacks of epth of casing leader Collar:	ak(s): w / Phole Interval: Hole Interval:	toto	Feet Feet					
Do NOT Write in This Space - KCC USE ONLY	to w w w	No No Tools in Hole at of: DV Tool: of DV Tool: or Top Formation Base to to Subm	depth) W pth) Income Per Per Per Per Per Per Per Per Per Pe	Casing Leaks: Ca	(bottom) W / W / W / W /	sacks of epth of casing leader Collar:	ak(s): w / Phole Interval: Hole Interval:	toto	Feet Feet					

them have been take help had been found among their many them form	KCC District Office #1 - 210 E. Frontview, Suite A, Dodge City, KS 67801	Phone 620.225.8888
There has been and be to the same the s	KCC District Office #2 / UPGS - 3450 N. Rock Road, Building 600, Suite 601, Wichita, KS 67226	Phone 316.630.4000
Section Sect	KCC District Office #3 - 1500 SW Seventh Steet, Chanute, KS 66720	Phone 620.432.2300
	KCC District Office #4 - 2301 E. 13th Street, Hays, KS 67601-2651	Phone 785.625.0550

General

120860 Well ID Well Arlie 18-2 Company Sandridge Operator _ * _ Lease Name Arlie 18-2 Elevation 2153.00 ft Production Method Other

Dataset Description

Comment

Surface Unit

Manufacturer Unit Class Conventional Unit API Number Measured Stroke Length - * - in CWRotation - * - Klb Counter Balance Effect (Weights Level) Weight Of Counter Weights 2000 lb

Prime Mover

Motor Type Rated HP Electric - * - HP 24 hr/day Run Time MFG/Comment

_ * _

Electric Motor Parameters

Rated Full Load AMPS _ * _ Rated Full Load RPM _ * _ 1200 Synchronous RPM Voltage _ * _ Hertz 60 Phase 3 Power Consumption 5

Power Demand 8 \$/KW

Tubulars		
Tubing OD	2.375	in
Casing OD	5.500	in
Average Joint Length	31.700	ft
Anchor Depth	-*-	ft
Kelly Bushing	12.00	ft

Pump

Plunger Diameter - * - in Pump Intake Depth 5068.00 ft **Total Rod Length < Pump Depth

Polished Rod

Polished Rod Diameter - * - in

Rod Strir	ıg
-----------	----

Kou String							
	Top Taper	Taper 2	Taper 3	Taper 4	Taper 5	Taper 6	
Rod Type	_ * _	-*-	-*-	-*-	- * -	- * -	
Rod Length	-*-	-*-	-*-	- * -	-*-	- * -	ft
Rod Diameter	- * -	_ * _	_ * _	- * -	- * -	_ * _	in
Rod Weight	0.0	0.0	0.0	0.0	0.0	0.0	lb
Total Rod Length	0						
Total Rod Weight	0.00						
Damp Up	0.05						
Damp Down	0.05						

Conditions

Pressure			Production		
Static BHP	716.7	psi (g)	Oil Production	0	BBL/D
Static BHP Method	Acoustic		Water Production	1	BBL/D
Static BHP Date	09/14/2016		Gas Production	_ * _	Mscf/D
			Production Date	09/14/2016	
Producing BHP	_ * _	psi (g)			
Producing BHP Method	_ * _		Temperatures		
Producing BHP Date	_ * _		Surface Temperature	70	deg F
Formation Depth	5907.00	ft	Bottomhole Temperature	150	deg F
Surface Producing	Pressures		Fluid Properties		
Tubing Pressure	-*-	psi (g)	Oil API	40	deg.API
Casing Pressure	304.5	psi (g)	Water Specific Gravity	1.05	Sp.Gr.H2O


Page 1


Casing Pressure Buildup


Change in Pressure 0.020 psi Over Change in Time 2.00 min


TOTAL WELL MANAGEMENT by ECHOMETER Company 09/14/16 11:39:57

Gyrodata, Inc. Mid-Continent









Conservation Division District Office No. 1 210 E. Frontview, Suite A Dodge City, KS 67801



Phone: 620-225-8888 Fax: 620-225-8885 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

September 20, 2016

Wanda Ledbetter SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Temporary Abandonment API 15-033-21572-00-00 ARLIE 18-2 SE/4 Sec.18-31S-19W Comanche County, Kansas

Dear Wanda Ledbetter:

"Your temporary abandonment (TA) application for the well listed above has been approved. In accordance with K.A.R. 82-3-111 the TA status of this well will expire 09/20/2017.

- * If you return this well to service or plug it, please notify the District Office.
- * If you sell this well you are required to file a Transfer of Operator form, T-1.
- * If the well will remain temporarily abandoned, you must submit a new TA application, CP-111, before 09/20/2017.

You may contact me at the number above if you have questions.

Very truly yours,

Michael Maier"