KOLAR Document ID: 1317597

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No.: |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| Name: | Spot Description: |
| Address 1: | SecTwpS. R East West |
| Address 2: | Feet from North / South Line of Section |
| City: State: Zip:+ | Feet from _ East / _ West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | □NE □NW □SE □SW |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 |
| Purchaser: | County: |
| Designate Type of Completion: | Lease Name: Well #: |
| New Well Re-Entry Workover | Field Name: |
| | Producing Formation: |
| ☐ Oil ☐ WSW ☐ SWD ☐ Gas ☐ DH ☐ EOR | Elevation: Ground: Kelly Bushing: |
| | Total Vertical Depth: Plug Back Total Depth: |
| CM (Coal Bed Methane) | Amount of Surface Pipe Set and Cemented at: Feet |
| Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet |
| Operator: | If Alternate II completion, cement circulated from: |
| Well Name: | feet depth to:w/sx cmt. |
| Original Comp. Date: Original Total Depth: | |
| □ Deepening □ Re-perf. □ Conv. to EOR □ Conv. to SWD □ Plug Back □ Liner □ Conv. to GSW □ Conv. to Producer | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) |
| Commingled Permit #: | Chloride content: ppm Fluid volume: bbls |
| Dual Completion Permit #: | Dewatering method used: |
| SWD Permit #: | Location of fluid disposal if hauled offsite: |
| EOR Permit #: | · |
| GSW Permit #: | Operator Name: |
| | Lease Name: License #: |
| Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date | Quarter Sec. Twp. S. R. East West County: Permit #: |
| | 1 011111111 |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|-----------------------------------------------------|
| Confidentiality Requested |
| Date: |
| Confidential Release Date: |
| ☐ Wireline Log Received ☐ Drill Stem Tests Received |
| Geologist Report / Mud Logs Received |
| UIC Distribution |
| ALT I II Approved by: Date: |

KOLAR Document ID: 1317597

Page Two

| Operator Name: _ | | | | Lease Name: | | | Well #: | |
|---------------------------------------------------------------------------------------------|---------------------|-----------------------|------------------------------|-----------------------|---------------------------------------|-----------------------------------------|---------------------------------------------------------|------------------------------------------------|
| Sec Twp. | S. R. | Ea | ast West | County: | | | | |
| | flowing and shu | ıt-in pressures, w | hether shut-in pre | ssure reached st | atic level, hydrosta | tic pressures, bot | | val tested, time tool erature, fluid recovery, |
| Final Radioactivity files must be subm | | | | | | iled to kcc-well-lo | gs@kcc.ks.gov | . Digital electronic log |
| Drill Stem Tests Ta | | | Yes No | | _ | on (Top), Depth ar | | Sample |
| Samples Sent to G | Geological Surv | ey | Yes No | Na | me | | Тор | Datum |
| Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru | _ | | Yes No Yes No Yes No | | | | | |
| | | R | | | New Used | on, etc. | | |
| Purpose of Strir | | Hole | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | | |
| | | | | | | | | |
| | | | ADDITIONAL | CEMENTING / S | QUEEZE RECORD | I | | |
| Purpose: | | epth Ty | pe of Cement | # Sacks Used | | Type and F | Percent Additives | |
| Protect Casi | | | | | | | | |
| Plug Off Zon | | | | | | | | |
| Did you perform a Does the volume o Was the hydraulic | of the total base f | luid of the hydraulic | fracturing treatment | _ | = | No (If No, sk | ip questions 2 an ip question 3) out Page Three (| , |
| Date of first Producti Injection: | ion/Injection or Re | esumed Production | / Producing Meth | nod: | Gas Lift 0 | Other (Explain) | | |
| Estimated Production Per 24 Hours | on | Oil Bbls. | | | | | Gas-Oil Ratio | Gravity |
| DISPOS | SITION OF GAS: | | N | METHOD OF COMP | LETION: | | | N INTERVAL: Bottom |
| | _ | on Lease | Open Hole | | | mmingled mit ACO-4) | Тор | Bottom |
| , | , Submit ACO-18.) | | | | · · · · · · · · · · · · · · · · · · · | | | |
| Shots Per Foot | Perforation Top | Perforation Bottom | Bridge Plug Type | Bridge Plug Set At | Acid | Fracture, Shot, Cer (Amount and Kind | menting Squeeze I of Material Used) | Record |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TUBING RECORD: | Size: | Set / | At: | Packer At: | | | | |
| . 5213 (1200) 10. | JIEG. | | | . 30.0.71 | | | | |

| Form | ACO1 - Well Completion |
|-----------|------------------------|
| Operator | Colt Energy Inc |
| Well Name | PENDLEY 28 |
| Doc ID | 1317597 |

Perforations

| Shots Per Foot | Perforation Record | Material Record | Depth |
|----------------|--------------------|---------------------------------------------------------------------------|-----------|
| 4 | 1338-1351 | 181 BBL of Gel'd water, 5 sx 16/30 sand, and 55 sx of 12/20 sand | 1338-1386 |
| 4 | 1354-1364 | | |
| 4 | 1366-1371 | | |
| 4 | 1378-1386 | | |

| Form | ACO1 - Well Completion |
|-----------|------------------------|
| Operator | Colt Energy Inc |
| Well Name | PENDLEY 28 |
| Doc ID | 1317597 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------|----|----------------------------------|
| Surface | 11.75 | 8.625 | 22 | 43 | Portland | 14 | None |
| Production | 6.75 | 4.5 | 9.5 | 1464 | Thick Set | | Pheno- Seal 2#/sx |
| | | | | | | | |
| | | | | | | | |

PO Box 92 EUREKA, KS 67045 (620) 583-5561



Cement or Acid Field Report
Ticket No. 2908
Foreman Camp Euroca

| API 15-207- Date Cust ID # | | ease & Well Number | | Section | Township | Range | T C | 1 0 |
|-----------------------------------------------------------------------------------------------------------------|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------------------------------------|-------------------------|-----------|------------|---------------------------|
| 8-19-16 1003 | Peno | aley #20 | 8 | 22 | 26 | 14 | County | State × S |
| ustomer | | | Safety | Unit # | - Dn | ver | Unit # | Driver |
| Colf Energy - ailing Address Po. Box 38 | | | Meeting R n | 110 | 244 | ck | | Silver |
| Tola | State K S | Zip Code | Rick. | | | | | Lason |
| ising Depth 1464 | Hole I | Depth Size | 8 | Slurry Wt | | Dril | bing | |
| sing Depth 1464 sing Size & Wt. 42 H splacement 2334 marks: Safely 15 Bill Water | Hole I Hole Cemel Displa | Depth Size of Left in Casing accernent PSI Tob Proc | و ا | Slurry Wt Water Gal/SK Bump Plug to | 13.8 | Oth BP | Il Pipe | -Influr |
| ising Depth 1464 using Size & Wt. 42 II splacement 23 34 imarks: Safety 15 Bol Water 16 12 34 Bol Toat, Fluat M | Hole I Hale 5 Cemei Displa Mix + 20 | Depth Size Int Left in Casing accement PSI Tob Proc MP & SY ES SE COMENT ANT FOUND INTERNAL STATE OULLING FOUND TO THE STATE OULLING TO THE STATE OULLING TO THE STATE TO THE STATE OULLING TO THE STATE TO THE STATE | 00 E | Slurry Wt | 13.8 1300 0 4/2 (| Oth BP | Break Circ | -Influr- cent since |

| Code | Qty or Units | Description of Product or Services | I Haria Duiana T | |
|--------|--------------|-----------------------------------------|---------------------|-------------------------|
| C-101 | 1 | Pump Charge | Unit Price | Total |
| -107 | 25 | Mileage | to the things to be | 940.80 |
| 201 | 150 | Ski Thick set come I | | |
| -20B | 300 " | + hemosen = 2# Pellsk | | 1,213 |
| -30E | 300 n | get Flush | | |
| -214 | 40 " | Hells | | 18 60 |
| -108 A | 8.25 | TONE TON MILEMAR BUIK Treek | D) yu taeten | 375.8 |
| 403 | 1 | 4 /2 75 2 Rubber 4 mg | E 5 6 5 10 1 | . (7 2). [0] |
| | | | | |
| | | - (- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 | | |
| | | | | Ž. 177. E4 |
| | 7 | 2 | Sales Tax | |

I agree to the payment ferms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.

Andrew King - Manager/Driller Mud Rotary Drilling

Bar Drilling, LLC Phone: (719) 210-8806

| Mud Rot | Mud Rotary Drilling | 6u | | | Bar | Bar Drilling, LLC | , LLC | | | | | | 1317 | 1317 105th Rd. |
|------------------|---------------------|-------------------------------|----------------|----------|------------|-----------------------|----------------------|---------|--------|-------------|------|---------------|-----------|------------------------|
| Augue | Aing - Ma | Andrew Aing - Manager/Uriller | | | Pho | Phone: (719) 210-8606 | 210-8806 | | | | | Yat | es Center | Yates Center, KS 66783 |
| | Company | Company/Operator | Well No. | Lear | Lease Name | | Well Location | ion | 1/4 | 1/4 | 1/4 | Sec. | Two | Ros |
| Colt Energy Inc. | gy Inc. | | 28 | ď | Pendley | 2 | 2171' fsl, 1932' fel | 32' fel | SW | | S N | 22 | 265 | 4 |
| P O Box 388 | 388 | | Well API # | | Type/Weil | = | County | | State | Total Depth | +- | Date Started | - | Date Completed |
| lola, KS 66749 | 66749 | | 15-207-29337 | 337 | ō | | Woodson | u | S. | 1473 | | 8/12/2016 | 8/1 | 8/18/2016 |
| O. | b/Project | Job/Project Name/No. | Surface Record | paca | | 81 8 | Bit Record | | | | ဝိ | Coring Record | _ | |
| | | | | 200 | Type | Size | From | 2 | Core # | H | Size | From | To. | % Rec. |
| | Driller | Driller/Crew | Bit Size: | 11 1/4 | PDC | 11 1/4 | Ó, | 43' | - | - E | 3# | 1356 | 1385 | 100 |
| Andy King | £ | | Casing Size: | 8 5/8 | PDC | 6 3/4 | 43 | 1473' | | | | | | |
| Charles King | Ging | | Casing Length: | 43. | | | | | | | T | | | |
| | | | Cement Used: | 14sx | | | | | | | | | | |
| | | | Cement Type: | Portland | | | | | | | r | | | |
| | | | | | For | Formation R | Record | | | | 1 | | | |
| From | To | Fort | Formation | From | To | | Formation | | From | L | To | Ĭ, | Formation | |
| 0 | 2 | Overburden | | 1472 | 1473 | | Miss Lime | | | | | | | |
| 8 | 280 | shale | | | | | | | | L | | | | |
| 280 | 546 | lansing lime | | | | | | | | | | | | |
| 546 | 622 | shale | | | | | | | | | | | | |
| 622 | 803 | Kc lime | | | | | | | | | | | | |
| 803 | 907 | shake | | | | | | | | L | T | | | |
| 206 | 917 | lime | | | | | | | | | | | | |
| 917 | 929 | shale | | | | | | | | | | | | |
| 929 | 942 | lime | | | | | | | | | | | | |
| 942 | 1036 | sandy shale | | | | | | | | | | | | |
| 1036 | 1055 | Ft. Scott lime | | | | | | | | | | | | |
| 1055 | 1085 | shale | | | | | | | | | | | | |
| 1085 | 1121 | lime | | | | | | | | | | | | |
| 1121 | 1128 | shale | | | | | | | | _ | | | | |
| 1128 | 1137 | sand, oil show | | | | | | | | | | | | |
| 1137 | 1196 | sandy shale | | | | | | | | | | | | |
| 1196 | 1198 | lime | | | | | | | | | | | | |

Well Notes: ran 4 1/2" casing

grey sand, odor

oil sand core sandy shale

1472 1385

1356 1385

sandy shale

1294 1296 1340 1350

1294 1340 1350

sandy shale

1198

black shale