



FIELD ORDER N^o C 43918

LongString

BOX 438 • HAYSVILLE, KANSAS 67060
316-524-1225

DATE 4-15-16 20

IS AUTHORIZED BY: Deer Petroleum (NAME OF CUSTOMER)

Address _____ City _____ State _____

To Treat Well As Follows: Lease GL Schmidt Well No. B-1 Customer Order No. _____

Sec. Twp. Range _____ County Rice State KS

CONDITIONS: As a part of the consideration hereof it is agreed that Copeland Acid Service is to service or treat at owners risk, the hereinbefore mentioned well and is not to be held liable for any damage that may accrue in connection with said service or treatment. Copeland Acid Service has made no representation, expressed or implied, and no representations have been relied on, as to what may be the results or effect of the servicing or treating said well. The consideration of said service or treatment is payable. There will be no discount allowed subsequent to such date. 6% interest will be charged after 60 days. Total charges are subject to correction by our invoicing department in accordance with latest published price schedules.

The undersigned represents himself to be duly authorized to sign this order for well owner or operator.

THIS ORDER MUST BE SIGNED BEFORE WORK IS COMMENCED

Well Owner or Operator

By

Agent

CODE	QUANTITY	DESCRIPTION	UNIT COST	AMOUNT
2	45	mileage pump truck	4. ⁰⁰ / ₁₀₀	180. ⁰⁰ / ₁₀₀
2	45	mileage pickup	2. ⁰⁰ / ₁₀₀	90. ⁰⁰ / ₁₀₀
2	1	Pump Chassis - Long String		1,600. ⁰⁰ / ₁₀₀
2	250	60/100 per. 2% cel.	10. ⁷⁵ / ₁₀₀	2,687. ⁵⁰ / ₁₀₀
2	100 [#]	C-47a	8. ⁵⁰ / ₁₀₀	850. ⁰⁰ / ₁₀₀
2	100 [#]	C-41p	3. ⁷⁵ / ₁₀₀	375. ⁰⁰ / ₁₀₀
2	900 [#]	Gilsonite	.75	675. ⁰⁰ / ₁₀₀
2	1,000 [#]	Salt	.75	750. ⁰⁰ / ₁₀₀
2	5	Turbo-Controllers	85. ⁰⁰ / ₁₀₀	425. ⁰⁰ / ₁₀₀
2	32	Baskets	155. ⁰⁰ / ₁₀₀	310. ⁰⁰ / ₁₀₀
2	1	5 1/2" float shoe w/ outer fill		355. ⁰⁰ / ₁₀₀
2	1	5 1/2" latch down plug & baffle		175. ⁰⁰ / ₁₀₀
2	1	Rot. Head Rental		250. ⁰⁰ / ₁₀₀
2	600	Mud-flush	.75	450. ⁰⁰ / ₁₀₀
2	292	Bulk Charge 12.05T x 45m = 542.25Tm x 1. ¹⁰ / ₁₀₀	1. ²⁵ / ₁₀₀	365. ⁰⁰ / ₁₀₀
		Bulk Truck Miles ↪	1. ¹⁰ / ₁₀₀	596. ⁰⁰ / ₁₀₀
		Process License Fee on _____ Gallons		
TOTAL BILLING				9,633. ⁹³ / ₁₀₀

I certify that the above material has been accepted and used; that the above service was performed in a good and workmanlike manner under the direction, supervision and control of the owner, operator or his agent, whose signature appears below.

Copeland Representative Nathan W.

Station G.B

Dick S.

Well Owner, Operator or Agent

Remarks _____

NET 30 DAYS



TREATMENT REPORT

Acid Stage No. _____

Date 4/15/2016 District G.B. F.O. No. C43918
 Company Bear Petroleum
 Well Name & No. GL Schmidt B#1
 Location _____ Field _____
 County Rice State KS

Casing: Size 5.5" Type & Wt. Used Set at _____ ft.
 Formation: _____ Perf. _____ to _____
 Formation: _____ Perf. _____ to _____
 Formation: _____ Perf. _____ to _____

Liner: Size _____ Type & Wt. _____ Top at _____ ft. Bottom at _____ ft.
 Cemented: Perforated from _____ ft. to _____ ft.
 Tubing: Size & Wt. _____ Swung at _____ ft.
 Perforated from _____ ft. to _____ ft.

Open Hole Size _____ T.D. _____ ft. P.B. to _____ ft.

Type Treatment: Amt. Type Fluid Sand Size Pounds of Sand

Bkdown _____ Bbl./Gal. _____
 _____ Bbl./Gal. _____
 _____ Bbl./Gal. _____
 _____ Bbl./Gal. _____
 Flush _____ Bbl./Gal. _____

Treated from _____ ft. to _____ ft. No. ft. 0
 from _____ ft. to _____ ft. No. ft. 0
 from _____ ft. to _____ ft. No. ft. 0

Actual Volume of Oil / Water to Load Hole: _____ Bbl./Gal.

Pump Trucks. No. Used: Std. 320 Sp. _____ Twin _____
 Auxiliary Equipment 360/310
 Personnel Nathan Greg Terry
 Auxiliary Tools _____
 Plugging or Sealing Materials: Type _____ Gals. _____ lb.

Company Representative Dick S. Treater Nathan W.

TIME a.m./p.m.	PRESSURES		Total Fluid Pumped	REMARKS
	Tubing	Casing		
8:30		5.5"		On Location. Rig rigging up to run casing. (Ran91jts.)
				5.5"-3771' Centralizers-1-3-7-11-15
				Baffle-3730' Baskets-2-12
				Tag bottom. Break circulation with mud pump. Circulate pipe down approximately 6' to hard bottom. Circulate for 30 minutes.
				Pump 600gal of mud flush.
				Plug rat hole with 30sks 60/40poz Plug mouse hole with 20sks
1:20				Mix 25sks 60/40poz Mix 175sks 60/40poz 2%gel 12%salt .75%C-41p .75%C-47a 5#/sk Gilsonite.
				Wash out pump and lines.
2:00				Displace with 88.7bbls at 6.5bpm-900# Plug landed at 1100# Pressure up to 1300# Held. Release pressure. Float Held.
				Thank You!
				Nathan W.