


Comeau #1-21






Hoisington, Kansas

Michael Carroll
620-617-0368
carroll.dtlc@gmail.com

General Information

| | |
|-------------------------|-------------------------------|
| Company Name | MG Oil INC |
| Contact | Chad Counts |
| Well Name | Comeau #1-21 |
| Unique Well ID | Dst #1 Lans/KC E&F 3060-3085' |
| Surface Location | Sec 21-11s-16w Ellis County |
| Field | Chrisler |
| Well Type | Vertical |
| Test Type | Drill Stem Test |
| Well Operator | MG Oil INC |
| Formation | Dst #1 Lans/KC E&F 3060-3085' |
| Well Fluid Type | 01 Oil |
| Test Purpose | Initial Test |
| Start Test Date | 2016/08/26 |
| Start Test Time | 13:15:00 |
| Final Test Time | 17:38:00 |
| Job Number | P0126 |
| Report Date | 2016/08/26 |
| Prepared By | Michael Carroll |



TEST RECOVERY

| | | | | |
|----------------|---------------------|------------|-------------|--------------|
| Remarks | Recovery: | 1' | Mud | 100%M |
| | Total Fluid: | 1' | | |
| | Tool Sample: | 2%O | 98%M | |



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: COMEAU#1-21DST#1

TIME ON: 1315
TIME OFF: 1738

Company MG OIL INC Lease & Well No. COMEAU #1-21
Contractor ROYAL DRLG RIG 1 Charge to MG OIL INC
Elevation 1777EST Formation LANS/KC E&F Effective Pay _____ Ft. Ticket No. P0126
Date 8-26-16 Sec. 21 Twp. _____ 11 S Range _____ 16 W County ELLIS State KANSAS
Test Approved By CHAD COUNTS Diamond Representative Michael Carroll

Formation Test No. 1 Interval Tested from 3060 ft. to 3085 ft. Total Depth 3085 ft.
Packer Depth 3055 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth 3060 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3048 ft. Recorder Number 5950 Cap. 5000 P.S.I.
Bottom Recorder Depth (Outside) 3064 ft. Recorder Number 0230 Cap. 5000 P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type Chem Viscosity 51 Drill Collar Length 0 ft. I.D. 2 1/4 in.
Weight 9.1 Water Loss 8.0 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
Chlorides 3000 P.P.M. Drill Pipe Length 3035 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number NA Test Tool Length 25 ft. Tool Size 3 1/2-IF in.
Did Well Flow? NO Reversed Out NO Anchor Length 25 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WSB-DIED IN 15 MINUTES NOBB
2nd Open: NO BLOW-BUILT TO WSB IN 15 MINUTES NOBB

Recovered 1 ft. of MUD 100%M
Recovered 1 ft. of TOTAL FLUID
Recovered _____ ft. of _____
Recovered _____ ft. of _____

| | |
|---------------------------------------|---------------|
| Recovered _____ ft. of _____ | Price Job |
| Recovered _____ ft. of _____ | Other Charges |
| Remarks: <u>TOOL SAMPLE: 2%O 98%M</u> | Insurance |
| | Total |

Time Set Packer(s) 2:51 P.M. A.M. P.M. Time Started Off Bottom 4:21 P.M. A.M. P.M. Maximum Temperature 99

Initial Hydrostatic Pressure..... (A) 1468 P.S.I.
Initial Flow Period..... Minutes 15 (B) 10 P.S.I. to (C) 11 P.S.I.
Initial Closed In Period..... Minutes 30 (D) 238 P.S.I.
Final Flow Period..... Minutes 15 (E) 12 P.S.I. to (F) 11 P.S.I.
Final Closed In Period..... Minutes 30 (G) 172 P.S.I.
Final Hydrostatic Pressure..... (H) 1458 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.