

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1318490

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
Name:	fact from   E /   W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip: +	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	Target Formation(s):
	Negroot League or unit boundary line (in feetage):
Well Drilled For: Well Class: Type Equipment	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: II III
II OVVVVO. Old Well Information as follows.	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
B: (:   B : (   H : (   H   0 )	Water Source for Drilling Operations:
	S No Well Farm Pond Other:
If Yes, true vertical depth:	DWK Fellill #.
Bottom Hole Location:	(Note. Apply for Fernit War DVV )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and e	ventual plugging of this well will comply with K.S.A. 55 et. seg.
	ventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel	l;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> poster	l; ed on each drilling rig;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sh</i>	l; ed on each drilling rig; <i>all be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i>
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f	l; ed on each drilling rig; <i>all be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i>
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f	l; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. nd the district office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> posts  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f  4. If the well is dry hole, an agreement between the operator a  5. The appropriate district office will be notified before well is e  6. If an ALTERNATE II COMPLETION, production pipe shall be	I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. nd the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> posts  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f  4. If the well is dry hole, an agreement between the operator a  5. The appropriate district office will be notified before well is e  6. If an ALTERNATE II COMPLETION, production pipe shall be  Or pursuant to Appendix "B" - Eastern Kansas surface casin	I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date.  Ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> posts  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f  4. If the well is dry hole, an agreement between the operator a  5. The appropriate district office will be notified before well is e  6. If an ALTERNATE II COMPLETION, production pipe shall be  Or pursuant to Appendix "B" - Eastern Kansas surface casin	I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. nd the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> posts  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f  4. If the well is dry hole, an agreement between the operator a  5. The appropriate district office will be notified before well is e  6. If an ALTERNATE II COMPLETION, production pipe shall be  Or pursuant to Appendix "B" - Eastern Kansas surface casin	I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date.  Ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> posts  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f  4. If the well is dry hole, an agreement between the operator a  5. The appropriate district office will be notified before well is e  6. If an ALTERNATE II COMPLETION, production pipe shall be  Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w	I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date.  In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> posts  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f  4. If the well is dry hole, an agreement between the operator a  5. The appropriate district office will be notified before well is e  6. If an ALTERNATE II COMPLETION, production pipe shall be  Or pursuant to Appendix "B" - Eastern Kansas surface casin	I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date.  In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> posts  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f  4. If the well is dry hole, an agreement between the operator a  5. The appropriate district office will be notified before well is e  6. If an ALTERNATE II COMPLETION, production pipe shall be  Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w	I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date.  In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> posts  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f  4. If the well is dry hole, an agreement between the operator a  5. The appropriate district office will be notified before well is e  6. If an ALTERNATE II COMPLETION, production pipe shall be  Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w	I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Indicate the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> posts  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f  4. If the well is dry hole, an agreement between the operator a  5. The appropriate district office will be notified before well is e  6. If an ALTERNATE II COMPLETION, production pipe shall be  Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w	I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel: 2. A copy of the approved notice of intent to drill <i>shall be</i> posts: 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f. 4. If the well is dry hole, an agreement between the operator a: 5. The appropriate district office will be notified before well is e: 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the w.  Submitted Electronically  For KCC Use ONLY  API # 15 -	l; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	l; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the w  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	l; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	l; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel: 2. A copy of the approved notice of intent to drill <i>shall be</i> posts: 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f. 4. If the well is dry hole, an agreement between the operator a: 5. The appropriate district office will be notified before well is e: 6. If an ALTERNATE II COMPLETION, production pipe shall be: Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the w.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	l; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the w  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	l; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel: 2. A copy of the approved notice of intent to drill <i>shall be</i> posts: 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f. 4. If the well is dry hole, an agreement between the operator a: 5. The appropriate district office will be notified before well is e: 6. If an ALTERNATE II COMPLETION, production pipe shall be: Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the w.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	l; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Indicate the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:		Location of We	ell: County:
_ease:			feet from N / S Line of Section
Well Number:			feet from E / W Line of Section
Field:		Sec	Twp S. R
	well:	is Section.	Regular or Irregular
		If Section is I	rregular, locate well from nearest corner boundary.
		Section corner	
		PLAT	
	_		lary line. Show the predicted locations of
lease roads, tank ba			as Surface Owner Notice Act (House Bill 2032).
	tou may	y attach a separate plat if desir 80 ft.	ed.
: :	: :	<del></del>	- 1730 ft.
			LEGEND
: : : : : : : : : : : : : : : : : : : :	i i i i i i i i i i i i i i i i i i i	: : : : : : : : : : : : : : : : : : : :	LEGEND
:	: :	: :	<ul> <li>Well Location</li> </ul>
			Tank Battery Location
	·		Pipeline Location
			Electric Line Location
			Lease Road Location
			EXAMPLE
	14		
	······································		
		: :	
: : :		: : :	1980' FSL
: : : : : : : : : : : : : : : : : : : :	:	:	
		: :	
			SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

1318490

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:				
Emergency Pit Burn Pit	Proposed Existing		SecTwpR East West	
Settling Pit Drilling Pit	If Existing, date con	structed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
	(bbls)		County	
Is the pit located in a Sensitive Ground Water A	rea? Yes 1	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No Artificial Liner?  Yes No		0	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	pest point:	(feet) No Pit	
material, thickness and installation procedure.		liner integrity, in	cluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallow Source of inforr	west fresh water feet. nation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
	ксс	OFFICE USE OI	NLY  Liner Steel Pit RFAC RFAS	
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No	



## Kansas Corporation Commission Oil & Gas Conservation Division

1318490 Form KSONA-1

January 2014

Form Must Be Typed
Form must be Signed

All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	_ Well Location:			
Name:				
Address 1:	County:			
Address 2:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:			
Contact Person:				
Phone: ( ) Fax: ( )	_			
Email Address:	-			
Surface Owner Information:				
Name:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 1:				
Address 2:				
City: State: Zip:+	-			
the KCC with a plat showing the predicted locations of lease roads, to are preliminary non-binding estimates. The locations may be entered.  Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax.  I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and			
	ing fee with this form. If the fee is not received with this form, the KSONA-1			
Submitted Electronically				

API # 15	
IN ALL CASES PLOT THE INTER	NDED WELL ON THE PLAT BELOW
In all cases, please fully complete this side of the for	rm. Include items 1 through 5 at the bottom of this page.
/	
Operator: Slawson Exploration Company, Inc.	Location of Well: County: Thomas
Lease: Kistler	feet from N / S Line of Section
Well Number: 2-14 Field: Wildcat	1730 feet from E / W Line of Section Sec. 14 Twp. 9 S. R. 34 E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: NW - NF - NW - NNE.	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
The state of the s	LAT
Show location of the well. Show footage to the nearest	lease or unit boundary line. Show the predicted locations of
	duired by the Kansas Surface Owner Notice Act (House Bill 2032). Separate plat if desired.
80 ft.	
10 Hoylina	1730 ft.
\\_\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	LEGEND
	O Well Location
	Tank Battery Location Pipeline Location
// : \ \ \ \ : \ \ \ : \ \ : \ : \ : \ :	Electric Line Location
	Lease Road Location
	EXAMPLE
14	
/ (	
	1980' FSL
	·························

## NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

For KCC Use ONLY

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

# **NOTICE**

# **Nearest Lease or Unit Boundary Line**

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.