

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC    | Use:   |  |
|------------|--------|--|
| Effective  | Date:  |  |
| District # |        |  |
| SGA?       | Yes No |  |

\_ Agent: \_

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1319222

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

| Expected Spud Date:  | Spot Description:  |
|--|--|
| month day year   | , Sec Twp S. R E   |
| DPERATOR: License#   | feet from N / S Line of Section  |
| Name:  | feet from E / W Line of Section  |
| Address 1:   | Is SECTION: Regular Irregular?   |
| ddress 2:  | (Note: Locate well on the Section Plat on reverse side)  |
| City: State: Zip: +  | County:  |
| Contact Person:  | Lease Name: Well #:  |
| hone:  | Field Name:  |
| CONTRACTOR: License#   | Is this a Prorated / Spaced Field?   |
| lame:  | Target Formation(s):   |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary line (in footage):  |
| Oil Enh Rec Infield Mud Rotary   | Ground Surface Elevation:feet MS   |
| Gas Storage Pool Ext. Air Rotary   | Water well within one-quarter mile:  |
| Disposal Wildcat Cable   | Public water supply well within one mile:  |
| Seismic ; # of Holes Other   | Depth to bottom of fresh water:  |
| Other:   | Depth to bottom of usable water:   |
| If OMMAND, and well information as follows:  | Surface Pipe by Alternate: III   |
| If OWWO: old well information as follows:  | Length of Surface Pipe Planned to be set:  |
| Operator:  | Length of Conductor Pipe (if any):   |
| Well Name:   | Projected Total Depth:   |
| Original Completion Date: Original Total Depth:  | Formation at Total Depth:  |
| virectional, Deviated or Horizontal wellbore?  | Water Source for Drilling Operations:  |
| f Yes, true vertical depth:  | Well Farm Pond Other:  |
| Bottom Hole Location:  | DWR Permit #:(Note: Apply for Permit with DWR )  |
| KCC DKT #:   | Will Cores be taken?   |
|  | If Yes, proposed zone:   |
|  |  |
| AFI  |  |
|  | FIDAVIT  |
| he undersigned hereby affirms that the drilling, completion and eventual plu   | FIDAVIT  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  | FIDAVIT  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;   | FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each   | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  under drilling rig;  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;   | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set   |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist   | rict office on plug length and placement is necessary <i>prior to plugging</i> ;   |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluggen.   | FIDAVIT agging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In crict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  | rict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.   |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  | FIDAVIT agging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In crict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  | rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; b |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intensity of the approved notice of intent to drill <i>shall be</i> posted on each and the intensity of the intensity of the approved notice of intent to drill <i>shall be</i> posted on each and the intensity of the intensity of the provided here in the posted of the intensity of the intensit | rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; b |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the state of the posted on each and the interval of the state of the posted on each and the interval of the state of the posted of the state of the posted of the state of th           | rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; b |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface will be notified before well is either pluge the interval of the i      | rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating rig; b |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the state of the posted on each and the interval of the state of the posted on each and the interval of the state of the posted of the state of the posted of the state of th           | rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In driving formation casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.   |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface will be notified before well is either pluge the interval of the i      | rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It is to office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  It is a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  |
| he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a sufficient of the complete of the spud date or the well shall be a sufficient of the spud because of the spud date or the well shall be a sufficient of the spud because of the spud date or the well shall be a sufficient of the spud because of the spud because of the spud date or the well shall be a sufficient of the spud because of the spud bec      | rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It is office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  It is a splugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;   |
| he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the feet to conductor pipe required  | rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  In all cases, NOTIFY district 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;  |
| he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required  | rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this price on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date.  It is a system of the system of t |
| The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required   | rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  In all cases, NOTIFY district 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard interval of the standard interval of the second interval of the sec      | rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this price on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  |



| For KCC Use ONLY |   |
|------------------|---|
| API # 15         | _ |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:   |  |  |  |
|---|--|--|--|
| Lease:  |  |  |  |
| Well Number:  | feet from E / W Line of Section  |  |  |
| Field:  | SecTwpS. R 🗌 E 🗍 W   |  |  |
| Number of Acres attributable to well:                           | ─ Is Section: Regular or Irregular   |  |  |
| QTR/QTR/QTR of acreage:   |  |  |  |
|   | If Section is Irregular, locate well from nearest corner boundary.   |  |  |
|   | Section corner used: NE NW SE SW   |  |  |
| lease roads, tank batteries, pipelines and electrical lines, as | PLAT est lease or unit boundary line. Show the predicted locations of s required by the Kansas Surface Owner Notice Act (House Bill 2032). a separate plat if desired. |  |  |
| : : : :   | : : 0+ 165 ft.   |  |  |
|   | LEGEND   |  |  |
|   |  |  |  |
|   | : O Well Location  |  |  |
|   | Tank Battery Location  |  |  |
|   | · · · · · · · · · · · · · · · · · · ·  |  |  |
|   | : : Electric Line Location   |  |  |
|   | Lease Road Location  |  |  |
|   | • • •  |  |  |
|   |  |  |  |
|   |  |  |  |
|   | EXAMPLE : :  |  |  |
|   |  |  |  |
| 15  |  |  |  |
|   |  |  |  |
|   |  |  |  |
|   |  |  |  |
|   |  |  |  |
|   | 1980'FSL   |  |  |
|   | :  |  |  |
|   |  |  |  |
|   |  |  |  |
|   |  |  |  |
|   | SEWARD CO 3300' EE!  |  |  |

NOTE: In all cases locate the spot of the proposed drilling locaton.

5115 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |  |   | License Number:   |  |
|---|--|---|---|--|
| Operator Address:   |  |   |   |  |
| Contact Person:   |  | Phone Number:   |   |  |
| Lease Name & Well No.:  |  |   | Pit Location (QQQQ):  |  |
| Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Workover Pit  Haul-Off Pit | Pit is: Proposed If Existing, date con | Existing  | SecTwp R East WestFeet from North / South Line of Section                 |  |
| (If WP Supply API No. or Year Drilled)  | Pit capacity:                          | (1-1-1-)  | Feet from East / West Line of Section                                     |  |
| Is the pit located in a Sensitive Ground Water A  |  | No (bbls)   | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only) |  |
| Is the bottom below ground level?  Yes No   | Artificial Liner?                      | No  | How is the pit lined if a plastic liner is not used?                      |  |
| Pit dimensions (all but working pits):  | Length (fee                            | et)   | Width (feet) N/A: Steel Pits  |  |
| Depth fro   | om ground level to dee                 | epest point:  | (feet) No Pit   |  |
| material, thickness and installation procedure.   |  | iliner integrity, ir                                    | ncluding any special monitoring.  |  |
| Distance to nearest water well within one-mile of   | of pit:                                | Depth to shallo<br>Source of inform                     | west fresh water feet.<br>mation:   |  |
| feet Depth of water wellfe  |  | measured  | well owner electric log KDWR  |  |
| Emergency, Settling and Burn Pits ONLY:   |  | Drilling, Work  | over and Haul-Off Pits ONLY:  |  |
| Producing Formation:  |  | Type of materia   | ıl utilized in drilling/workover:   |  |
| Number of producing wells on lease:   |  | Number of working pits to be utilized:                  |   |  |
| Barrels of fluid produced daily:  |  | Abandonment p   | procedure:  |  |
| Does the slope from the tank battery allow all s flow into the pit? Yes No                    | pilled fluids to                       | Drill pits must be closed within 365 days of spud date. |   |  |
| Submitted Electronically  |  |   |   |  |
|   | KCC                                    | OFFICE USE O  | NLY Liner Steel Pit RFAC RFAS   |  |
| Date Received: Permit Num   | ber:                                   | Permi   | t Date: Lease Inspection: Yes No  |  |



1319222

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C  | Cathodic Protection Borehole Intent)  |  |  |
|--|---|--|--|
| OPERATOR: License #  | Well Location:  |  |  |
| Address 1:   | County:   |  |  |
| Address 2:   | Lease Name: Well #:   |  |  |
| City: State: Zip:+   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of  |  |  |
| Contact Person:  | the lease below:  |  |  |
| Phone: ( ) Fax: ( )  |   |  |  |
| Email Address:   |   |  |  |
| Surface Owner Information:   |   |  |  |
| Name:  | When filing a Form T-1 involving multiple surface owners, attach an additional  |  |  |
| Address 1:   | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the   |  |  |
| Address 2:   | county, and in the real estate property tax records of the county treasurer.  |  |  |
| City:  |   |  |  |
| the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following:   □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or select one of the following: | dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  ct (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. |  |  |
| KCC will be required to send this information to the surface ow  | cknowledge that, because I have not provided this information, the mer(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.   |  |  |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1  | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.  |  |  |
| Submitted Electronically   |   |  |  |

| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page

| Operator: Laymon Oil II | LLC            | Secretaria de la Contraction d |                       | Location of W                  | ell: County: Woodson  |
|-------------------------|----------------|--|-----------------------|--------------------------------|---|
| Lease: John Kramer      |                |  |                       | 5,115                          | feet from N / N S Line of Section   |
| Well Number: 2-16       |                |  |                       | 165                            | feet from X E / W Line of Section   |
| Field:                  |                |  |                       | Sec. <u>15</u>                 | Twp. 25 S. R. 17 🔀 E 🔲 W  |
| Number of Acres attri   |                |  |                       | Is Section:                    | Regular or Irregular  |
| QTR/QTR/QTR/QTR         | of acreage: _N | IE - NE  | - NE - NE             | 2 7 7 7                        |   |
|                         |                |  |                       | If Section is<br>Section corne | Irregular, locate well from nearest corner boundary. er used: NE NW SE SW                 |
|                         |                |  | d electrical lines, a |                                | dary line. Show the predicted locations of as Surface Owner Notice Act (House Bill 2032). |
|                         |                |  |                       | Λ.                             |   |
|                         |                |  |                       |                                | LEGEND  |
|                         |                |  |                       |                                | Well Location     Tank Battery Location     Pipeline Location                             |
|                         |                |  |                       |                                | Electric Line Location  Lease Road Location   |
|                         |                |  |                       |                                |   |
|                         |                |  | 15                    |                                | EXAMPLE   |
|                         |                |  |                       |                                |   |
|                         |                |  |                       |                                | 1980' FSL   |

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

October 11, 2016

Michael Laymon Laymon Oil II, LLC 1998 SQUIRREL RD NEOSHO FALLS, KS 66758-7124

Re: Drilling Pit Application John Kramer 2-16 NE/4 Sec.15-25S-17E Woodson County, Kansas

#### Dear Michael Laymon:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.