

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC Use: | |
|-----------------|--|
| Effective Date: | |
| District # | |

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1319275

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Expected Spud Date: | Spot Description: |
|---|--|
| monur day year | |
| PERATOR: License# | feet from N / S Line of Sectio |
| ame: | feet from L E / W Line of Section |
| ddress 1: | s SECTION: Regular Irregular? |
| ddress 2: | |
| ity: | County: |
| Contact Person: | Lease Name: Well #: |
| hone: | Field Name: |
| CONTRACTOR: License# | - Is this a Prorated / Spaced Field? Yes No |
| lame: | Target Formation(s): |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): |
| | Ground Surface Elevation:feet MS |
| Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: |
| Other: | Depth to bottom of usable water: |
| | Surface Pipe by Alternate: II II |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: |
| Operator: | Length of Conductor Pipe (if any): |
| Well Name: | Projected Total Depth: |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: |
| | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? Yes No | Well Farm Pond Other: |
| f Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (4) (4) (4) (5) (6) (7) (7) |
| COO DICT II | (Note : Apply for Permit with DWR) |
| CCC DKT #: | Will Cores be taken? |
| CCC DKT #: | |
| | Will Cores be taken? If Yes, proposed zone: |
| A | Will Cores be taken? If Yes, proposed zone: FFIDAVIT |
| $oldsymbol{A}$ The undersigned hereby affirms that the drilling, completion and eventual | Will Cores be taken? If Yes, proposed zone: FFIDAVIT |
| The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: | Will Cores be taken? Yes No. If Yes, proposed zone: |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each | Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each | Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constants. | Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the control of the surface of the surface well is either plus to the surface of | Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer | Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; If the total property of the total property of the underlying formation. In the underlying formation of the total property of the underlying formation. If Yes In the underlying rig; If Yes In the underl |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the control of the surface of the surface well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order | Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the control of the surface well is either plue. 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order | Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constant of the surface of the surface well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order | Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; all the complete shall be set to surface within 120 DAYS of spud date. If Yes In |
| A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> intrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constant of the surface will be notified before well is either plue. 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall | Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; all the complete shall be set to surface within 120 DAYS of spud date. If Yes In |
| The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> intrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constant of the surface of the specified before well is either plue. 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall | If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> intrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constant of the surface of the specific office will be notified before well is either plue. 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. | If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; Listrict office on plug length and placement in; Let from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is either plus to the set of the set | Yes N |
| The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall submitted Electronically For KCC Use ONLY API # 15 - | Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of the construct | If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If yet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; If yet go you can be set to surface within 120 DAYS of spud date. If yes in the set to the underlying formation is necessary prior to plugging; If yes in the set to the your case of the set to surface pipe shall be set the underlying formation. If yes in the yes in the set to set the underlying formation is necessary prior to plugging; If yes in the yes in the set to set the set the underlying formation is necessary prior to plugging; If yes in the yes in the set the set the underlying formation is necessary prior to plugging; If yes in the yes in the set the yes in t |
| The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the constant of the well is district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall submitted Electronically For KCC Use ONLY API # 15 - | Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; |
| The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall approximate the completed within 30 days of the spud date or the well shall be the construction of the well shall approximate the construction of the spud date or the well shall be the construction of the spud date or the well shall be constructed by the spud date or the well shall be constructed by the spud date or the well shall be constructed by the spud date or the well shall be constructed by the spud date or the well shall be constructed by the spud date or the well shall be constructed by the spud date or the well shall be constructed by the spud date or the well shall be constructed by the spud date or the well shall be the spud date or the well shall be constructed by the spud date or the well shall be the sum of the spud date or the well shall be the spud date or the well shall be the same of the spud date or the well shall be the spud date or the well shall be the same of the spud date or the well shall be the spud date or the well shall be the shall be the same of the spud date or the well shall be the same of the spud date or the well shall be the same of the spud date or the shall be shall be the same of the shall be s | Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated price pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the unified before well is dry hole, an agreement between the operator and the construction of the specific of the appropriate district office will be notified before well is either plus of the specific of th | Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be be completed. **Description** | Will Cores be taken? If Yes, proposed zone: FFIDAVIT Drugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |



| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: |
|--|---|
| _ease: | feet from N / S Line of Section |
| Vell Number: | feet from E / W Line of Section |
| Field: | Sec Twp S. R 🗌 E 🔲 W |
| Number of Acres attributable to well: | is section. Regulat of Integulat |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW PLAT |
| lease roads, tank batteries, pipelines and ele | tage to the nearest lease or unit boundary line. Show the predicted locations of lectrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 675 ft. |
| | LEGEND 2324 ft. O Well Location Tank Battery Location — Pipeline Location —— Electric Line Location —— Lease Road Location |
| 22 | EXAMPLE |
| | 1980' FSL |
| | SEWARD CO. 3390' FEL |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | License Number: | | |
|--|---|---|---|--|
| Operator Address: | | | | |
| Contact Person: | | Phone Number: | | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | |
| Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit is: Proposed If Existing, date con Pit capacity: | Existing extructed: extructed: extructed: extracted | SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty | |
| Is the pit located in a Sensitive Ground Water A | rea? Yes | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | |
| Is the bottom below ground level? | Artificial Liner? | lo | How is the pit lined if a plastic liner is not used? | |
| Pit dimensions (all but working pits): | Length (fee | et) | Width (feet) | |
| Depth fro | om ground level to dee | epest point: | (feet) No Pit | |
| material, thickness and installation procedure. | | | acluding any special monitoring. | |
| | | Depth to shallo Source of infor | west fresh water feet. mation: | |
| feet Depth of water well | feet | measured | well owner electric log KDWR | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Work | over and Haul-Off Pits ONLY: | |
| Producing Formation: | | Type of material utilized in drilling/workover: | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: | | |
| Barrels of fluid produced daily: | | Abandonment procedure: | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must b | e closed within 365 days of spud date. | |
| Submitted Electronically | | | | |
| KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS | | | | |
| Date Received: Permit Num | ber: | Permi | t Date: Lease Inspection: Yes No | |



1319275

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1) | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) | | |
|--|---|--|--|
| OPERATOR: License # | Well Location: | | |
| Name: | | | |
| Address 1: | County: | | |
| Address 2: | Lease Name: Well #: | | |
| City: | gg | | |
| Contact Person: | the lease below: | | |
| Phone: () Fax: () | | | |
| Email Address: | | | |
| Surface Owner Information: | | | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional | | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the | | |
| Address 2: | county, and in the real estate property tax records of the county treasurer. | | |
| City: State: Zip:+ | | | |
| the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations. | dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. cct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. | | |
| KCC will be required to send this information to the surface ow | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form. | | |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned. | | |
| Submitted Electronically | | | |

L.D. DRILLING, INC.


MAGLEY LEASE

NE. 1/4, SECTION 22, T5S, R37W

CHEYENNE COUNTY, KANSAS

Directions;

From the intersection of Highway 161 and Highway 36 (in Bird City, Kansas) go 5.0 miles East on Highway 36, then go 10.7 miles South to the NE. corner of Section 22, then go 0.44 miles West to a flagged fence south of the road, then go 0.12 miles South to location,



- * Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.
- * Approximate Section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the pracise section lines, were not necessarily located, and the exact location of the drilliste location in the section is not quaranteed. Therefore, the operator securing this service and accepting this plot and all other parties rollying thereon agree to hold Gentral Kansas Dillisid Services, inc., its officers and appropriate following the consequential damages.

Elevations derived from Notional Geodetic Vertical Datum.

s shown on this of be legally indowner. for access.

and for and

*Ingress
plat is
opened t

September 28, 2016

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

NOTICE

Nearest Lease or Unit Boundary Line

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

October 13, 2016

MARILYN DAVIS L. D. Drilling, Inc. 7 SW 26TH AVE GREAT BEND, KS 67530-6525

Re: Drilling Pit Application MAGLEY TRUST UNIT 1 NE/4 Sec.22-05S-37W Cheyenne County, Kansas

Dear MARILYN DAVIS:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.