



This Form must be Typed
Form must be Signed
All blanks must be Filled

WELL PLUGGING APPLICATION

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act,
MUST be submitted with this form.

OPERATOR: License #: _____
Name: _____
Address 1: _____
Address 2: _____
City: _____ State: _____ Zip: _____ + _____
Contact Person: _____
Phone: (_____) _____

API No. 15 - _____
If pre 1967, supply original completion date: _____
Spot Description: _____
____ - ____ - ____ Sec. ____ Twp. ____ S. R. ____ East West
____ Feet from North / South Line of Section
____ Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: _____
Lease Name: _____ Well #: _____

Check One: Oil Well Gas Well OG D&A Cathodic Water Supply Well Other: _____
 SWD Permit #: _____ ENHR Permit #: _____ Gas Storage Permit #: _____

Conductor Casing Size: _____ Set at: _____ Cemented with: _____ Sacks
Surface Casing Size: _____ Set at: _____ Cemented with: _____ Sacks
Production Casing Size: _____ Set at: _____ Cemented with: _____ Sacks

List (ALL) Perforations and Bridge Plug Sets:

Elevation: _____ (G.L. / K.B.) T.D.: _____ PBTD: _____ Anhydrite Depth: _____
(Stone Corral Formation)

Condition of Well: Good Poor Junk in Hole Casing Leak at: _____
(Interval)

Proposed Method of Plugging (attach a separate page if additional space is needed):

Is Well Log attached to this application? Yes No Is ACO-1 filed? Yes No

If ACO-1 not filed, explain why:

Plugging of this Well will be done in accordance with K.S.A. 55-101 et. seq. and the Rules and Regulations of the State Corporation Commission

Company Representative authorized to supervise plugging operations: _____
Address: _____ City: _____ State: _____ Zip: _____ + _____
Phone: (_____) _____
Plugging Contractor License #: _____ Name: _____
Address 1: _____ Address 2: _____
City: _____ State: _____ Zip: _____ + _____
Phone: (_____) _____

Proposed Date of Plugging (if known): _____

Payment of the Plugging Fee (K.A.R. 82-3-118) will be guaranteed by Operator or Agent

Submitted Electronically



CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License # _____
Name: _____
Address 1: _____
Address 2: _____
City: _____ State: _____ Zip: _____ + _____
Contact Person: _____
Phone: (_____) _____ Fax: (_____) _____
Email Address: _____

Well Location:
____ - ____ - ____ - ____ Sec. ____ Twp. ____ S. R. ____ East West
County: _____
Lease Name: _____ Well #: _____

If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:

Surface Owner Information:

Name: _____
Address 1: _____
Address 2: _____
City: _____ State: _____ Zip: _____ + _____

When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

I Submitted Electronically

I

Form	CP1 - Well Plugging Application
Operator	Vincent Oil Corporation
Well Name	SELLARD 1-14
Doc ID	1319525

Perforations And Bridge Plug Sets

Perforation Top	Perforation Base	Formation	Bridge Plug Depth
5220	5228	Conglomerate	
5250	5263	Mississippian	

QUALITY WELL SERVICE, INC.

5957

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

OFFICE

Cell 620-727-3410
Office / Fax 620-672-3663

T 000 620-300-5422

Rich's Cell 620-727-3409
Brady's Cell 620-727-6964

Date	10-3-13	Sec.	14	Twp.	23	Range	22	County	Foreo	State	Ks	On Location	5:00 AM	Finish	7:30 AM
Lease	SELLARO		Well No.	1-14		Location	Bucklin Ks W to 129 th Rd								
Contractor	DUKE DRIG #1					Owner	T.C. 13/4 S Winto								
Type Job	SURFACE					To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.									
Hole Size	12 1/4		T.D.	572 610											
Csg.	8 5/8 23#		Depth	610											
Tbg. Size			Depth												
Tool			Depth												
Cement Left in Csg.			Shoe Joint	40											
Meas Line			Displace	36.5 Bbls											
EQUIPMENT						125sx Common 2% GEL 3% CL 1/4" CF.									
Pumptrk	No.	3		M.KE		Common	125								
Bulktrk	No.	5		SEAN		Pos. Mix	115								
Bulktrk	No.	10		CHAO		Gel.	5								
Pickup	No.			TODD		Calcium	9								
JOB SERVICES & REMARKS						Hulls									
Rat Hole						Salt									
Mouse Hole						Flowseal 60									
Centralizers						Kol-Seal									
Baskets						Mud CLR 48									
D/V or Port Collar						CFL-117 or CD110 CAF 38									
Run 14 #3 8 5/8 23# NEW Csg.						Sand									
SET 610'						Handling 254									
						Mileage 50									
Hook up to csg & BREAK circ w/ris						8 5/8 FLOAT EQUIPMENT									
						Guide Shoe									
Mix & Pump 115 sx moc 3% CL 1/4" CF.						Centralizer									
11.0 #/gal						Baskets 1EA BAFFLE Plate									
Mix & Pump 125 sx Common						AFU Inserts 1EA WOODEN Plug									
2% GEL 3% CL 1/4" CF 15 #/gal						Float Shoe									
SHUT DOWN RELEASE WOODEN Plug						Latch Down									
Disc 36.5 Bbls total						LNV 50									
Close Valve on csg 600#						Pumptrk Charge SURFACE									
Plug down 27.75						Mileage 50									
Good Circ thru JO3															
Circ CNT TO PIT think TODD can see Mike															
X Signature Mike Hedley												Tax			
												Discount			
												Total Charge			

QUALITY WELL SERVICE, INC.

5958

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

OFFICE

Heath's Cell 620-727-3410

Office / Fax 620-672-3663

Rich's Cell 620-727-3409

Brady's Cell 620-727-6964

Date	10-3-13	Sec.	14	Twp.	23	Range	22	County	FOON	State	Ks	On Location	12:00 P.M.	Finish	12:45 P.M.						
Lease	SELLARO	Well No.	1-14		Location Bucklin Ks W to 129 th Rd																
Contractor	DUKE Dels #1				Owner 1 ^{3/4} S W into																
Type Job	1" JOB				To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.																
Hole Size	12 1/4		T.D.		610		Charge To Vincent Oil Corp														
Csg.	85/3 23 ^H		Depth		610		Street														
Tbg. Size			Depth		City State																
Tool			Depth																		
Cement Left in Csg.			Shoe Joint		40		The above was done to satisfaction and supervision of owner agent or contractor.														
Meas Line			Displace		36.5 Bbls		Cement Amount Ordered 100 ^{xx} Common 3 1/2 CC														
EQUIPMENT													USED 75 ^{xx}								
Pumptrk	No.	3		MIKE		Common		75													
Bulktrk	No.	5		SEAW		Poz. Mix															
Bulktrk	No.												Gel.								
Pickup	No.			TODD		Calcium		3													
JOB SERVICES & REMARKS													Hulls								
Rat Hole													Salt								
Mouse Hole													Flowseal								
Centralizers													Kol-Seal								
Baskets													Mud CLR 48								
D/V or Port Collar													CFL-117 or CD110 CAF 38								
CALLED 10:30													Sand								
CMT fell 30'													Handling		78						
ON LOG 12:00 ✓ CMT down 30													Mileage		50						
FLOAT EQUIPMENT																					
Mix & Pump 75 ^{xx} Common 3 1/2 CC													Guide Shoe								
15 ^H /GAL													Centralizer								
CELLAR Full LET 15 min													Baskets								
JET CELLAR													AFU Inserts								
JOB Complete													Float Shoe								
													Latch Down								
Thank, TODD CHAD MIKE													LMV 50								
													Pumptrk Charge								
PLEASE CALL AGAIN													Mileage		50						
Signature													Tax								
													Discount								
													Total Charge								

QUALITY WELL SERVICE, INC.


5966

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Heath's Cell 620-727-3410
Office / Fax 620-672-3663

Rich's Cell 620-727-3409
Brady's Cell 620-727-6964

Date	Sec.	Twp.	Range	County	State	On Location	Finish
10-19-13	14	29	22	Fooco	Ks	5:45 PM	11:45 AM
Lease SELLARO		Well No. 1-14		Location Bexlin Ks 3 W to 129 th Rd			
Contractor DUKE Dels #1				Owner 13/4 S W into			
Type Job Longstring				To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.			
Hole Size 7 7/8		T.D. 5620		Charge To Vincent Oil Coop			
Csg. 5 1/2 14'		Depth 5414		Street			
Tbg. Size		Depth		City State			
Tool		Depth		City State			
Cement Left in Csg.		Shoe Joint 42.38		The above was done to satisfaction and supervision of owner agent or contractor.			
Meas Line		Displace 131 Bbls		Cement Amount Ordered 225 Sx Proc			
EQUIPMENT				100% Salt 5 1/2 Sx Gilson to 5 1/2 Gnd-Hok			
Pumptrk	No. 8	CHAS		Common 225			
Bulktrk	No. 7	SEAN		Poz. Mix			
Bulktrk	No.			Gel.			
Pickup	No.	TRD		Calcium 105.75"			
JOB SERVICES & REMARKS				Hulls			
Rat Hole 30 Sx				Salt 24			
Mouse Hole 20 Sx				Flow 24 7 GAL CC-1			
Centralizers 1-3-5-7-9-11				Kol-Seal 1125'			
Baskets				Mud CLR 48 500 GAL			
D/V or Port Collar				CFL-117 or CD110 CAF 38			
Run 129 IT's 5 1/2 14" csg				Sand			
1st = 42.38 Reg G SIDE - AFU insert				Handling 249			
Hook up to csg Deep Bull BREAK (CCW) zig				Mileage 50			
Pump 3 Bbls H2O 12 Bbls M Flush 3 Bbls H2O				5 1/2 FLOAT EQUIPMENT			
Plug R- Mouse holes				Guide Shoe 1 EA			
Mix Pump 175 Sx Proc 2 15 1/4 GAL				Centralizer 6 EA			
SHUT down wash up trk & Release Plug				Baskets			
Disp 131 Bbls 2 1/2 KLL				AFU Inserts 1 EA			
Lift ps. 700 #				Float Shoe 1 EA TOP Rubber Plug			
Plug down @ 11:25 P.M 1500 #				Latch Down			
RELEASE & HOLD				LMV 50			
				Pumptrk Charge Longstring			
				Mileage 50			
Thanks Tom CHAS SEAN				Tax			
				Discount			
				Total Charge			

PLEASE
CALL
109414

Wellbore Diagram:

Company: VINCENT Oil Corp.
Well: SELLARD # 1-14
Location: 1212' FSL & 340' FEL
Sec-Twp-Rge: 14-29-22W
Elevation: 2457 KB
Type: TA GAS WELL
API # 15-057-20914-00-00

8 5/8" @ 610' W/115 SX MDC & 125 SX
COMMON. TOP OFF W/ 75 SX. COMMON
(TOTAL 315 SX.)

— STONE CORREAL ANHYDRITE @ 1398'

TOP OF CEMENT BY BAND LOG
@ 3730'

PERFS: 5220-5228'

CONGLOMERATE 5220 (-2762)

MISS. 5233 (-2776)

PERFS: 5250-5263

** TOP OF SHOE JOINT @ 5364'

5 1/2" (14#) SET @ 5406'
LIMIT W/ 175 SX. COMMON

RTD @ 5620'

MIX 1/10/16

