# 

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

\_\_ Agent: \_

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

- If well will not be drilled or permit has expired (See: authorized expiration date)

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_\_

Signature of Operator or Agent:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day	<i>year</i> Sec Twp S. R E V
OPERATOR: License#	(a/a/a/a) feet from N / S Line of Section
Name:	fact from   F /   W Line of Contin
Address 1:	LOCATION D. L. D. L. O.
Address 2:	
City: State: Zip:	t (Note: Locate Well of the Geodelin Tat of Neverse state)
Contact Person:	County
Phone:	Lease Name: Weii #:
OONTD ACTOR: Linear #	Field Name:
CONTRACTOR: License#Name:	io the at totalout opacout rola.
Name.	Target Formation(s):
Well Drilled For: Well Class: Type Eq.	uipment: Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mu	Ground Surface Elevation:feet MSI d Rotary
	Rotary Water well within one-quarter mile: Yes No
Disposal Wildcat Cat	Public water supply well within one mile:
Seismic: # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	
Original Completion Date: Original Total Dep	
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
If Yes, true vertical depth:	
Bottom Hole Location:	
KCC DKT #:	
	If Yes, proposed zone:
	, p
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion	AFFIDAVIT n and eventual plugging of this well will comply with K.S.A. 55 et. seq.
	n and eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be	n and eventual plugging of this well will comply with K.S.A. 55 et. seq.
	n and eventual plugging of this well will comply with K.S.A. 55 et. seq. e met: g of well;
It is agreed that the following minimum requirements will be 1. Notify the appropriate district office <i>prior</i> to spudding 2. A copy of the approved notice of intent to drill <i>shall k</i>	n and eventual plugging of this well will comply with K.S.A. 55 et. seq. e met: g of well;
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding  2. A copy of the approved notice of intent to drill <i>shall k</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum	n and eventual plugging of this well will comply with K.S.A. 55 et. seq. e met: g of well; be posted on each drilling rig; elow <b>shall be set</b> by circulating cement to the top; in all cases surface pipe <b>shall be set</b> of 20 feet into the underlying formation.
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding  2. A copy of the approved notice of intent to drill <i>shall k</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum  4. If the well is dry hole, an agreement between the open	n and eventual plugging of this well will comply with K.S.A. 55 et. seq.  e met: g of well; be posted on each drilling rig; elow <b>shall be set</b> by circulating cement to the top; in all cases surface pipe <b>shall be set</b> n of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary <b>prior to plugging</b> ;
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding  2. A copy of the approved notice of intent to drill <i>shall k</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum  4. If the well is dry hole, an agreement between the ope  5. The appropriate district office will be notified before well as the surface of the su	n and eventual plugging of this well will comply with K.S.A. 55 et. seq.  e met: g of well; be posted on each drilling rig; elow <b>shall be set</b> by circulating cement to the top; in all cases surface pipe <b>shall be set</b> n of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary <b>prior to plugging</b> ; well is either plugged or production casing is cemented in;
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding  2. A copy of the approved notice of intent to drill <i>shall k</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum  4. If the well is dry hole, an agreement between the ope  5. The appropriate district office will be notified before v  6. If an ALTERNATE II COMPLETION, production pipe	in and eventual plugging of this well will comply with K.S.A. 55 et. seq.  genet:  g of well;  be posted on each drilling rig;  elow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  erator and the district office on plug length and placement is necessary prior to plugging;  well is either plugged or production casing is cemented in;  shall be cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding  2. A copy of the approved notice of intent to drill <i>shall k</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum  4. If the well is dry hole, an agreement between the ope  5. The appropriate district office will be notified before v  6. If an ALTERNATE II COMPLETION, production pipe  Or pursuant to Appendix "B" - Eastern Kansas surface	an and eventual plugging of this well will comply with K.S.A. 55 et. seq.  be met:  g of well;  be posted on each drilling rig;  elow <b>shall be set</b> by circulating cement to the top; in all cases surface pipe <b>shall be set</b> nof 20 feet into the underlying formation.  erator and the district office on plug length and placement is necessary <b>prior to plugging</b> ;  well is either plugged or production casing is cemented in;  shall be cemented from below any usable water to surface within <b>120 DAYS</b> of spud date.  the casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding  2. A copy of the approved notice of intent to drill <i>shall k</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum  4. If the well is dry hole, an agreement between the ope  5. The appropriate district office will be notified before v  6. If an ALTERNATE II COMPLETION, production pipe  Or pursuant to Appendix "B" - Eastern Kansas surface	in and eventual plugging of this well will comply with K.S.A. 55 et. seq.  genet:  g of well;  be posted on each drilling rig;  elow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.  erator and the district office on plug length and placement is necessary prior to plugging;  well is either plugged or production casing is cemented in;  shall be cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding  2. A copy of the approved notice of intent to drill <i>shall k</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum  4. If the well is dry hole, an agreement between the ope  5. The appropriate district office will be notified before v  6. If an ALTERNATE II COMPLETION, production pipe  Or pursuant to Appendix "B" - Eastern Kansas surface	an and eventual plugging of this well will comply with K.S.A. 55 et. seq.  be met:  g of well;  be posted on each drilling rig;  elow <b>shall be set</b> by circulating cement to the top; in all cases surface pipe <b>shall be set</b> nof 20 feet into the underlying formation.  erator and the district office on plug length and placement is necessary <b>prior to plugging</b> ;  well is either plugged or production casing is cemented in;  shall be cemented from below any usable water to surface within <b>120 DAYS</b> of spud date.  the casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding  2. A copy of the approved notice of intent to drill <i>shall k</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum  4. If the well is dry hole, an agreement between the ope  5. The appropriate district office will be notified before v  6. If an ALTERNATE II COMPLETION, production pipe  Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of	an and eventual plugging of this well will comply with K.S.A. 55 et. seq.  be met:  g of well;  be posted on each drilling rig;  elow <b>shall be set</b> by circulating cement to the top; in all cases surface pipe <b>shall be set</b> nof 20 feet into the underlying formation.  erator and the district office on plug length and placement is necessary <b>prior to plugging</b> ;  well is either plugged or production casing is cemented in;  shall be cemented from below any usable water to surface within <b>120 DAYS</b> of spud date.  the casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding  2. A copy of the approved notice of intent to drill <i>shall k</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum  4. If the well is dry hole, an agreement between the ope  5. The appropriate district office will be notified before v  6. If an ALTERNATE II COMPLETION, production pipe  Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of	an and eventual plugging of this well will comply with K.S.A. 55 et. seq.  be met:  g of well;  be posted on each drilling rig;  elow <b>shall be set</b> by circulating cement to the top; in all cases surface pipe <b>shall be set</b> nof 20 feet into the underlying formation.  erator and the district office on plug length and placement is necessary <b>prior to plugging</b> ;  well is either plugged or production casing is cemented in;  shall be cemented from below any usable water to surface within <b>120 DAYS</b> of spud date.  the casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding 2. A copy of the approved notice of intent to drill <i>shall k</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before v 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of the spud date of the spud before v  ubmitted Electronically	an and eventual plugging of this well will comply with K.S.A. 55 et. seq.  be met:  g of well;  be posted on each drilling rig;  elow <b>shall be set</b> by circulating cement to the top; in all cases surface pipe <b>shall be set</b> nof 20 feet into the underlying formation.  erator and the district office on plug length and placement is necessary <b>prior to plugging</b> ;  well is either plugged or production casing is cemented in;  shall be cemented from below any usable water to surface within <b>120 DAYS</b> of spud date.  the casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding  2. A copy of the approved notice of intent to drill <i>shall k</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum  4. If the well is dry hole, an agreement between the ope  5. The appropriate district office will be notified before v  6. If an ALTERNATE II COMPLETION, production pipe  Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of	n and eventual plugging of this well will comply with K.S.A. 55 et. seq.  e met: g of well; be posted on each drilling rig; elow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. be casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding 2. A copy of the approved notice of intent to drill <i>shall k</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before v 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of the spud date of the spud before v  ubmitted Electronically	n and eventual plugging of this well will comply with K.S.A. 55 et. seq.  e met: g of well; be posted on each drilling rig; elow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. se casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding  2. A copy of the approved notice of intent to drill <i>shall</i> to the approved notice of intent to drill <i>shall</i> to the minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum to the well is dry hole, an agreement between the ope to the appropriate district office will be notified before	n and eventual plugging of this well will comply with K.S.A. 55 et. seq.  e met: g of well; be posted on each drilling rig; elow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. se casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding 2. A copy of the approved notice of intent to drill <i>shall k</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before v 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of t	n and eventual plugging of this well will comply with K.S.A. 55 et. seq.  e met: g of well; be posted on each drilling rig; elow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. se casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding  2. A copy of the approved notice of intent to drill <i>shall t</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum  4. If the well is dry hole, an agreement between the ope  5. The appropriate district office will be notified before v  6. If an ALTERNATE II COMPLETION, production pipe  Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of the spud d	n and eventual plugging of this well will comply with K.S.A. 55 et. seq.  e met: g of well; be posted on each drilling rig; elow shall be set by circulating cement to the top; in all cases surface pipe shall be set not 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. Se casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be  1. Notify the appropriate district office <i>prior</i> to spudding 2. A copy of the approved notice of intent to drill <i>shall k</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before v 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of t	n and eventual plugging of this well will comply with K.S.A. 55 et. seq.  e met: g of well; be posted on each drilling rig; elow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. se casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;

For KCC Use ONLY	
API # 15	_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
ease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	is occitori.     incquial of     incquial
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
lease roads, tank batteries, pipelines and electrical line	PLAT nearest lease or unit boundary line. Show the predicted locations of es, as required by the Kansas Surface Owner Notice Act (House Bill 2032).
You may at	ttach a separate plat if desired. 331 ft.
	⊙ 44 ft. LEGEND
	Electric Line Location
19	EXAMPLE
	1980' FSL
	SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1320228

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing  If Existing, date constructed:		SecTwp R East West		
Settling Pit Drilling Pit			Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
	(bbls)		County		
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No			How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	pest point:	(feet) No Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:			
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
	-				
Submitted Electronically					
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS					
Date Received: Permit Numl	ber:	Permi			

### CORRECTION #1

Kansas Corporation Commission Oil & Gas Conservation Division 1320228

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description o the lease below:		
Contact Person:			
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	odic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be I	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface ov	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

[

## **Summary of Changes**

Lease Name and Number: Christy Unit 1-19

API/Permit #: 15-171-21186-00-00

Doc ID: 1320228

Correction Number: 1

Approved By: Rick Hestermann 10/24/2016

Field Name	Previous Value	New Value
KCC Only - Approved By	Rick Hestermann 10/21/2016	Rick Hestermann 10/24/2016
KCC Only - Approved Date	10/21/2016	10/24/2016
Lease Name	Chirsty Unit	Christy Unit
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=13 20198	//kcc/detail/operatorE ditDetail.cfm?docID=13 20228