



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Dixon Operating Co

34-23S-12W Stafford

8100 E 22nd St N
Bldg 300 Ste 200
Wichita, KS 67226
ATTN: Bruce Reed

V & E 1-34

Job Ticket: 57993

DST#: 1

Test Start: 2016.06.02 @ 23:47:28

GENERAL INFORMATION:

Formation: **Viola**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 02:09:28

Time Test Ended: 05:48:58

Test Type: Conventional Bottom Hole (Initial)

Tester: Leal Cason

Unit No: 74

Interval: 3729.00 ft (KB) To 3785.00 ft (KB) (TVD)

Reference Elevations: 1867.00 ft (KB)

Total Depth: 3785.00 ft (KB) (TVD)

1862.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 5.00 ft

Serial #: 8525 Inside

Press @ Run Depth: 53.58 psig @ 3730.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2016.06.02

End Date:

2016.06.03

Last Calib.:

2016.06.03

Start Time: 23:47:29

End Time:

05:48:58

Time On Btm:


2016.06.03 @ 01:55:43

Time Off Btm:

2016.06.03 @ 04:11:28

TEST COMMENT: IF: Weak 1 inch Blow
IS: No Blow Back
FF: Weak 1/2 inch Blow
FS: No Blow Back

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1880.68	103.49	Initial Hydro-static
14	35.52	104.36	Open To Flow (1)
45	47.75	105.14	Shut-In(1)
75	180.98	106.07	End Shut-In(1)
76	49.42	106.05	Open To Flow (2)
107	53.58	106.87	Shut-In(2)
136	91.51	107.53	End Shut-In(2)
136	1858.44	107.93	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
40.00	OSM - 1%O +99%M	0.30

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

