





# BASIC

energy services, L.P.

## TREATMENT REPORT

Customer <i>Stelbar Oil Corp</i>	Lease No.	Date <i>8/5/16</i>
Lease <i>Miller Trust</i>	Well # <i>1-25</i>	
Field Order # <i>13849A</i>	Station <i>Pratt KS</i>	Casing <i>4 1/2 DP</i>
Type Job <i>Plug to Abandon</i>	Depth <i>2370</i>	County <i>Scott</i>
	Formation	State <i>KS</i>
		Legal Description <i>25-16-32</i>

PIPE DATA		PERFORATING DATA		FLUID USED		TREATMENT RESUME		
Casing Size	Tubing Size	Shots/Ft		Acid	RATE	PRESS	ISIP	
<i>4 1/2 DP</i>				Pre Pad	Max		5 Min.	
Depth <i>2370</i>	Depth	From	To	Pad	Min		10 Min.	
Volume <i>33</i>	Volume	From	To	Frac	Avg		15 Min.	
Max Press <i>500</i>	Max Press	From	To		HHP Used		Annulus Pressure	
Well Connection <i>4 1/2</i>	Annulus Vol.	From	To	Flush	Gas Volume		Total Load	
Plug Depth	Packer Depth	From	To					

Customer Representative <i>Tison</i>	Station Manager <i>Kevin Goodley</i>	Treater <i>Scott Graves</i>
---	---	--------------------------------

Service Units <i>38950</i>	<i>78982</i>	<i>86774</i>	<i>19959</i>	<i>21010</i>					
Driver Names <i>Scott</i>	<i>Mike</i>	<i>-</i>	<i>EJ</i>	<i>-</i>					

Time	Casing Pressure	Tubing Pressure	Bbls. Pumped	Rate	Service Log
<i>11:40</i>					<i>On location Safety Meeting Rigup</i>
<i>12:23</i>	<i>250</i>			<i>4.5</i>	<i>Pump H2O spacer (2370')</i>
<i>12:26</i>	<i>150</i>		<i>15</i>	<i>5</i>	<i>Mix 50 sks 60/40 POZ 13.78 PPG</i>
<i>12:29</i>	<i>100</i>		<i>12.7</i>	<i>5</i>	<i>Start Displacement</i>
<i>12:35</i>	<i>0</i>		<i>28.5</i>		<i>Shut down</i>
<i>1:04</i>	<i>220</i>		<i>5</i>	<i>4</i>	<i>Pump H2O spacer (1650')</i>
<i>1:05</i>	<i>150</i>		<i>20.4</i>	<i>5</i>	<i>Mix 80 sks 60/40 POZ 13.78 PPG</i>
<i>1:10</i>	<i>100</i>			<i>5</i>	<i>Start Displacement</i>
<i>1:15</i>	<i>0</i>		<i>19</i>		<i>Shut down</i>
<i>1:47</i>	<i>180</i>			<i>4</i>	<i>Pump H2O spacer (800')</i>
<i>1:50</i>	<i>100</i>		<i>5</i>	<i>5</i>	<i>Mix 50 sks 60/40 POZ</i>
<i>1:53</i>	<i>80</i>		<i>12.7</i>	<i>5</i>	<i>Start displacement</i>
<i>1:55</i>	<i>0</i>		<i>8</i>		<i>Shut down</i>
<i>2:10</i>	<i>120</i>			<i>4</i>	<i>Pump H2O spacer (330')</i>
<i>2:11</i>	<i>90</i>		<i>3</i>	<i>4.5</i>	<i>Mix 40 sks 60/40 POZ</i>
<i>2:14</i>	<i>90</i>		<i>10.2</i>	<i>4.5</i>	<i>Start Displacement</i>
<i>2:15</i>	<i>0</i>		<i>2</i>		<i>Shut down</i>
<i>2:33</i>	<i>50</i>			<i>4</i>	<i>Pump Spacer (60')</i>
<i>2:33</i>	<i>50</i>		<i>1</i>	<i>4</i>	<i>Mix 20 sks 60/40 POZ</i>
<i>2:35</i>	<i>0</i>		<i>5</i>		<i>Shut down Circ. to Surface</i>
<i>2:40</i>	<i>0</i>		<i>8</i>	<i>3</i>	<i>Plug Rest hole 30 sks 60/40</i>
					<i>Job Complete</i>