

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:				
Effective Date:					
District #					
SGA?	Yes No				

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1321911

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
	year,,, Sec Twp S. R E V
DPERATOR: License#	(Q/Q/Q/Q) feat from N / S Line of Section
lame:	fact from E / W Line of Section
ddress 1:	LOCATION D. L. D. L. O.
ddress 2:	
City: State: Zip:	
ontact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	
Well Drilled For: Well Class: Type	e Equipment: Nearest Lease or unit boundary line (in footage):
	Ground Surface Flevation: feet MS
	Mud Rotary  Air Rotary  Water well within one-quarter mile:  Yes N
	Cable Public water supply well within one mile: Yes N
Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total	·
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Farm Pond Other:
Yes, true vertical depth:	BWICT GITTIE #.
Sottom Hole Location: CCC DKT #:	(Note. Apply for Fernit with DWK )
	will cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
"ha undersigned hereby affirms that the drilling	etion and eventual plugging of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby animis that the drilling, comple	
0 ,	. 35 5
t is agreed that the following minimum requirements wil	Il be met:
0 ,	ll be met: ding of well;
t is agreed that the following minimum requirements wil  1. Notify the appropriate district office <i>prior</i> to spudd  2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>is agreed that the following minimum requirements wil</li> <li>Notify the appropriate district office <i>prior</i> to spude</li> <li>A copy of the approved notice of intent to drill <i>sha</i></li> <li>The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim</li> </ol>	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.
<ol> <li>is agreed that the following minimum requirements wil</li> <li>Notify the appropriate district office <i>prior</i> to spude</li> <li>A copy of the approved notice of intent to drill <i>sha</i></li> <li>The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim</li> <li>If the well is dry hole, an agreement between the</li> </ol>	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging;
<ol> <li>t is agreed that the following minimum requirements wil</li> <li>Notify the appropriate district office <i>prior</i> to spude</li> <li>A copy of the approved notice of intent to drill <i>sha</i></li> <li>The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim</li> <li>If the well is dry hole, an agreement between the</li> <li>The appropriate district office will be notified before</li> </ol>	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in;
<ol> <li>is agreed that the following minimum requirements wil</li> <li>Notify the appropriate district office <i>prior</i> to spude</li> <li>A copy of the approved notice of intent to drill <i>sha</i></li> <li>The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim</li> <li>If the well is dry hole, an agreement between the</li> <li>The appropriate district office will be notified befo</li> <li>If an ALTERNATE II COMPLETION, production p</li> </ol>	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging;
<ol> <li>t is agreed that the following minimum requirements wil</li> <li>Notify the appropriate district office <i>prior</i> to spude</li> <li>A copy of the approved notice of intent to drill <i>sha</i></li> <li>The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim</li> <li>If the well is dry hole, an agreement between the</li> <li>The appropriate district office will be notified befo</li> <li>If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su</li> </ol>	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>t is agreed that the following minimum requirements wil</li> <li>Notify the appropriate district office <i>prior</i> to spude</li> <li>A copy of the approved notice of intent to drill <i>sha</i></li> <li>The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim</li> <li>If the well is dry hole, an agreement between the</li> <li>The appropriate district office will be notified befo</li> <li>If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su</li> </ol>	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  urface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements wil</li> <li>Notify the appropriate district office <i>prior</i> to spude</li> <li>A copy of the approved notice of intent to drill <i>sha</i></li> <li>The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim</li> <li>If the well is dry hole, an agreement between the</li> <li>The appropriate district office will be notified befo</li> <li>If an ALTERNATE II COMPLETION, production p</li> <li>Or pursuant to Appendix "B" - Eastern Kansas su</li> </ol>	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  urface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  urface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  urface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  ubmitted Electronically	Il be met:  ding of well;  all be posted on each drilling rig;  d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; one well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  Jubmitted Electronically  For KCC Use ONLY	Il be met:  ding of well;  all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; one well is either plugged or production casing is cemented in; sipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  Jubmitted Electronically  For KCC Use ONLY  API # 15 -	Il be met:  ding of well;  all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the following minimum requirements wil  1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Il be met:  ding of well;  all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing after or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
is agreed that the following minimum requirements wil  1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Il be met:  ding of well;  all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; one well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
is agreed that the following minimum requirements wil  1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Il be met:  ding of well;  all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing atte or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  Libmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Il be met:  ding of well;  all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged. In all cases, NOTIFY district office prior to any cementing of the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
t is agreed that the following minimum requirements wil  1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day  Libmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Il be met:  ding of well;  all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.  operator and the district office on plug length and placement is necessary prior to plugging; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged. In all cases, NOTIFY district office prior to any cementing of the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:_							Loc	cation of W	ell: Cour	ity:				
Lease:										feet	from	N /	S Line	of Section
Well Numb	er:									feet	from	E /	W Line	of Section
Field:			Se	c	Twp	S	. R	R						
Number of QTR/QTR/							- ls 5	Section:	Regu	lar or	Irregular			
				If S	If Section is Irregular, locate well from nearest corner boundary.									
				Se	Section corner used: NE NW SE SW									
	lease roa				d electrica	the neare	required b	y the Kans	as Surfac	Show the pr				
		:	:	:		:	:	:						
		•	:	•		:	:				LEGE	ND		
400 ft											Well Lo Tank B Pipeline Electric	attery L e Locati c Line L	ocation	
				:	ı					EXAMPLE	:		:	
				1	9						Q <b>-</b> 7			1980' FSL
		:		:		:		,		······································			:  :	

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:			Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bbls)  Area? Yes No  Artificial Liner?		SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County County mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?				
Yes No	Yes N	lo					
	Length (fee		Width (feet) N/A: Steel Pits (feet) No Pit				
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.				
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:					
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all splow into the pit?  Yes No		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Number of working pits to be utilized:  Abandonment procedure:  Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
	KCC	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	per:	Permi	t Date: Lease Inspection: Yes No				



1321911

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: <ul> <li>I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations.</li> </ul>	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the K	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	



Operator: Stroke of Luck Energy & Exploration, LLC

Lease: Metz Ranch Lease #1

Well #: <u>01-1116</u>


Field: Riverview

QTR/QTR/QTR of Acreage: <u>NE - SW - SW - NW</u>

Location of Well: County: Ellis

Section 19 Township 11 S Range 18 W

Is Section: <u>x</u> Regular / <u>\_\_\_</u> Irregular



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

November 15, 2016

Ken Walker Stroke of Luck Energy & Exploration LLC PO BOX 98 TECUMSEH, KS 66542

Re: Drilling Pit Application Custer Valley 01-1116 NW/4 Sec.19-11S-18W Ellis County, Kansas

#### Dear Ken Walker:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.