

Confidentiality Requested:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1322032

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:					
Address 2:	Feet from Dorth / South Line of Section				
City: State: Zip:+	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()					
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
	Elevation: Ground: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth:				
Gas D&A ENHR SIGW					
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cmt.				
Original Comp. Date: Original Total Depth:					
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan				
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)				
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls				
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
ENHR Permit #:					
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1322032
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	
INCTRUCTIONS. Chow important tang of formations ponetrated	Datail all cares Report all	final conject of drill stome tasts giving interval tasted, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	neets)	Yes No		0	on (Top), Depth a		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	Ð		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth Tan Bottom	Type of Cement	# Sacks Used	Sacks Used Type and Percent Additives			

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

(If No, skip questions 2 and 3) (If No, skip question 3)

No

No No

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			A		ement Squeeze Record I of Material Used)	Depth			
TUBING RECORD:	Si	ze:	Set At:		Packe	r At:	Liner Rı	un:	No	
Date of First, Resumed	d Product	tion, SWD or ENH	٦.	Producing N		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSIT	ION OF (GAS:			_	OF COMPLE			PRODUCTION INT	ERVAL:
Vented Sol	d 🗌	Used on Lease		Open Hole	Perf.	Uually (Submit)		Commingled (Submit ACO-4)		
(If vented, Su	ıbmit ACC	D-18.)		Other (Specify)		(,	()		

Form	ACO1 - Well Completion
Operator	Kent, Roger dba R J Enterprises
Well Name	MCMENEMY 6
Doc ID	1322032

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	5	
Production	5.625	2.875	6.5	655	portland	65	

HAMMERSON CORPORATION

PO BOX 189 GAS, KS 66742

Date Invoice

Date	Invoice #
10/16/2016	10358

Bill To

R.J. ENTERPRISES 22082 NE NEOSHO RD GARNETT, KS 66032

		P.O. No.	Terms		Project
		MCMENEMY 6	Due on receipt		
Quantity	Description		Rate		Amount
70	WELL MUD (\$8.00 PER SACK) ANDERSON COUNTY SALES TAX (WELL MUD) TRUCKING (\$50 PER HOUR) ANDERSON COUNTY SALES TAX			8.00 8.00% 50.00 8.00%	560.00 44.80 62.50 5.00



RJ Energy

22082 NE Neosho Rd Garnett, Kansas 66032

McMenemy # 6

2	soil	2	
4	clay/rock	6	
6	lime	12	
90	shale	102	
8	lime	110	
8	shale	118	
40	lime	158	
5	shale	163	
17	lime	180	
6	shale	186	
20	lime	206	
179	shale	385	
15	lime	400	
57	shale	457	
34	lime	491	
32	shale	523	
17	lime	540	
10	shale	550	
8	lime	558	
11	shale	569	
8	lime	577	
23	shale	600	
2	bkn sand	602	show
9	sandy shale	611	odor
10	oil sand	621	good show
4	limey sand	625	show
36	shale	661	T.D.

Start 10-4-16 Finish 10-10-16

> set 20' of 7" ran 655.6' of 2 %" cemented to surface 70sxs