For KCC Use:

Effective	Date

District	#	

SGA?	Yes	No.
------	-----	-----

Form

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

1322037

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

KSONA-1	, Certification of	Compliance with the	Kansas Surface (Owner Notification	Act, MUST be	e submitted with t	his form
---------	--------------------	---------------------	------------------	--------------------	--------------	--------------------	----------

Expected Spud Date:	Spot Description:
OPERATOR: License#	(^(0/0/0/0) Sec Twp S. R E □ W feet from □ N / □ S Line of Section feet from □ E / □ W Line of Section
Name:	Is SECTION: Regular Irregular?
Address 1:	
Address 2:	(Note: Locate well on the Section Plat on reverse side) County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Seismic ; # of Holes Other Other:	Nearest Lease or unit boundary line (in footage):
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below **shall be set** by circulating cement to the top; in all cases surface pipe **shall be set** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

For KCC Use ONLY		
API # 15		
Conductor pipe requiredfeet		
Minimum surface pipe required feet per ALT. I		
Approved by:		
This authorization expires:		
Spud date: Agent:		

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

Well will not be drilled or Permit Expired Date: _ Signature of Operator or Agent: Side Two

1322037

For KCC Use ONLY

API # 15 - ____


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 🗌 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1322037

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

	Su	bmit in Duplicat	e	
Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:	_	··	
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West	
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	٩o	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):Length (feet)			Width (feet)N/A: Steel Pits	
Depth from ground level to deepest point:			(feet) No Pit	
			dures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallor Source of inforr	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:	
Producing Formation: Type of materia		Type of materia	ial utilized in drilling/workover:	
Number of producing wells on lease:		king pits to be utilized:		
Barrels of fluid produced daily:	Abandonment procedure:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically		· · · · ·		

		KCC OFFICE USE ONLY	Liner	Steel Pit RFAC RFAS	
Date Received:	_ Permit Number:	Permit Date:		Lease Inspection: Yes No	

	ATION COMMISSION ERVATION DIVISION	1322037	Form KSONA-1 January 2014 Form Must Be Typed
CERTIFICATION OF CO KANSAS SURFACE OW			Form must be Signed All blanks must be Filled
This form must be submitted with all Forms C-1 (Notice of T-1 (Request for Change of Operator Transfer of Injection of Any such form submitted without an account Select the corresponding form being filed: C-1 (Intent) CB-1 (C	r Surface Pit Permit); and mpanying Form KSONA-1	CP-1 (Well Pluggin will be returned.	g Application).
OPERATOR: License #	Well Location:		
Name:		· · ·	R East West
Address 1:	County:		
Address 2:	Lease Name:		Well #:
City: State: Zip:+	If filing a Form T-1 for mul the lease below:	ltiple wells on a lease,	enter the legal description of
Contact Person:	the lease below.		
Phone: () Fax: ()			
Email Address:			

Surface Owner Information:

Name:	When filing a Form T-1 involving multiple surface owners, attach an addit	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.


Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

OPERATOR NO. FARM BER <u>35 31s 11w</u> 830' FSL & 705' FEL of SE/4 LOCATION HUNMON CORPORATION PO BOX 365 MEDICINE LODGE, KS 67104 R ED BY: Bryant Theis SCALE: 1' = 1000' et 5' iron rod & wood stake. light slope pasture. 00' w-sw to highline. 5' east to draw.	DPEANTOR 35 31s 11w 830' FSL & 705' FEL of SE/4 COUNTY 35 31s 11w 830' FSL & 705' FEL of SE/4 COUNTY BRBER 1594' GR 1594' GR "HUMMON CORPORATION PO BOX 365 MEDICINE LODGE, KS 67104 elevation 1594' GR "HUMMON CORPORATION PO BOX 365 Elevation 1594' GR "Set 5' iron rod & wood stake. Slight slope pasture. 100' w-sw to highline. 75' east to draw. 6PS Coordinates: 37.299709 98.480650 NAD83 NAD83	OPERATOR NO. OMAT IN TWIN IN TWIN FARM BARBER 35 31s 11w 830' FSL & 705' FEL of SE/4 COUNTY 35 31s 11w 830' FSL & 705' FEL of SE/4 COUNTY 95 365 LOCATION PO BOX 365 MEDICINE LODGE, KS 67104 ELEVATION: 1594' GI N 3 SCALE: 1'= 1000' Scale: 1'= 1000' 1 Set 5' iron rod & wood stake. 1 Slight slope pasture. 100' w-sw to highline. 75' east to draw. 4 GPS Coordinates: 37.299709	<u>R</u>
BER 35 31s 11w 830' FSL & 705' FEL of SE/4 LOCATION LOCATION PO BOX 365 MEDICINE LODGE, KS 67104 Bryant Theis SCALE: 1' = 1060' ED BY: Bryant Theis SCALE: 1' = 1060' et 5' iron rod & wood stake. light slope pasture. Q0' w-sw to highline. 5' east to draw. PS Coordinates: 37.299709 98.480650 NAD83	BARBER 35 31s 11w B30' FSL & 705' FEL of SE/4 COUNTY 3 3 11w B30' FSL & 705' FEL of SE/4 COUNTY 1594' GR LOCANDH PO BOX 365 MEDICINE LODGE, KS 67104 LOCANDH ATHORMED AV Bryant Theis SCALE: '- 1000' Set 5' iron rod & wood stake. Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709 98.480650 NADB3	BARBER 35 31s 11w 830' FSL & 705' FEL of SE/4 COUNTY S T R B30' FSL & 705' FEL of SE/4 Interpretent of the service of	<u>R</u>
HUMMON CORPORATION PO BOX 365 MEDICINE LODGE, KS 67104 EDBY: Bryant Theis SCALE: 1'= 1060' et 5' iron rod & wood stake. light slope pasture. 00' w-sw to highline. 5' east to draw. PS Coordinates: 37.299709 98.480650 NAD83	HUMMON CORPORATION PO BOX 365 MEDICINE LODGE, KS 67104	HUMMON CORPORATION PO BOX 365 MEDICINE LODGE, KS 67104 AUTHORIZED BY: Bryant Theis SCALE: 1' = 1000' Set 5' iron rod & wood stake. Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709	<u>R</u>
Bryant Theis Bryant Theis SCALE: Y = 1000Y et 5' iron rod & wood stake. light slope pasture. 00' w-sw to highline. 5' east to draw. PS Coordinates: 37.299709 98.480650 NAD83	PO BOX 365 MEDICINE LODGE, KS 67104 " SCALE: 1' = 1000' Set 5' iron rod & wood stake. Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709 98.480650 NAD83	AUTHORIZED BY: Bryant Theis AUTHORIZED BY: Bryant Theis SCALE: 1' = 1000' Set 5' iron rod & wood stake. Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709	<u>R</u>
EDBY: Bryant Theis SCALE: 1' = 1000' et 5' iron rod & wood stake. light slope pasture. 00' w-sw to highline. 5' east to draw. PS Coordinates: 37.299709 98.480650 NAD83	SCALE: 1' = 1000 Set 5' iron rod & wood stake. Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709 98.480650 NAD83 	AUTHORIZED BY: Bryant Theis SCALE: 1' = 1000' Set 5' iron rod & wood stake. Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709	
scale: 1' = 1000' et 5' iron rod & wood stake. light slope pasture. 00' w-sw to highline. 5' east to draw. PS Coordinates: 37.299709 98.480650 NAD83	Scale: 1'= 1000' Set 5' iron rod & wood stake. Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709 98.480650 NAD83 	SCALE: 1° = 1000° Set 5' iron rod & wood stake. Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709	
scale: 1' = 1000' et 5' iron rod & wood stake. light slope pasture. 00' w-sw to highline. 5' east to draw. PS Coordinates: 37.299709 98.480650 NAD83	Scale: 1'= 1000' Set 5' iron rod & wood stake. Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709 98.480650 NAD83 	SCALE: 1° = 1000° Set 5' iron rod & wood stake. Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709	
et 5' iron rod & wood stake. light slope pasture. 00' w-sw to highline. 5' east to draw. PS Coordinates: 37.299709 98.480650 NAD83	Set 5' iron rod & wood stake. Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709 98.480650 NAD83 	Set 5' iron rod & wood stake. Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709	
light slope pasture. 00' w-sw to highline. 5' east to draw. PS Coordinates: 37.299709 98.480650 NAD83	Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709 98.480650 NAD83 	Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709	
light slope pasture. 00' w-sw to highline. 5' east to draw. PS Coordinates: 37.299709 98.480650 NAD83	Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709 98.480650 NAD83 	Slight slope pasture. 100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709	
00' w-sw to highline. 5' east to draw. PS Coordinates: 37.299709 98.480650 NAD83 3 5	100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709 98.480650 NAD83 	100' w-sw to highline. 75' east to draw. GPS Coordinates: 37.299709	
5' east to draw. PS Coordinates: 37.299709 98.480650 NAD83 3 5	75' east to draw. GPS Coordinates: 37.299709 98.480650 NAD83 	75' east to draw. GPS Coordinates: 37.299709	
PS Coordinates: 37.299709 98.480650 NAD83 3 5	GPS Coordinates: 37.299709 98.480650 NAD83 3 5	GPS Coordinates: 37.299709	
98.480650 NAD83	98.480650 NAD83		
98.480650 NAD83	98.480650 NAD83		_
NAD83 3 5	NAD83		
3 5	3 5	NÅD83.	
	- 705'		
	- 705'		
- 705'- <u>-</u>	STAK	35	
	STAK		
	STAK	i i	
- 	STAK		
- 705'-→	STAK		1
	STAK		
			²
A STA			* ->-
	830'		STAK





Reorder No. 09-342
- AS
Kansas Blue Print 700 5. Broadway PO Box 783 Wichia, KS 97201-0793 310-264-8344-264-5105 fax www.khp.com- khp@ktp com

٦

[1				İ		l	4	1	1	1	п р. =>=00001		1
Į.							1								
							; ; ;								
]]				
											r 8 8	ŧ.			
			<u> </u>				 		·	·		<u> </u>			
											t L F				
							1 1 1								
										-					
	44400m.002	! 	1		 							ļ			
•															
											1			1	
CHAPINH 35 BATTEGAY					•••••••••••• 						;				
LĂĐ															
양북王) 									I	
250	*									I					
												~= +			
										ana		-	•	+11347AX11111111111111111111111111	

														l	
			$\langle \cdot \rangle$			2 5 6 6 6									
													1		
			7							******		*******			
			/												
		1	í												
		/													
		/													
		/	CHHDIN 5.35										· · · · · · · · · · · · · · · · · · ·	·	
		_ /	Prim Prim												
			<u></u>						i					·	
		_					ļ				4				
											:				
		1								ļ					

Township 31 5 Range 11 EV County BARBER

State _ X

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner Sam Brownback, Governor

February 24, 2017

Tyler Bell Hummon Corporation POBOX 365 MEDICINE LODGE, KS 67104

Re: Drilling Pit Application Chapin Twin 2-35 SE/4 Sec.35-31S-11W Barber County, Kansas

Dear Tyler Bell:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.