

BOGGS L. INSINGER
CONSULTING GEOLOGIST
 Phone: 316-214-2048

GEOLOGIST'S REPORT

DRILLING TIME AND SAMPLE LOG


COMPANY	C G Oil, Inc.	LEASE	Walker	ELEVATION	KB 1958
FIELD	W.C.	LOCATION	SW-SW-NE 1/4	DEP.	1950
SEC	34	Twp 13 S	RGE 16 W	GL	
COUNTY	Ellis	STATE	KS	Measurements Are All	
CONTRACTOR	South Wind	SPUD	8-26 - 16 COMP	From KB	
RIB	3510	TD	3508	PRODUCTION	1054 ft 8 1/2"
FORMATION TOPS	Abhydrite	TYPE	MUD chem	COL/CLN MEL	ELECTRICAL SURVEYS
SAMPLES SAVED FROM	2900	TO	RTD		
DRILLING TIME KEPT FROM	2900	TO	RTD		
SAMPLES REMAINED FROM	2900	TO	RTD		
GEOLOGICAL SUPERVISION FROM	2900	TO	RTD		
GEOLOGIST ON WELL	Roger L. Fisher				

REMARKS

Pipe was Run to Further Test

BZ T.F.R

LEGEND



DRILLING TIME
(Logarithmic Scale)

SAMPLE DESCRIPTIONS

REMARKS

2900

Topeka 2922

-964

Ls lt gyx fxl sli
foss cho N.S.

Sh lt gn gy sandy

silty

Ls lt tan fxl dense

No F N.S.

Ls wh foss poor pmp

SI: SFO Sli Odor

F spotted ST

Ls tan vxl dense N.S.

Ls lt gy fxl ool

chaky F O N.S.

3000

Sh Black

Sh dk gr

Ls wh vxl chaky

N.S.

Ls lt gy vxl cha

N.S.

50

Ls wh cha sli foss

N.S.

Sh BIK

Ls dk tan vxl dense

N.S.

50

Ls tan fxl dense

N.S.

Ls lt gy fxl chaky

N.S.

Ls gy fxl chaky

mealy N.S.

Ls lt gy fxl dense

SI: foss N.S.

3100

Sh Black carb

Ls gy vxl sli foss cha

50

Sh lt gn

Ls wh fxl sli foss F pin

PT & SAT Stain FSFO

Fair Odor

50

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

1

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

3200

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

50

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

50

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

1

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

3300

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

50

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

2

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

3200

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

50

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

1

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

3300

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

50

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

1

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

3400

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

50

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

2

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

3

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

3400

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

10

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

3500

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

10

Sh lt gn

Ls wh fxl sli oss F pin

PT & SAT Stain FSFO

Faint Odor

3500