

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	

SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1324156

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E V
DPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
lame:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
Dity:	County:
Contact Person:Phone:	Lease Name: Well #:
none.	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I II
	Length of Surface Pipe Planned to be set:  Length of Conductor Pipe (if any):
Operator:	Projected Total Depth:
Well Name: Original Total Depth:	-
Original Completion Date Original Total Depth	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
f Yes, true vertical depth:	
Bottom Hole Location:	( <b>Note</b> : Apply for Permit with DWR )
(CC DKT #:	- Will Cores be taken? Yes N
	If Yes, proposed zone:
AF	FIDAVIT
	FIDAVIT lugging of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby affirms that the drilling, completion and eventual p	
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be see</i>	ch drilling rig;  t by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> second on the second of the second	ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the proved of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the proved half the second through all unconsolidated materials plus a minimum of 20 feet into the district of the well is dry hole, an agreement between the operator and the district of the province of the provi	ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  strict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior is specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging.	ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  strict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the analytic pluging to a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging to pursuant to Appendix "B" - Eastern Kansas surface casing order and the district of the appropriate	ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  £133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the analyse of the appropriate district office will be notified before well is either pluging the analyse of the appropriate district office will be notified before well is either pluging the analyse of the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well as either pluging the appropriate district office will be notified before well as either pluging the appropriate district office will be notified before well as either pluging the appropriate district office will be notified before well as either pluging the appropriate district office will be notified before well as either pluging the appropriate district office will be notified before well as either pluging the appropriate district office will be notified before well as either pluging the appropriate district office will be notified before well as either pluging the appropriate district office will be notified before well as either pluging the appropriate district office will be notified before well as either pluging the appropriate district office will be notified before well as either pluging the appropriate district office will be notified before well as either pluging the appropriate district office will be notified before well as either pluging the appropriate district of	ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the analytic pluging to a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging to pursuant to Appendix "B" - Eastern Kansas surface casing order and the district of the appropriate	ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  £133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of th	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the driving formation is compared to the formation in the driving formation is compared to the formation in the driving formation is compared to the formation in the formation in the formation is compared to the formation in the formation in the formation is compared to the formation in the formation in the formation is compared to the formation in the formation in the formation is compared to the formation in the formation in the formation is compared to the formation in the formation in the formation is compared to the formation in the formation in the formation is compared to the formation in the formation in the formation is compared to the formation in the formation in the formation is compared to the formation in the formation in the formation is compared to the formation in the formation in the formation is compared to the formation in the formation in the formation is compared to the formation in the formation in the formation is compared to the formation in the formation in the formation is compared to the formation in the formation in the formation is compared to the formation in the formation in the formation is compared to the formation in the formation i
The undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of th	ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging to pursuant to Appendix "B" - Eastern Kansas surface casing order and the district of the well shall be completed within 30 days of the spud date or the well shall be supported to the well shall be set to the well shall be completed.	ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well be cement of the appropriate district office will be notified before well is either pluging the state of the spund of the spunding order of the must be completed within 30 days of the spunding or the well shall be set to the spunding or the s	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the form below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior is a minimum of 20 feet into the district office will be notified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order and the district office will be notified before well is either plugible. It is a properties of the spud date or the well shall be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the driving formation with a surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
the undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set i	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the form below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all through all through all through a seen through	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; upged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
the undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set i	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the drom below any usable water to surface within 120 DAYS of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the fit the well is dry hole, an agreement between the operator and the displayment of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order as must be completed within 30 days of the spud date or the well shall be completed.  **Description**  **Descriptio	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; upged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  In slaged. In all cases, NOTIFY district 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);



For KCC Use ONLY	
API # 15	_


## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

# 1650 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		-	License Number:
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes N	lo	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (feet	t)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to deep	pest point:	(feet) No Pit
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining cluding any special monitoring.
· · · · · · · · · · · · · · · · · · ·		Depth to shallow Source of inforr	west fresh water feet.
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease:		Number of work	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.
Submitted Electronically			
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R 🗌 East 🗌 West	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description	
Contact Person:	the lease below:	
Phone: ( ) Fax: ( )		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City:		
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  et (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this	
form; and 3) my operator name, address, phone number, fax, an	d email address.	
KCC will be required to send this information to the surface owr	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1		
Submitted Electronically		



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

# NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

December 06, 2016

Lance Town Triple T Oil, LLC PO BOX 716 LOUISBURG, KS 66053

Re: Drilling Pit Application Snouffer I-4 SW/4 Sec.29-16S-24E Miami County, Kansas

## Dear Lance Town:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.