

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:				
Effective Date:					
District #					
SGA?	Yes No				

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
monur day ye	Sec Twp S. R L E L V
DPERATOR: License#	feet from N / S Line of Sectio
ame:	
ddress 1:	ls SECTION: Regular Irregular?
ddress 2:	
ity: State:	+——— County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipm	Nearest Lease or unit boundary line (in footage):
	Ground Surface Flevation: feet MS
Oil Enh Rec Infield Mud Ro Gas Storage Pool Ext. Air Rota	Mater well within one-quarter mile:
Gas Storage Pool Ext. Air Rota Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	D : IT ID
Original Completion Date: Original Total Depth: _	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
	(Note: Apply for Permit with DWR)
	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No
	(Note: Apply for Permit with DWR)
	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT
CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT d eventual plugging of this well will comply with K.S.A. 55 et. seq.
CCC DKT #: The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be me	(Note: Apply for Permit with DWR) Will Cores be taken? Yes Note:
CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT d eventual plugging of this well will comply with K.S.A. 55 et. seq. it: well;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be med. 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved notice of intent to drill <i>shall be</i> possible.	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT d eventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; basted on each drilling rig;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be med. 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved notice of intent to drill <i>shall be</i> possible.	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT d eventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; psted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be mer 1. Notify the appropriate district office <i>prior</i> to spudding of v 2. A copy of the approved notice of intent to drill <i>shall be</i> po 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2 4. If the well is dry hole, an agreement between the operator	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT d eventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; psted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be mer 1. Notify the appropriate district office <i>prior</i> to spudding of v 2. A copy of the approved notice of intent to drill <i>shall be</i> po 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. It: well; posted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be me: 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> po. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shal	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be me: 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> po. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in the analyse of the appropriate district office will be notified before well in the appropriate district office will be notified be	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. It: well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; il be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be med. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> positive. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface care	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. It: well; posted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; il be cemented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be me: 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> po. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in the analyse of the appropriate district office will be notified before well in the appropriate district office will be notified be	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. It: well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; il be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> post. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. It: well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; il be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> post. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; osted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; Il be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate Il cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> post. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; osted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing as well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> positive. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the submitted Electronically. For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. It: well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. For and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. The asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> pot. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well i. 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. Affice well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. For and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. Asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing as well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be mei 1. Notify the appropriate district office <i>prior</i> to spudding of v 2. A copy of the approved notice of intent to drill <i>shall be</i> po 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well i 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface ca must be completed within 30 days of the spud date or the completed Electronically For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. st: well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> pot. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well i. 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. st: well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be mei. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> pot. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well i. 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the complete of the conductor pipe required	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; osted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> positive of the minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operators. The appropriate district office will be notified before well in the first of the spund date or the spund of the spund date of the spund of	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT deventual plugging of this well will comply with K.S.A. 55 et. seq. It: well; stall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; II be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing as well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be med. 1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> pod. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well i 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the completed within 30 days of the spud date or the conductor pipe required	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT d eventual plugging of this well will comply with K.S.A. 55 et. seq. it: well; state on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing as well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approach before dispecting or injection cell written.

Side Two




For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
PLA	
Show location of the well. Show footage to the nearest leas	
lease roads, tank batteries, pipelines and electrical lines, as require You may attach a sepa	·
той тау ашаст а зера	rate plat il desired.
	O OOO () LEGEND



4802 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date constructed: ———————————————————————————————————		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	————	(bbls)	County		
Is the pit located in a Sensitive Ground Water A	urea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes N	No .			
	Length (fee	•			
Depth fro If the pit is lined give a brief description of the li			dures for periodic maintenance and determining		
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet.		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	ll utilized in drilling/workover:		
Number of producing wells on lease:		Number of work	king pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.		
Submitted Electronically					
KCC OFFICE USE ONLY					
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No		



1324392

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License # Name: Address 1: Address 2: City: State: Zip: + Contact Person: Phone: ()	Well Location:
Surface Owner Information: Name: Address 1: Address 2: City: State: Zip: +	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be I 	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this
form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface ow task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the I	and email address. acknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form. The with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

