1325590

Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

	Page Two	1325590
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	
INCTRUCTIONS, Chow important tang of formations papatrated	Datail all cares Report a	Il final conject of drill stoms tasts giving interval tasted, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		-	on (Top), Depth ai		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQL	IEEZE RECORD			

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Back TD				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

Yes	No
Yes	No

No

(If No, skip questions 2 and 3) (If No, skip question 3)

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					ement Squeeze Record d of Material Used)	Depth			
TUBING RECORD:	Siz	ze:	Set At:		Packe	r At:	Liner R		No	
Date of First, Resumed	d Product	ion, SWD or ENH	٦.	Producing M	ethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ols.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
			1							
DISPOSIT	ION OF (GAS:			_				PRODUCTION INTE	RVAL:
Vented Sol	d 🗌 I	Used on Lease		Open Hole	Perf.	Uually (Submit)		Commingled (Submit ACO-4)		
(If vented, Su	ıbmit ACC)-18.)		Other (Specify)		(Cubiint)		(0001111700 4)		

Form	ACO1 - Well Completion
Operator	Rickerson, Russell
Well Name	RICKERSON G1
Doc ID	1325590

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.250	8.625	10	20	Portland	4	50/50 POZ

Lease Owner: Russ Rickerson

Franklin County, KS
Well: Rickerson G1Town Oilfield Service, Inc.
(913) 294-2125Commenced Spudding:
12/15/16

WELL LOG

Thickness of Strata	Formation	Total Depth
0-3	Soil-Clay	3
11	Lime	14
32	Shale	46
19	Lime	65
17	Sandy Shale	82
6	Shale	88
34	Sandy Shale	122
34	Shale	156
19	Lime	175
7	Shale	182
9	Sandy Shale & Lime	191
7	Shale	198
5	Lime	203
4	Shale	207
6	RedBed	213
16	Shale	229
12	Sandy Shale	241
13	Lime	254
2	Shale	256
4	Lime	260
8	Shale	268
13	Lime	281
3	Shale	284
12	Lime	296
8	Shale	304
22	Lime	326
5	Shale	331
4	Lime	335
2	Shale	337
6	Lime	343
5	Shale	348
5	Shale & Lime	353
7	Sandy Shale	360
4	Sh	364
12	Sand & Sandy Shale	376
6	Sh	382
13	Sand & Sandy Shale	395
5	Sandy Shale	400
53	Shale	453
10	Sand	463

Lease Owner: Russ Rickerson

22	Sandy Shale	485
4	Sandy Shale & Lime	489
8	Sand	497
7	Sandy Lime	504
15	Lime	519
4	Shale	523-TD
	······································	
······································	******	
		· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·	······································	
		······································
······································]
·		

Short Cuts

TANK CAPACITY

BBLS. (42 gal.) equals D²x.14xh D equals diameter in feet. h equals height in feet.

BARRELS PER DAY Multiply gals. per minute x 34.2

HP equals BPH x PSI x .0004 BPH - barrels per hour PSI - pounds square inch


TO FIGURE PUMP DRIVES

* D - Diameter of Pump Sheave
* d - Diameter of Engine Sheave
SPM - Strokes per minute
RPM - Engine Speed
R - Gear Box Ratio
*C - Shaft Center Distance

D - RPMxd over SPMxR d - SPMxRxD over RPM SPM - RPMXD over RxD R - RPMXD over SPMxD

 $\mathsf{BELT LENGTH} - 2\mathsf{C} + 1.57(\mathsf{D} + \mathsf{d}) + \frac{(\mathsf{D} \text{-} \mathsf{d})^2}{4\mathsf{C}}$

* Need these to figure belt length WATTS = AMPS TO FIGURE AMPS: VOLTS 746 WATTS equal 1 HP



Town Oilfield Services, Inc. 1207 N. 1st East Louisburg, KS 66053 913-710-5400

Rickerson Farm: Franklin County State; Well No. 62 65 1604 Elevation 12-15 Commenced Spuding Finished Drilling Driller's Name Wesle **Driller's Name** Driller's Name Tool Dresser's Name Van Tool Dresser's Name Tool Dresser's Name 0S Contractor's Name 21 145 -(Township) (Range) (Section) 41020 line, Distance from _ ft. سا Distance from ... line, ft. YSACKS Chrs 634 berchole **CASING AND TUBING** RECORD 10" Set ___ _____ 10" Pulled _____

8"#Set 20 8" Pulled 6¼" Set 6¼" Pulled 4" Set 4" Pulled 2" Set 2" Pulled *

CASING AND TUBING MEASUREMENTS

Feet	In.	Feet	In.	Feet	In.
····					
	_				
<u></u>					
					<u> </u>
					<u> </u>
]		ļ
l					

-1-

Thickness of		Total	₋
Strata	Formation	Depth	Remarks
0-3	soil-clay	3	
	L'inc/	14	
32	Shale	46	
19	Lime	105	
17	Sandy Shele	52	
6	Shell	48	· ·
34	Sandy Shall	122	
34	shale	156	
19	Lime	175	
7	shale	182	
9	sindy shelp & lime	191	······································
7	shale	198	
5	Lime	203	· ·
4	shall.	207	
6	rabed	213	
16	shall.	229	· · · · · · · · · · · · · · · · · · ·
12	sandy shale	241	
13	Lime	2.54	***************************************
2	Shale	256	······································
4	Lime	260	······································
G	Shale.	268	
13	Lime.	281	
3	Shile	284	······································
12	Lime	296	·
ষ্ঠ	Shale	304	
22	Lime	326	(°
	Shalk	331	
	2		

-2-

-3-

.....

		331	
Thickness of Strata	Formation	Total Depth	Remarks
4	Lime	335	······································
2	Shalt	337	-)
6	lime	343	Hertha
5	Shale	348	
5	Shale & lime	353	· · · · · · · · · · · · · · · · · · ·
7	Sandy shale	360	
- 4	Shale	304	
12	send & sind 7 shall		no ans
6	Shale	3-62	
13	Sind & Sind The	395	_no gas
	Sandy shelp	400	
53	<u>Shale</u>	453	
	sand	463	ho gas
22	Sandy Shell	185	
	Sandystale & lime	489	
<u> </u>	sand	497	hs gas
7	Sandy Lime	504	
	Lime	514	
- 4	Shalk	52.5	TD
			· · · · · · · · · · · · · · · · · · ·
		· · · ·	· · · · · · · · · · · · · · · · · · ·
			۰ ^۰
	-4-	<u> </u>	5

-4-

-5-